SECOM Passport for Web EV Certification Authority Certificate Policy Version 2.76

May 31, 2021

SECOM Trust Systems Co., Ltd.

| | Version History | | |
|---|---|---|--|
| Version Number | Date | Description | |
| 1.00 | 2007/06/29 | Publication of the first version | |
| 1.10 | 2008/09/19 | Compliance with EV Guidelines Ver1.1 | |
| 1.20 | 2008/12/18 | Support for the 2048-bit key size | |
| 1.30 | 2010/11/18 | Support for OCSP | |
| 1.40 | 2012/11/09 | Addition of SubjectAltName to the Certificate Profile | |
| | | Deletion of the 1024-bit key size | |
| | | Overall revision of the descriptions and styles | |
| 2.00 | 2014/08/01 | Major version upgrade | |
| | | Addition of SECOM Passport for Web EV2.0CA | |
| 2.10 | 2015/04/15 | Addition of the CAA description | |
| 2.20 | 2015/04/30 | Addition of the Certificate Transparency Extension | |
| | | description | |
| 2.30 | 2015/12/25 | Addition of the "Authentication of Domain Name" provision | |
| 2.40 | .40 2017/05/23 Removal of "SECOM Passport for Web EVCA" | | |
| Revision of the acceptance and issuance date | | Revision of the acceptance and issuance dates for | |
| Renewal/Re-Keying requests | | Renewal/Re-Keying requests | |
| Overall revision of the descriptions and styles | | Overall revision of the descriptions and styles | |
| 2.50 | 2017/09/07 | Correction of the "CAA Records" description. | |
| 2.60 | 2018/03/29 | Revision of CPS | |
| Registration of EV OID | | | |
| | | Correction of description about Authentication of Domain. | |
| | | Revision of the descriptions | |
| 2.71 | 2019/05/24 | Overall revision of the descriptions and styles | |
| 2.72 | 2020/03/30 | Revised chapters and added some "No Stipulation" content | |
| 2.73 | 2020/09/01 | Removal of "Certificate validity period 2 years" | |
| 2.74 | 2020/09/29 | Revision of Reason code for CRL profile | |
| 2.75 | 2020/10/26 | Addition of description about Organization Authentication | |
| 2.76 | 2021/05/31 | Modification of description about Domain Authentication | |
| | | Modification of Certificate Revocation Reasons | |
| | | Addition of the Special Requirements for Key Compromise | |

Table of Contents

| 1. Introduction | 1 |
|--|----|
| 1.1 Overview | 1 |
| 1.2 Document Name and Identification | 2 |
| 1.3 PKI Participants | 2 |
| 1.3.1 CA | 2 |
| 1.3.2 RA | 2 |
| 1.3.3 Subscribers | 3 |
| 1.3.4 Relying Parties | 3 |
| 1.3.5 Other Parties | 3 |
| 1.4 Certificate Usage | 3 |
| 1.4.1 Appropriate Certificate Uses | 3 |
| 1.4.2 Prohibited Certificate Uses | 3 |
| 1.5 Policy Administration | 3 |
| 1.5.1 Organization Administering the Document | 3 |
| 1.5.2 Contact Information | 3 |
| 1.5.3 Person Determining CP Suitability for the Policy | 4 |
| 1.5.4 Approval Procedure | 4 |
| 1.6 Definitions and Acronyms | 4 |
| 2. Publication and Repository Responsibilities | 9 |
| 2.1 Repository | 9 |
| 2.2 Publication of Certificate Information | 9 |
| 2.3 Time or Frequency of Publication | 9 |
| 2.4 Access Controls on Repository | 9 |
| 3. Identification and Authentication | 10 |
| 3.1 Naming | 10 |
| 3.1.1 Types of Names | 10 |
| 3.1.2 Need for Names to Be Meaningful | 10 |
| 3.1.3 Anonymity or Pseudonymity of Subscribers | 10 |
| 3.1.4 Rules for Interpreting Various Name Forms | 10 |
| 3.1.5 Uniqueness of Names | 10 |
| 3.1.6 Recognition, Authentication, and Roles of Trademarks | 11 |
| 3.2 Initial Identity Validation | 11 |
| 3.2.1 Method to Prove Possession of Private Key | 11 |
| 3.2.2 Authentication of Organization Identity | 11 |
| 3.2.3 Authentication of Individual Identity | 11 |
| © 2007 SECOM Trust Systems Co.,Ltd. | |

| | 3.2.4 Non-Verified Subscriber Information | 11 |
|----|--|------|
| | 3.2.5 Validation of Authority | . 12 |
| | 3.2.6 Criteria for Interoperation | . 12 |
| | 3.2.7 Authentication of Domain Name | . 12 |
| | 3.3 Identification and Authentication for Re-Key Requests | . 14 |
| | 3.3.1 Identification and Authentication for Routine Re-Key | . 14 |
| | 3.3.2 Identification and Authentication for Re-Key after Revocation | . 14 |
| | 3.4 Identification and Authentication for Revocation Requests | . 14 |
| 4. | Certificate Life-Cycle Operational Requirements | . 15 |
| | 4.1 Certificate Application | . 15 |
| | 4.1.1 Who Can Submit a Certificate Application | . 15 |
| | 4.1.2 Enrollment Process and Responsibilities | . 15 |
| | 4.2 Certificate Application Processing | . 15 |
| | 4.2.1 Performing Identification and Authentication Functions | . 15 |
| | 4.2.2 Approval or Rejection of Certificate Applications | . 15 |
| | 4.2.3 Time to Process Certificate Applications | . 15 |
| | 4.2.4 Confirmation of CAA Records | . 16 |
| | 4.3 Certificate Issuance | . 16 |
| | 4.3.1 CA Actions during Certificate Issuance | . 16 |
| | 4.3.2 Notifications to Subscriber of Certificate Issuance | . 16 |
| | 4.4 Certificate Acceptance | . 16 |
| | 4.4.1 Conduct Constituting Certificate Acceptance | . 16 |
| | 4.4.2 Publication of the Certificate by the CA | . 16 |
| | 4.4.3 Notification of Certificate Issuance by the CA to Other Entities | . 16 |
| | 4.5 Key Pair and Certificate Usage | . 17 |
| | 4.5.1 Subscriber Private Key and Certificate Usage | . 17 |
| | 4.5.2 Relying Party Public Key and Certificate Usage | . 17 |
| | 4.6 Certificate Renewal | . 17 |
| | 4.6.1 Circumstances for Certificate Renewal | . 17 |
| | 4.6.2 Who May Request Renewal | . 17 |
| | 4.6.3 Processing Certificate Renewal Requests | . 17 |
| | 4.6.4 Notification of New Certificate Issuance to Subscriber | . 17 |
| | 4.6.5 Conduct Constituting Acceptance of a Renewal Certificate | . 17 |
| | 4.6.6 Publication of the Renewal Certificates by the CA | . 17 |
| | 4.6.7 Notification of Certificate Issuance by the CA to Other Entities | . 18 |
| | 4.7 Certificate Re-Key | . 18 |
| | © 2007 SECOM Trust Systems Co.,Ltd. | |

| | 4.7.1 Circumstances for Certificate Re-Key | 18 |
|----|--|----|
| | 4.7.2 Who May Request Certification of a New Public Key | 18 |
| | 4.7.3 Processing Certificate Re-Keying Requests | 18 |
| | 4.7.4 Notification of New Certificate Issuance to Subscriber | 18 |
| | 4.7.5 Conduct Constituting Acceptance of a Re-Keyed Certificate | 18 |
| | 4.7.6 Publication of the Re-Keyed Certificate by the CA | 18 |
| | 4.7.7 Notification of Certificate Issuance by the CA to Other Entities | 18 |
| 4. | 8 Certificate Modification | 19 |
| | 4.8.1 Circumstances for Certificate Modification | 19 |
| | 4.8.2 Who May Request Certificate Modification | 19 |
| | 4.8.3 Processing Certificate Modification Requests | 19 |
| | 4.8.4 Notification of New Certificate Issuance to Subscriber | 19 |
| | 4.8.5 Conduct Constituting Acceptance of Modified Certificate | 19 |
| | 4.8.6 Publication of the Modified Certificates by the CA | 19 |
| | 4.8.7 Notification of Certificate Issuance by the CA to Other Entities | 19 |
| 4. | 9 Certificate Revocation and Suspension | 19 |
| | 4.9.1 Circumstances for Certificate Revocation | 19 |
| | 4.9.2 Who Can Request Revocation | 22 |
| | 4.9.3 Procedure for Revocation Request | 22 |
| | 4.9.4 Revocation Request Grace Period | 22 |
| | 4.9.5 Time within Which CA Shall Process the Revocation Request | 23 |
| | 4.9.6 Revocation Checking Requirements for Relying Parties | 23 |
| | 4.9.7 CRL Issuance Frequency | 23 |
| | 4.9.8 Maximum Latency for CRLs. | 23 |
| | 4.9.9 On-Line Revocation/Status Checking Availability | 23 |
| | 4.9.10 On-Line Revocation/Status Checking Requirements | 23 |
| | 4.9.11 Other Forms of Revocation Advertisements Available | 24 |
| | 4.9.12 Special Requirements Regarding Key Compromise | 24 |
| | 4.9.13 Circumstances for Suspension | 24 |
| | 4.9.14 Who Can Request Suspension | 24 |
| | 4.9.15 Procedure for Suspension Request | 24 |
| | 4.9.16 Limits on Suspension Period | 24 |
| 4. | 10 Certificate Status Services | 25 |
| | 4.10.1 Operational Characteristics | 25 |
| | 4.10.2 Service Availability | 25 |
| | 4.10.3 Optional Features | 25 |
| | © 2007 SECOM Trust Systems Co.,Ltd. | |

| 4.11 End of Subscription (Registry) | . 25 |
|--|------|
| 4.12 Key Escrow and Recovery | . 25 |
| 4.12.1 Key Escrow and Recovery Policy and Practices | . 25 |
| 4.12.2 Session Key Encapsulation and Recovery Policy and Practices | . 25 |
| 5. Facility, Management, and Operational Controls | . 25 |
| 5.1 Physical Controls | . 25 |
| 5.1.1 Site Location and Construction | . 25 |
| 5.1.2 Physical Access | . 25 |
| 5.1.3 Power and Air Conditioning | . 26 |
| 5.1.4 Water Exposures | . 26 |
| 5.1.5 Fire Prevention and Protection | . 26 |
| 5.1.6 Media Storage | . 26 |
| 5.1.7 Waste Disposal | . 26 |
| 5.1.8 Off-Site Backup | . 26 |
| 5.2 Procedural Controls | . 26 |
| 5.2.1 Trusted Roles | . 26 |
| 5.2.2 Number of Persons Required per Task | . 26 |
| 5.2.3 Identification and Authentication for Each Role | . 26 |
| 5.2.4 Roles Requiring Separation of Duties | |
| 5.3 Personnel Controls | . 26 |
| 5.3.1 Qualifications, Experience, and Clearance Requirements | . 27 |
| 5.3.2 Background Check Procedures | . 27 |
| 5.3.3 Training Requirements | . 27 |
| 5.3.4 Retraining Frequency and Requirements | . 27 |
| 5.3.5 Job Rotation Frequency and Sequence | . 27 |
| 5.3.6 Sanctions for Unauthorized Actions. | . 27 |
| 5.3.7 Independent Contractor Requirements | . 27 |
| 5.3.8 Documentation Supplied to Personnel | . 27 |
| 5.4 Audit Logging Procedures | . 27 |
| 5.4.1 Types of Events Recorded | . 27 |
| 5.4.2 Frequency of Processing Audit Log | . 27 |
| 5.4.3 Retention Period for Audit Log | . 27 |
| 5.4.4 Protection of Audit Log. | . 28 |
| 5.4.5 Audit Log Backup Procedure | . 28 |
| 5.4.6 Audit Log Collection System | . 28 |
| 5.4.7 Notification to Event-Causing Subject | . 28 |
| © 2007 SECOM Trust Systems Co.,Ltd. | |

| 5.4.8 Vulnerability Assessments | 28 |
|--|----|
| 5.5 Records Archival | 28 |
| 5.5.1 Types of Records Archived | 28 |
| 5.5.2 Retention Period for Archive. | 28 |
| 5.5.3 Protection of Archive | 28 |
| 5.5.4 Archive Backup Procedures | 29 |
| 5.5.5 Requirements for Time-Stamping of Records | 29 |
| 5.5.6 Archive Collection System | 29 |
| 5.5.7 Procedures to Obtain and Verify Archive Information | 29 |
| 5.6 Key Changeover | 29 |
| 5.7 Compromise and Disaster Recovery | 29 |
| 5.7.1 Incident and Compromise Handling Procedures | 29 |
| 5.7.2 Computing Resources, Software, and/or Data are Corrupted | 30 |
| 5.7.3 Entity Private Key Compromise Procedures | 30 |
| 5.7.4 Business Continuity Capabilities after a Disaster | 30 |
| 5.8 CA or RA Termination | 30 |
| 3. Technical Security Controls | 31 |
| 6.1 Key Pair Generation and Installation | 31 |
| 6.1.1 Key Pair Generation | 31 |
| 6.1.2 Private Key Delivery to Subscriber | 31 |
| 6.1.3 Public Key Delivery to Certificate Issuer | 31 |
| 6.1.4 CA Public Key Delivery to Relying Parties | 31 |
| 6.1.5 Key Sizes | 31 |
| 6.1.6 Public Key Parameters Generation and Quality Checking | 31 |
| 6.1.7 Key Usage Purposes | 31 |
| 6.2 Private Key Protection and Cryptographic Module Engineering Controls | 32 |
| 6.2.1 Cryptographic Module Standards and Controls | 32 |
| 6.2.2 Private Key Multi-Person Control | 32 |
| 6.2.3 Private Key Escrow | 32 |
| 6.2.4 Private Key Backup | 32 |
| 6.2.5 Private Key Archival | 32 |
| 6.2.6 Private Key Transfer into or from a Cryptographic Module | 32 |
| 6.2.7 Private Key Storage on Cryptographic Module | 33 |
| 6.2.8 Method of Activating Private Key | 33 |
| 6.2.9 Method of Deactivating Private Key | 33 |
| 6.2.10 Method of Destroying Private Key | 33 |
| © 2007 SECOM Trust Systems Co.,Ltd. | |

| | 6.2.11 Cryptographic Module Rating | . 33 |
|----|--|------|
| | 6.3 Other Aspects of Key Pair Management | . 33 |
| | 6.3.1 Public Key Archival | . 33 |
| | 6.3.2 Certificate Operational Periods and Key Pair Usage Periods | . 33 |
| | 6.4 Activation Data | . 34 |
| | 6.4.1 Activation Data Generation and Installation | . 34 |
| | 6.4.2 Activation Data Protection | . 34 |
| | 6.4.3 Other Aspects of Activation Data | . 34 |
| | 6.5 Computer Security Controls | . 34 |
| | 6.5.1 Specific Computer Security Technical Requirements | . 34 |
| | 6.5.2 Computer Security Rating | . 34 |
| | 6.6 Life-Cycle Technical Controls | . 34 |
| | 6.6.1 System Development Controls | . 34 |
| | 6.6.2 Security Management Controls | . 34 |
| | 6.6.3 Life-Cycle Security Controls | . 34 |
| | 6.7 Network Security Controls | . 34 |
| | 6.8 Time-Stamping | . 35 |
| 7. | Certificate, CRL, and OCSP Profiles | . 36 |
| | 7.1 Certificate Profile | . 36 |
| | 7.1.1 Version Number(s) | . 39 |
| | 7.1.2 Certificate Extension | . 39 |
| | 7.1.3 Algorithm Object Identifier | . 39 |
| | 7.1.4 Name Format | . 39 |
| | 7.1.5 Name Constraints | . 39 |
| | 7.1.6 Certificate Policy Object Identifier | . 39 |
| | 7.1.7 Use of Policy Constraint Extensions | . 39 |
| | 7.1.8 Policy Qualifier Syntax and Semantics | . 39 |
| | 7.1.9 How to interpret Critical Certificate Policy Extensions | . 39 |
| | 7.2 CRL Profile | . 39 |
| | 7.2.1 Version Number(s) | . 40 |
| | 7.2.2 Certificate Revocation Lists and CRL Entry Extensions | . 40 |
| | 7.3 OCSP Profile | . 40 |
| | 7.3.1 Version Number(s) | . 40 |
| | 7.3.2 OCSP Extensions | . 41 |
| 8. | Compliance Audit and Other Assessments | . 42 |
| | 8.1 Frequency and Circumstances of Assessment | . 42 |
| | © 2007 SECOM Trust Systems Co.,Ltd. | |

| | 8.2 Identity/Qualifications of Assessor | 42 |
|---|---|------|
| | 8.3 Assessor's Relationship to Assessed Entity | . 42 |
| | 8.4 Topics Covered by Assessment | . 42 |
| | 8.5 Actions Taken as a Result of Deficiency | . 42 |
| | 8.6 Communication of Results | . 42 |
| 9 | . Other Business and Legal Matters | . 43 |
| | 9.1 Fees | 43 |
| | 9.1.1 Fees for Issuing or Renewing Certificates | 43 |
| | 9.1.2 Certificate Access Fee | . 43 |
| | 9.1.3 Expiration or Access Fee for Status Information | . 43 |
| | 9.1.4 Fees for Other Services | 43 |
| | 9.1.5 Refund Policy | . 43 |
| | 9.2 Financial Responsibility | 43 |
| | 9.2.1 Insurance Coverage | 43 |
| | 9.2.2 Other Assets | 43 |
| | 9.2.3 End entity Insurance or Warranty coverage | . 43 |
| | 9.3 Confidentiality of Business Information | 43 |
| | 9.3.1 Scope of Confidential Information | 43 |
| | 9.3.2 Information Not Within the Scope of Confidential Information | 44 |
| | 9.3.3 Responsibility to Protect Confidential Information | 44 |
| | 9.4 Privacy of Personal Information | . 44 |
| | 9.4.1 Personal Information Protection Plan | 44 |
| | 9.4.2 Information Treated as Personal Information | 44 |
| | 9.4.3 Information that is not considered Personal Information | 44 |
| | 9.4.4 Responsibility for protecting Personal Information | 44 |
| | 9.4.5 Notice and Consent regarding use of Personal Information | . 44 |
| | 9.4.6 Information Disclosure with Judicial or Administrative Procedures | . 44 |
| | 9.4.7 Other Information Disclosure Conditions | 44 |
| | 9.5 Intellectual Property Rights | 44 |
| | 9.6 Representations and Warranties | . 44 |
| | 9.6.1 CA Representation and Warranties | 45 |
| | 9.6.2 RA Representations and Warranties | 45 |
| | 9.6.3 Subscriber Representations and Warranties | 45 |
| | 9.6.4 Relying Party Representations and Warranties | 45 |
| | 9.6.5 Representations and Warranties of Other Participants | 46 |
| | 9.7 Disclaimer of Warranties | 46 |
| | © 2007 SECOM Trust Systems Co.,Ltd. | |

| 9.8 Limitations of Liability | 46 |
|--|----|
| 9.9 Indemnities | 47 |
| 9.10 Term and Termination | 47 |
| 9.10.1 Term | 47 |
| 9.10.2 Termination | 47 |
| 9.10.3 Effect of Termination and Survival | 47 |
| 9.11 Individual Notices and Communications with Participants | 47 |
| 9.12 Amendments | 48 |
| 9.12.1 Procedure for Amendment | 48 |
| 9.12.2 Notification Method and Timing | 48 |
| 9.12.3 Circumstances under Which OID Must Be Changed | 48 |
| 9.13 Dispute Resolution Procedures | 48 |
| 9.14 Governing Law | 48 |
| 9.15 Compliance with Applicable Law | 48 |
| 9.16 Miscellaneous Provisions | 48 |
| 9.16.1 Entire Agreement | 48 |
| 9.16.2 Assignment | 49 |
| 9.16.3 Severability | 49 |
| 9.16.4 Enforcement | 49 |
| 9.16.5 Irresistible Force | 49 |
| 9.17 Other Provisions | 49 |

1. Introduction

1.1 Overview

SECOM Passport for Web EV Certification Authority Certificate Policy (hereinafter, "this CP") defines the policy on EV SSL certificates (hereinafter, "Certificates") issued by SECOM Passport for Web EV 2.0 CA (hereinafter, "the CA"), which is operated by SECOM Trust Systems Co., Ltd. (hereinafter, "SECOM Trust Systems"), by specifying the purpose of use, the scope of application, and the user procedures concerning the Certificates. Various procedures regarding the operation and maintenance of the CA are stipulated in the SECOM Digital Certification Infrastructure Certification Practice Statement (hereinafter, "CPS").

Unilateral cross-certificate by Security Communication RootCA2 has been issued to the CA.

Certificates issued by the CA shall be valid for within 398 days from the date when the certificate is effective.

Certificates issued by the CA are used for server authentication and data encryption in the communication routing. The parties to whom Certificates may be issued (Certificate subjects) are set forth in the SECOM Passport for Web EV Service Terms (hereinafter, "Service Terms").

A party seeking to obtain Certificates from the CA must examine its usage purposes against this CP, the Service Terms and the CPS, and agree to all three prior to getting the Certificates issued.

The CA conforms to the EVSSL Certificate Guidelines (Hereinafter referred to as "EV Guidelines") and the Baseline Requirements (Hereinafter referred to as "BR") of the CA/Browser Forum published on https://www.cabforum.org/. Additionally, the CA incorporates the applicable requirements of the EV Guidelines and the BR (either through direct incorporation or by reference) in all of its contracts with subordinate CAs, Registration Authorities (RAs) and independent contractor RAs regarding the issuance and/or maintenance of EV SSL and SSL Certificates.

In the event of a conflict between this CP and the Service Terms or the CPS, the order of precedence in the application thereof shall be the Service Terms, this CP, and the CPS. Any provisions set forth in a separate contract or the like between SECOM Trust

Systems and an organization, a group or any other party, with which it has a contractual relationship that are inconsistent with the Service Terms, this CP or the CPS, shall prevail.

This CP shall be revised as necessary in order to reflect any technical or operational developments or improvements pertaining to the CA

This CP conforms to the RFC3647 "Internet X.509 Public Key Infrastructure Certificate Policy and Certification Practices Framework" advocated by the IETF as a CA practice framework.

1.2 Document Name and Identification

The official name of this CP is "SECOM Passport for Web EV Certification Authority Certificate Policy". A registered and unique object identifier (hereinafter, "OID") is assigned to this CP. The OID of this CP and that of the CPS herein referenced are as follows:

| CP/CPS | OID |
|---|--------------------------|
| SECOM Passport for Web EV Certification Authority | 1 9 209 200001 100 791 1 |
| Certificate Policy | 1.2.392.200091.100.721.1 |
| SECOM Digital Certification Infrastructure | 1 9 209 200001 100 401 1 |
| Certification Practice Statement | 1.2.392.200091.100.401.1 |

1.3 PKI Participants

1.3.1 CA

CA mainly performs issuance/revocation of Certificates, publication of CRLs (Certificate Revocation Lists) and maintenance/administration of the repository. The operating body of the CAs on the Digital Certification Infrastructure is SECOM Trust Systems.

1.3.2 RA

An RA mainly performs identification and authentication of applicants requesting the issuance or revocation of Certificates as well as the registration thereof.

1.3.3 Subscribers

Subscribers shall be corporations or any other organizations that submit Certificate Application to SECOM Trust Systems.

1.3.4 Relying Parties

Relying Parties signify individuals, corporations or any other organizations that authenticate the identity of Subscribers and the validity of Public Keys. They also signify individuals, corporations or any other organizations that trust and use CPs and CPSes for the purpose of conducting encrypted communication with web servers owned by Subscribers using said Public Keys.

1.3.5 Other Parties

Other Parties include auditors, companies and organizations that have service contracts with SECOM Trust Systems, and companies that perform system integration.

1.4 Certificate Usage

1.4.1 Appropriate Certificate Uses

Certificates issued by the CA may be used for server authentication and data encryption in the communication routing.

1.4.2 Prohibited Certificate Uses

Certificates issued by the CA may not be used for purposes other than server authentication and data encryption in the communication routing.

1.5 Policy Administration

1.5.1 Organization Administering the Document

This CP is maintained and administered by SECOM Trust Systems.

1.5.2 Contact Information

Inquiries concerning this CP and requests concerning Certificates (issuance, renewal, revocation) as well as complaints related thereto (usage and verification problems, phishing by Subscribers) should be directed to:

CA Support Center, SECOM Trust Systems Co., Ltd.

Address: 2-7-8 Mejirodai, Bunkyo-ku, Tokyo 112-0015

E-mail address: ra-support@secom.co.jp

Requests for the issuance or revocation of Certificates and the reporting of problems pertaining to Certificates are accepted 24x7.

After-hours (operational: 09:00 - 18:00) inquiries may be responded the following business day or later unless an emergency response is required.

1.5.3 Person Determining CP Suitability for the Policy

The Certification Services Improvement Committee determines the suitability of the contents of this CP.

1.5.4 Approval Procedure

This CP is prepared and revised by SECOM Trust Systems and goes into effect upon approval by the Certification Services Improvement Committee.

1.6 Definitions and Acronyms

Archive

Information obtained for the purpose of preserving history for legal or other reasons.

ADN (Authorization Domain Name)

Domain name used to obtain authentication for certificate issuance for a particular FQDN

Audit Log

Behavioral, access and other histories pertaining to the CA systems which are recorded for inspection of access to and unauthorized operation of the CA systems.

Baseline Requirements

A document issued by the CA/Browser Forum (available at cabforum.org.) that integrates a set of fundamental requirements for Certificate issuance/administration.

CA (Certification Authority)

An entity that mainly issues, renews and revokes Certificates, generates and protects

CA private keys, and registers Subscribers.

CAA (Certificate Authority Authorization)

A function to prevent false issuance of Certificates by an unintended CA, by including the CA information for the domain ownership/control rights to grant the Certificate issuance for the specific domain, in the DNS record.

CA/Browser Forum

An NPO organized by CAs and Internet browser vendors that works to define and standardize the Certificate issuance requirements.

CP (Certificate Policy)

A document that sets forth provisions pertaining to Certificates issued by a CA, including Certificate types, usage and application procedure.

CPS (Certification Practices Statement)

A document that sets forth provisions pertaining to the practices of CAs, including procedures for the CA operations and the security standards.

CRL (Certificate Revocation List)

A list of information on Certificates which were revoked prior to their expiration due to reasons such as changes to the information provided in the Certificates and loss of the relevant private key.

CT (Certificate Transparency)

Certificate Transparency, stipulated in RFC 6962, is an open framework for monitoring/auditing the records of the issued Certificates by registering and publishing them on the log servers.

Digital Certificate

Digital data certifying that a public key is owned by the party specified, validity of which is certified by the digital signature of the relevant CA that is affixed thereto. Digital Certificate is referred to as "Certificate" hereinafter.

Escrow

Escrow means the placement (entrustment) of an asset in the control of an

independent third party.

EV SSL Certificate

Certificates issued in compliance with the review/authentication criteria developed newly in the guidelines by an NPO "CA/Browser Forum" are collectively called "Extended Validation Certificates (EV Certificates)". These Certificates are particularly called "EV SSL Certificates" if the subjects are web servers.

FIPS140-2

The security certification standards developed by the U.S. NIST (National Institute of Standards and Technology) for cryptographic modules, defining four security levels, the lowest 1 through the highest 4.

HSM (Hardware Security Module)

A tamper resistant cryptographic module used to ensure the security mainly in generation, storage and usage of private keys.

IA (Issuing Authority)

An entity which, of the duties of a CA, mainly handles the issuance/ renewal/ revocation of Certificates, generation and protection of CA private keys, and the maintenance and management of repositories.

Key Pair

A pair of keys comprising a private key and a public key in the public key cryptosystem.

OCSP (Online Certificate Status Protocol)

A protocol for real-time provision of information on Certificate status.

OID (Object Identifier)

A unique numeric identifier registered by the international registration authority, in a framework to maintain and administer the uniqueness of the mutual connectivity, services and other aspects of the networks.

PKI (Public Key Infrastructure)

An infrastructure for use of the encryption technology known as the public key

cryptosystem to realize such security technologies as digital signature, encryption and certification.

Private Key

A key comprising a Key Pair used in the public key cryptosystem, which corresponds to a Public Key and is possessed only by the relevant Subscriber.

Public Key

A key of a Key Pair used in the Public Key cryptosystem. A Public Key corresponds to the Private Key and is published to and shared with the recipient.

RA (Registration Authority)

An entity which, of the duties of a CA, mainly performs assessment of application submissions, registration of information necessary for the issuance of Certificates, and requests Certificate signing to CAs on behalf of Subscribers.

Repository

A (online) database for storing and providing access to CA certificates, CRLs and the like.

RFC3647 (Request for Comments 3647)

A document defining the framework for CP and CPS published by the IETF (The Internet Engineering Task Force), an industry group which establishes technical standards for the Internet.

RSA

One of the most standard encryption technologies widely used in the Public Key cryptosystem.

SHA-1 (Secure Hash Algorithm 1)

A hash function used in digital signing. A hash function is a computation technique for generating a fixed-length string from a given text. The hash length is 160 bits.

The algorithm works to detect any alterations in the original message during the transmission by comparing the hash values transmitted and received.

SHA-256 (Secure Hash Algorithm 256)

A hash function used in digital signing. A hash function is a computation technique for generating a fixed-length string from a given text. The hash length is 256 bits.

The algorithm works to detect any alterations in the original message during the transmission by comparing the hash values transmitted and received.

WebTrust for Baseline Requirements

Audit standards established by the American Institute of Certified Public Accountants (AICPA) and the Canadian Institute of Chartered Accountants (CICA) defining the rules for the reviews/authentications by the CAs for issuance of SSL Certificates and on the Certificates themselves.

WebTrust for CA

Standards of internal control and a certification framework based thereon established by the American Institute of Certified Public Accountants (AICPA) and the Canadian Institute of Chartered Accountants (CICA) regarding the reliability of CAs, the security of electronic commerce transactions, and other relevant matters.

WebTrust for EV

Audit standards established by the American Institute of Certified Public Accountants (AICPA) and the Canadian Institute of Chartered Accountants (CICA) defining the rules for the reviews/authentications by the CAs for issuance of EV SSL Certificates and on the Certificates themselves.

WHOIS

An Internet browsing service for information about the registrants of IP addresses and domain names.

X.500

A series of computer network standards regarding the decentralized directory service.

2. Publication and Repository Responsibilities

2.1 Repository

SECOM Trust Systems maintains and manages a Repository in order to allow Subscribers and Relying Parties to access CRL information 24x7. Further, it manages an OCSP server to allow Subscribers and Relying Parties to check online the status of Certificates 24x7. However, the Repository and the OCSP server may not be available temporarily at times due to maintenance or for any other reason.

2.2 Publication of Certificate Information

SECOM Trust Systems stores the following information in the Repository to allow the online access thereto by Subscribers and Relying Parties:

- · CRL
- · The CA Certificates
- · The latest versions of this CP and the CPS
- · Other information pertaining to Certificates issued by the CA

Additionally, SECOM Trust Systems hosts the test Web pages that allow vendors to perform verifications, as part of the publication.

2.3 Time or Frequency of Publication

This CP and the CPS are published in the Repository as revised. A CRL containing information of revocation processed conforming to this CP is published in the Repository as issued. Certificates with expired validity period shall be removed from the CRL.

2.4 Access Controls on Repository

Subscribers and Relying Parties may access the Repository at any time. The protocols used to access the Repository shall be HTTP (Hyper Text Transfer Protocol) and HTTPS (HTTP + SSL/TLS data encryption function). Information in the Repository may be accessed via any commonly used Web interface.

3. Identification and Authentication

3.1 Naming

3.1.1 Types of Names

The name of the CA indicated in a Certificate as the issuer and the name of the issuance subject Subscriber are configured according to the X.500 Distinguished Name (DN) format.

The following information shall be included in a Certificate issued by the CA:

- 1. [Country Name (C)] shall be JP.
- 2. [Organization Name (O)] shall be the name of the relevant corporation or a non-corporation organization.
- 3. [Organizational Unit Name (OU)] shall be an optional field. The OU field is used to distinguish departments (e.g., Human Resources, Marketing, or Development).
- 4. [Common Name (CN)] shall be the hostname of the web server on which the Certificates issued by the CA will be installed.

3.1.2 Need for Names to Be Meaningful

The Common Name used in a Certificate issued by the CA shall be meaningful when the hostname used in the web server DNS for which the relevant Subscriber plans to install the Certificate is assigned.

3.1.3 Anonymity or Pseudonymity of Subscribers

An anonymous or pseudonymous name may not be registered as the Organization Name or the Common Name in the Certificate issued by the CA.

3.1.4 Rules for Interpreting Various Name Forms

Rules concerning the interpretation of various name forms are governed by the X.500 Series DN rules.

3.1.5 Uniqueness of Names

The DN indicated in any Certificate issued by the CA shall be uniquely attributable to the web server for which the Certificate is issued.

3.1.6 Recognition, Authentication, and Roles of Trademarks

SECOM Trust Systems does not verify intellectual property rights for the names indicated in Certificate applications. Subscribers may not submit any registered trademark or other trademark-related names of a third party. SECOM Trust Systems will not arbitrate or engage itself in the resolution of any dispute between Subscribers and third parties over the registered trademark or any alike. SECOM Trust Systems reserves the right to reject a Subscriber Certificate Application or revoke an issued Certificate due to the dispute.

3.2 Initial Identity Validation

3.2.1 Method to Prove Possession of Private Key

A Subscriber proves possession of the relevant Private Key with the following method: The signature on the relevant Certificate Signing Request (hereinafter, "CSR") is authenticated to prove that such CSR is signed with the Private Key corresponding to the Public Key.

3.2.2 Authentication of Organization Identity

SECOM Trust Systems authenticates the identity of organizations based on official documents issued by national or local governments, investigations conducted, or databases owned by third parties that SECOM Trust Systems trusts, or through other means deemed equally trustworthy by the Certification Services Improvement Committee. And the verification source will be disclosed on the Secom Trust Systems website (https://www.secomtrust.net/).

3.2.3 Authentication of Individual Identity

SECOM Trust Systems authenticates the identity of individuals based on official documents issued by national or local governments, investigations conducted, or databases owned by third parties that SECOM Trust Systems trusts, or through other means deemed equally trustworthy by the Certification Services Improvement Committee.

3.2.4 Non-Verified Subscriber Information

SECOM Trust Systems verifies all information specified in BR such as the trade name, name, and location of the certificate subscriber included in the certificate's distinguished name. In addition, in providing the service, there is a case where it is

requested to provide information necessary for office procedures such as billing information.

3.2.5 Validation of Authority

When an entity submits a Certificate-related application, legitimacy of authority for such request is authenticated by SECOM Trust Systems in accordance with "3.2.2 Authentication of Organization Identity" and "3.2.3 Authentication of Individual Identity" hereof. In the event a third party other than a Subscriber makes the request and the intent to make said request cannot be confirmed directly with the Subscriber, a letter of proxy is required certifying that said third party is an agent of the Subscriber.

* "Subscriber" herein signifies a corporation or any other organization that uses the hostname indicated as the Common Name populated in the Certificates as stipulated in "3.1.1 Types of Names" hereof.

3.2.6 Criteria for Interoperation

Unilateral cross-certificate by Security Communication RootCA2 has been issued to CA.

3.2.7 Authentication of Domain Name

To authenticate a Subscriber's ownership of or control over the requested Domain Name(s), SECOM Trust Systems uses the following BR-compliant methods to authenticate the domain.:

The random value described in this section shall consist of a random number of 112 bits or more generated by this CA, and shall be effective for the use of response confirmation for 30 days from the generation.

1. Prove the applicant's authority over the FQDN by sending a random value by email, fax, SMS, or mail to a domain contact registered with the WHOIS Registry Service and receiving an acknowledgment containing the random value. Random values are sent to an email address, fax number, SMS number, or address that is recognized as a domain contact. In addition, the management of multiple authentication domain names can be checked by email, fax, SMS, or postal mail (BR Section 3.2.2.4.2).

- 2. The local part is 'admin',' administrator',' webmaster', 'hostmaster', or 'postmaster', and the following "@" demonstrates control of the requested FQDN by sending a random value to the email address created as the authentication domain name and receiving an acknowledgment containing the random value. The authentication domain name under "@" used in the e-mail address should be the domain name included in the FQDN for which the certificate is issued, and if the authentication domain is the same, multiple FQDNs can be also checked by e-mail (BR Section 3.2.2.4.4).
- 3. Confirm the applicant's control over the FQDN by verifying that the request token or random value is included in the contents of the file. This CA accesses via the approved port, and confirms that random values are placed under the "http (or https): // [FQDN to be issued certificate] /.well-known/pki-validation" directory, and they receive a successful HTTP or HTTPS response from the request. (BR Section 3.2.2.4.18)
- 4. Applicant's authority over the FQDN is proved by verifying that there is a random value or application token in either the DNS CNAME, TXT or CAA record of either the FQDN for which the certificate is issued or the authentication domain name (Each has a label prefixed with an underscore character at the beginning). (BR Section 3.2.2.4.7)
- 5. Prove the applicant's authority over the FQDN by sending a random value via email to the Email contact in the DNS CAA record of the authentication domain name and receiving an acknowledgment containing the random value. If the email contacts are the same, the multiple FQDNs can also be checked by email. (BR Section 3.2.2.4.13)
- 6. Prove the applicant's authority over the FQDN by sending a random value via email to the Email contact in the DNS TXT record of the authentication domain name and receiving an acknowledgment containing the random value. If the email contacts are the same, the multiple FQDNs can also be checked by email. (BR Section 3.2.2.4.14)
- 7. Prove the applicant's authority over the FQDN by calling the domain contact phone number and getting a response to permission to use the authenticated domain

name. In addition, when the telephone number of the domain contact is the same in a plurality of authentication domain names, the authority can be proved for a plurality of FQDNs by presenting each authentication domain name and obtaining a response of permission to use. (BR Section 3.2.2.4.15)

- 8. Prove the applicant's authority over the FQDN by calling the phone number of the phone contact on the DNS TXT record and getting a response to authorize the use of the authentication domain name. In addition, when the telephone number of the domain contact is the same in a plurality of authentication domain names, the authority can be proved for a plurality of FQDNs by presenting each authentication domain name and obtaining a response of permission to use. (BR Section 3.2.2.4.16)
- 9. Prove the applicant's authority over the FQDN by calling the phone number of the phone contact in the DNSCAA record and getting a response to authorize the use of the authentication domain name. In addition, when the telephone number of the telephone contact is the same in a plurality of authentication domain names, the authority can be proved for the plurality of FQDNs by presenting each FQDN and obtaining a response of permission to use. (BR Section 3.2.2.4.17)
- 3.3 Identification and Authentication for Re-Key Requests
- 3.3.1 Identification and Authentication for Routine Re-Key Subscribers shall be identified and authenticated for Re-Keying in the same manner as set forth in this CP "3.2 Initial Identity Validation" hereof.
- 3.3.2 Identification and Authentication for Re-Key after Revocation A routine Re-Key after Revocation is not supported. The (Re-Keying) application for a Certificate shall be treated as a new submission, and the applicant Subscriber shall be identified and authenticated in the same manner as set forth in this CP "3.2 Initial Identity Validation" hereof.
- 3.4 Identification and Authentication for Revocation Requests

 Accepting a Revocation Request via a website accessible only by the Subscriber,

 SECOM Trust Systems identifies and authenticates the applicant Subscriber.

4. Certificate Life-Cycle Operational Requirements

4.1 Certificate Application

4.1.1 Who Can Submit a Certificate Application

An application for a Certificate may be filed by a corporation using the Certificate, an Authorized Person, as specified in the Client Organization-Based Document Submission Criteria [SECOM Passport for Web EV], of a non-Subscriber corporation, or an agent appointed by the Authorized Person thereof.

4.1.2 Enrollment Process and Responsibilities

In submitting a Certificate Application, a Subscriber or an agent entrusted by the Subscriber to perform the application procedure shall agree to the provisions of this CP, the Service Terms and the CPS before proceeding with the application, as well as certify that the information submitted is accurate.

The method for Certificate Application is to submit the required documents to SECOM Trust Systems following the "Application Procedure" published on its website.

4.2 Certificate Application Processing

4.2.1 Performing Identification and Authentication Functions

Once accepted, the Certificate Application is authenticated by SECOM Trust Systems in accordance with "3.2 Initial Identification and Authentication" hereof.

4.2.2 Approval or Rejection of Certificate Applications

SECOM Trust Systems issues a Certificate corresponding to any application that it approves following the review and authentication, subsequently notifying the relevant Subscriber of the completion thereof and the issuance of the Certificate. Should a Certificate Application be inadequate or deficient, SECOM Trust Systems shall notify the relevant Subscriber of the reason therefor and ask for re-submission of the documents and any other information required.

4.2.3 Time to Process Certificate Applications

SECOM Trust Systems promptly issues a Certificate corresponding to any approved Certificate Application.

4.2.4 Confirmation of CAA Records

The CA shall check the CAA records during the review and authentication of the Certificate Application and the submitted information. The domain name of the CA to be included in the CAA record shall be [secontrust.net].

4.3 Certificate Issuance

4.3.1 CA Actions during Certificate Issuance

Upon completion of the review and authentication of a Certificate Application, SECOM Trust Systems issues the corresponding Certificate and makes it available for download via a website accessible only by the Subscriber.

4.3.2 Notifications to Subscriber of Certificate Issuance

SECOM Trust Systems notifies the relevant Subscriber of the fact that the Subscriber Certificate is ready for download via a website accessible only by the Subscriber via e-mail. Download of the Certificate is made available to the Subscriber upon receiving the e-mail notice from the CA. Or sending the Certificate to the Subscriber, which makes the notifications of issuance.

4.4 Certificate Acceptance

4.4.1 Conduct Constituting Certificate Acceptance

A Certificate shall be deemed to be accepted upon confirmation of the Certificate download from the website accessible only by the Subscriber.

Or, in case of sending the Certificate to the Subscriber, if there is no request from the Subscriber mentioning any mistakes in the Certificate within a week after sending, it is considered as that Certificate is accepted.

4.4.2 Publication of the Certificate by the CA

The CA does not publish Subscriber Certificates.

4.4.3 Notification of Certificate Issuance by the CA to Other Entities

SECOM Trust Systems will not send a notice of Certificate issuance to entities other than the person in charge, who was registered at the time of the Certificate Application submission.

4.5 Key Pair and Certificate Usage

4.5.1 Subscriber Private Key and Certificate Usage

Subscribers shall use Private Keys and Certificates for the server authentication and data encryption in the communication routing. Subscribers shall use the relevant Certificates and corresponding Private Keys only for the purposes approved by the CA and for no other purpose.

4.5.2 Relying Party Public Key and Certificate Usage

Relying Parties may authenticate the reliability of Certificates issued by the CA using the CA Certificates. Relying Parties must understand and agree to this CP and the CPS prior to verifying the reliability of and placing trust in a Certificate issued by the CA.

4.6 Certificate Renewal

The CA recommends generating a new Key Pair when Subscribers renew a Certificate.

4.6.1 Circumstances for Certificate Renewal

No stipulation

4.6.2 Who May Request Renewal

No stipulation

4.6.3 Processing Certificate Renewal Requests

No stipulation

4.6.4 Notification of New Certificate Issuance to Subscriber

No stipulation

4.6.5 Conduct Constituting Acceptance of a Renewal Certificate

No stipulation

4.6.6 Publication of the Renewal Certificates by the CA

No stipulation

4.6.7 Notification of Certificate Issuance by the CA to Other Entities No stipulation

4.7 Certificate Re-Key

4.7.1 Circumstances for Certificate Re-Key

A Certificate may be Re-Keyed when its validity period is about to expire. A revoked or expired Certificate cannot be Re-Keyed.

Certificate Re-Key applications shall be accepted 90 days prior to the expiry of the validity periods.

4.7.2 Who May Request Certification of a New Public Key

The provisions of this CP "4.1.1 Who Can Submit a Certificate Application" hereof shall apply.

4.7.3 Processing Certificate Re-Keying Requests

The provisions of this CP "4.3.1 CA Actions during Certificate Issuance" hereof shall apply.

4.7.4 Notification of New Certificate Issuance to Subscriber

The provisions of this CP "4.3.2 Notifications to Subscriber of Certificate Issuance" hereof shall apply.

4.7.5 Conduct Constituting Acceptance of a Re-Keyed Certificate

The provisions of this CP "4.4.1 Conduct Constituting Certificate Acceptance" hereof shall apply.

4.7.6 Publication of the Re-Keyed Certificate by the CA

The provisions of this CP "4.4.2 Publication of the Certificate by the CA" hereof shall apply.

4.7.7 Notification of Certificate Issuance by the CA to Other Entities

The provisions of this CP "4.4.3 Notification of Certificate Issuance by the CA to Other Entities" hereof shall apply.

4.8 Certificate Modification

Should modification be required in any information registered in a Certificate, the CA shall revoke the relevant Certificate and issue a new Certificate.

4.8.1 Circumstances for Certificate Modification

No stipulation

4.8.2 Who May Request Certificate Modification

No stipulation

4.8.3 Processing Certificate Modification Requests

No stipulation

4.8.4 Notification of New Certificate Issuance to Subscriber

No stipulation

4.8.5 Conduct Constituting Acceptance of Modified Certificate

No stipulation

4.8.6 Publication of the Modified Certificates by the CA

No stipulation

4.8.7 Notification of Certificate Issuance by the CA to Other Entities

No stipulation

4.9 Certificate Revocation and Suspension

4.9.1 Circumstances for Certificate Revocation

A Subscriber must promptly request SECOM Trust Systems to revoke a Certificate in the event of any of the following:

- There has been a change in information populated in the Certificate;
- the Private Key has or may have been compromised for any reason, including the theft, loss, unauthorized disclosure or unauthorized use thereof;
- the Certificate is incorrectly populated or not being used for authorized purposes; or
- · the use of the Certificate is being terminated.

SECOM Trust Systems shall revoke the Subscriber Certificate at its discretion with or without revocation application if:

- The Subscriber is not performing the obligations thereof set forth in the Service Terms, this CP, the CPS, relevant agreements or laws;
- The CA determines that the Subscriber's and the CA's Private Key have or could have been compromised; or
- The Secret Key of the Subscriber and CA is compromised, and the reasonable
 evidence is found, which shows that the key isn't complying with the algorithm
 type and the requirement for the key size as standard, or the certificate is
 abused by some other way;
- It is recognized that the Certificate is not issued in compliance with BR, this CP or CPS;
- It is found that the certificate has been refused or revoked by Secom Trust Systems due to breach of contract or other reasons.
- The contract with SECOM Trust Systems is canceled based on the Service Contract;
- SECOM Trust Systems recognizes any other situation deemed to necessitate revocation.

In addition, if one or more of the following events occur, the CA shall perform revocation processing within 24 hours:

- If the Certificate Subscriber requests the CA to revoke the certificate in writing;
- If the Certificate Subscriber notifies the CA that the original certificate request was not approved and that the approval is not permitted retroactively;
- If the CA obtains the evidence that the private key corresponding to the public key in the Certificate Subscriber's certificate has been compromised;
- If the CA recognizes the proven or demonstrated method that can easily calculate the Subscriber's private key (Debian weak keys, etc. See https://wiki.debian.org/SSLkeys) based on the public key of the certificate;
- If the CA obtains the unreliable evidence of domain authentication approval in the certificate or management of fully qualified domain names or IP addresses;

In addition, the CA shall revoke within 5 days if one or more of the following events occur:

• If the certificate no longer complies with the requirements of section 6.1.5 and 6.1.6 of BR;

- · If the CA obtains the evidence of unauthorized use of the certificate
- If the CA finds out that the Certificate Subscriber has violated one or more of the service contracts or material obligations under the Service Term;
- If the CA finds out the situation indicating that the use of a fully qualified domain name or IP address in a certificate is no longer legally permitted (For example, a domain name whose rights to the domain name registrant to use the domain name have been revoked by a court or arbitrator, and the associated license or service agreement between the domain name registrant and the applicant has been terminated. The registrant neglected to update the domain name, etc.);
- If the CA finds out that the certificate was not issued in accordance with BR or this CP or CPS and determines that it needs to be revoked;
- If the CA determines or finds out that the information described on the certificate is inaccurate;
- If the CA's right to issue a certificate under BR has been expired, revoked, or suspended(Except for the case that the CA has made arrangements to continue maintaining the CRL /OCSP repository);
- If the revocation is required by the CP or CPS
- If the CA recognizes that there is a clear evidence that the proven method of compromise the private key of the Certificate Subscriber or the particular method used to generate the private key is flawed.

In addition, the CA shall conduct revocation within 7 days if one or more of the following events occur.

- · If the subordinate CA requests revocation in writing;
- If the subordinate CA notifies the issuing CA that the original certificate request was not approved and that it does not allow retroactive approval;
- If the issuing CA obtains evidence that the private key corresponding to the public key in the subordinate CA's certificate has been compromised or no longer complies with the requirements of Section 6.1.5 and 6.1.6;
- · If the issuing CA obtains the evidence of unauthorized use of the certificate;
- If the issuing CA finds out that the certificate was not issued in accordance with BR or the applicable Certificate Policy or Certification Practices Statement, or that the subordinate CA does not comply with BR or the applicable Certificate Policy or Certification Practices Statement;
- · If the issuing CA determines that the information described on the certificate

may be inaccurate or misleading

- If the issuing CA or the subordinate CA has stopped operation for some reason, but has not arranged for the certificate revocation support to be provided by another CA.
- If the issuer or the subordinate CA's right to issue a certificate under BR has been expired, revoked, or suspended (except for the case that the issuing CA has arranged to continue maintaining the CRL/OCSP repository).
- If revocation is required due to the Certificate Policy or the Certification Practices Statement of the issuing CA.

In addition, in the following cases, revocation processing may be carried out within a commercially reasonable period.

- Certificate revocation due to the change in the information described in the certificate for the Subscriber's reasons
- Certificate revocation due to suspension of use of certificate due to the Subscriber's reasons such as service termination or the site closure
- · Certificate revocation due to the late payment or delinquency from the Subscribers
- Revocation of the original certificate when the certificate is reissued due to the Subscriber's reasons such as server replacement
- Certificate revocation due to the termination of contract with Secom Trust Systems
- · Certificate revocation due to the bankruptcy or company closure

4.9.2 Who Can Request Revocation

A request for Revocation of a Certificate may be made by the Certificate user corporation, an Authorized Person, as specified in the Client Organization-Based Document Submission Criteria [SECOM Passport for Web EV], of a non-user corporation, or an agent appointed by the Authorized Person.

4.9.3 Procedure for Revocation Request

A Subscriber shall submit a Revocation Request by selecting the relevant Certificate information on the website accessible only by the Subscriber.

4.9.4 Revocation Request Grace Period

Should a Subscriber determine that a Private Key has or could have been

compromised, the Subscriber must promptly submit a Revocation Request.

4.9.5 Time within Which CA Shall Process the Revocation Request

Upon receipt of a valid Revocation Request, SECOM Trust Systems will promptly process the request and reflect the relevant Certificate information in the CRL.

4.9.6 Revocation Checking Requirements for Relying Parties

The URLs of the CRL storage destination and the OCSP server are indicated on the Certificates issued by the CA.

CRLs and the OCSP server may be accessed using a commonly available Web Interface. CRLs do not contain expired Certificate information.

Relying Parties must authenticate the validity of a Subscriber Certificate. The validity of a Certificate may be verified by using the CRL posted on the Repository site or the OCSP server.

4.9.7 CRL Issuance Frequency

The CRL is updated every twenty four (24) hours regardless of whether there has been a Revocation processed. If there has been one, the CRL is updated as of the Revocation.

4.9.8 Maximum Latency for CRLs

The CRLs issued by the CA are immediately reflected onto the Repository.

4.9.9 On-Line Revocation/Status Checking Availability

The On-Line Certificate Status service is provided on the OCSP server. The Certificate Revocation Status is updated every twenty four (24) hours whether there has been a Revocation processed. If there has been one, the Certificate Revocation Status is updated and made available through the OCSP server.

4.9.10 On-Line Revocation/Status Checking Requirements

Relying Parties must authenticate the validity of Subscriber Certificates. When not using the CRL posted on the Repository to check for the Revocation registration of a Certificate, the Relying Parties must confirm the Certificate status available through the OCSP server.

4.9.11 Other Forms of Revocation Advertisements Available

The CA can distribute OCSP responses using stapling in accordance with RFC4366. In this case, the CA ensures that the subscriber includes the OCSP response of the certificate in the TLS process. The CA will comply with this requirement for the subscriber after the Service Terms or the contract with the subscriber, or after the technical confirmation by the CA and the approval of the service manager.

4.9.12 Special Requirements Regarding Key Compromise

The Relying Party shall demonstrate key compromise in the following methods:

- Submitting the private key itself, or the data containing the private key and how to extract the private key from the data
- Submitting the CSR that includes data such as distinguished names that are recognized as compromised and that can verify the signature
- Submitting the challenge response specified by this CA that can be verified by public key, and the private key signature for public key
- Providing the vulnerabilities that can be verified for compromise and the sources of referenced security incidents

If the CA learns that the private key of the Certificate Subscriber may have been compromised, it will notify the Certificate Subscriber that the private key may have been compromised.

If the CA determines that the private key has been compromised or is likely to be compromised, the CP "4.9.1 Circumstances for Certificate Revocation" shall be dealt with.

4.9.13 Circumstances for Suspension The CA will not suspend Certificates.

4.9.14 Who Can Request Suspension Not applicable.

4.9.15 Procedure for Suspension Request Not applicable.

4.9.16 Limits on Suspension Period Not applicable.

4.10 Certificate Status Services

4.10.1 Operational Characteristics

Certificate status is available to Subscribers and Relying Parties for confirmation through the OCSP server.

4.10.2 Service Availability

The CA maintains and manages the OCSP server in order to allow 24x7 access to the Certificate status for confirmation. However, the OCSP server may not be available temporarily at times due to maintenance or for any other reason.

4.10.3 Optional Features

No stipulation

4.11 End of Subscription (Registry)

Subscribers may end their subscription to the services by submitting a Certificate Revocation Request or naturally letting it expire.

4.12 Key Escrow and Recovery

4.12.1 Key Escrow and Recovery Policy and Practices

The CA does not Escrow Subscriber Private Keys.

4.12.2 Session Key Encapsulation and Recovery Policy and Practices Not applicable.

5. Facility, Management, and Operational Controls

5.1 Physical Controls

5.1.1 Site Location and Construction

Relevant provisions are stipulated in the CPS.

5.1.2 Physical Access

Relevant provisions are stipulated in the CPS.

5.1.3 Power and Air Conditioning

Relevant provisions are stipulated in the CPS.

5.1.4 Water Exposures

Relevant provisions are stipulated in the CPS.

5.1.5 Fire Prevention and Protection

Relevant provisions are stipulated in the CPS.

5.1.6 Media Storage

Relevant provisions are stipulated in the CPS.

5.1.7 Waste Disposal

Relevant provisions are stipulated in the CPS.

5.1.8 Off-Site Backup

Relevant provisions are stipulated in the CPS.

5.2 Procedural Controls

5.2.1 Trusted Roles

Relevant provisions are stipulated in the CPS.

5.2.2 Number of Persons Required per Task

Relevant provisions are stipulated in the CPS.

5.2.3 Identification and Authentication for Each Role

Relevant provisions are stipulated in the CPS.

5.2.4 Roles Requiring Separation of Duties

Relevant provisions are stipulated in the CPS.

5.3 Personnel Controls

- 5.3.1 Qualifications, Experience, and Clearance Requirements Relevant provisions are stipulated in the CPS.
- 5.3.2 Background Check ProceduresRelevant provisions are stipulated in the CPS.
- 5.3.3 Training RequirementsRelevant provisions are stipulated in the CPS.
- 5.3.4 Retraining Frequency and Requirements Relevant provisions are stipulated in the CPS.
- 5.3.5 Job Rotation Frequency and Sequence Relevant provisions are stipulated in the CPS.
- 5.3.6 Sanctions for Unauthorized Actions Relevant provisions are stipulated in the CPS.
- 5.3.7 Independent Contractor Requirements Relevant provisions are stipulated in the CPS.
- 5.3.8 Documentation Supplied to PersonnelRelevant provisions are stipulated in the CPS.
- 5.4 Audit Logging Procedures
- 5.4.1 Types of Events RecordedRelevant provisions are stipulated in the CPS.
- 5.4.2 Frequency of Processing Audit LogRelevant provisions are stipulated in the CPS.
- 5.4.3 Retention Period for Audit LogRelevant provisions are stipulated in the CPS.

5.4.4 Protection of Audit Log

Relevant provisions are stipulated in the CPS.

5.4.5 Audit Log Backup Procedure

Relevant provisions are stipulated in the CPS.

5.4.6 Audit Log Collection System

Relevant provisions are stipulated in the CPS.

5.4.7 Notification to Event-Causing Subject

Relevant provisions are stipulated in the CPS.

5.4.8 Vulnerability Assessments

Relevant provisions are stipulated in the CPS.

5.5 Records Archival

5.5.1 Types of Records Archived

SECOM Trust Systems stores the following information in addition to the CA-related system logs specified in "5.4.1 Types of Events Recorded" in the CPS, as Archive:

- · Certificates and CRLs issued;
- processing history relating to CRL issuance;
- this CP;
- documents governing the CA's business practices, which were prepared in accordance with this CP;
- documents associated with agreements of subcontracting if the certification services are outsourced;
- records of audit results and the audit reports;
- · cocumentary submissions from Subscribers; and
- OCSP server access log.

5.5.2 Retention Period for Archive

SECOM Trust Systems retains its Archive for a minimum of ten (10) years.

5.5.3 Protection of Archive

The Archive is retained in a facility, to which access is restricted to the authorized

personnel.

5.5.4 Archive Backup Procedures

The Archive is backed up whenever a change is made in such critical data pertaining to the CA-related systems as Certificate issuance/revocation or CRL issuance.

5.5.5 Requirements for Time-Stamping of Records

SECOM Trust Systems uses the NTP (Network Time Protocol) to time synchronize systems related to the CA and Time-Stamps critical information recorded therein.

5.5.6 Archive Collection System

The Archive collection system is included as a function of the systems related to the CA.

5.5.7 Procedures to Obtain and Verify Archive Information

The Archive shall be retrieved from the secure storage by designated personnel with the appropriate access permission for periodic checks of the storage conditions of the media. Further, the Archive is copied to new media as appropriate to maintain their integrity and confidentiality.

5.6 Key Changeover

Before the remaining validity period of a Certificate corresponding to the CA Private Key becomes shorter than the maximum validity period of the Certificate issued to a Subscriber, a new Private Key is generated in its stead and a new Certificate is issued. Once a new Private Key is generated, Certificates and CRLs are issued using the new Private Key.

5.7 Compromise and Disaster Recovery

5.7.1 Incident and Compromise Handling Procedures

SECOM Trust Systems establishes measures against incidents and compromises, including the following, to ensure the prompt recovery of the CA-related systems and relevant operations thereafter:

- · CA Private Key compromise;
- · damages to or malfunction of computing resources, software, and/or data; and
- · fires, earthquakes and other disasters.

5.7.2 Computing Resources, Software, and/or Data are Corrupted

In the event of damage to any hardware, software or data of a CA-related system, SECOM Trust Systems promptly engages in the system recovery efforts using the relevant hardware, software or data that it retains as backup.

5.7.3 Entity Private Key Compromise Procedures

Should it be determined that the CA Private Keys have been or may be compromised or should a disaster or any other unexpected incidents result in a situation that may lead to interruptions or suspensions of the operation of the CA-related systems, SECOM Trust Systems follows the predetermined plans and procedures to securely resume the operation.

5.7.4 Business Continuity Capabilities after a Disaster

In order to ensure prompt recovery to be implemented in the event of an unforeseen circumstance, SECOM Trust Systems deploys preventive measures for the fastest CA-related possible recovery of the systems, including securing of replacement/backup hardware, continual data backups for recovery, establishment of the recovery procedures.

5.8 CA or RA Termination

In the event of termination of the CA by SECOM Trust Systems, the company shall so notify Subscribers and other affected participants prior to such termination. All Certificates issued by the CA are revoked prior to the termination thereof.

6. Technical Security Controls

6.1 Key Pair Generation and Installation

6.1.1 Key Pair Generation

In the certification infrastructure system, CA Key Pairs are generated on an FIPS140-2 Level 3 conformant HSM. The Key Pair generation operation is jointly performed by at least two authorized individuals.

Subscriber Key Pairs are generated by the Subscriber.

The method recommended by the CA for Key Pair generation on a web server is posted on the SECOM Trust Systems website.

6.1.2 Private Key Delivery to Subscriber

The CA does not deliver Private Keys to Subscribers.

6.1.3 Public Key Delivery to Certificate Issuer

A Subscriber Public Key may be delivered online to the CA, the communication routing of which is encrypted by SSL/TLS.

6.1.4 CA Public Key Delivery to Relying Parties

Relying Parties may obtain CA Public Keys by accessing the CA Repository.

6.1.5 Key Sizes

The length of a CA Key Pair shall be 2048 bits in the RSA format.

The length of a Subscriber Key Pair shall be 2048 bits in the RSA format.

6.1.6 Public Key Parameters Generation and Quality Checking

Parameter generation and parameter strength assessment for CA Public Keys are performed using the function implemented in the cryptographic module used to generate the Key Pairs.

This CP does not provide for the parameter generation and quality check of Subscriber Public Keys.

6.1.7 Key Usage Purposes

"keyCertSign" and "cRLSign" bits shall be specified to the [keyUsage] of the CA Certificate.

"digitalSignature" and "keyEncipherment" shall be specified to the [keyUsage] of Subscriber Certificates issued by the CA.

6.2 Private Key Protection and Cryptographic Module Engineering Controls

6.2.1 Cryptographic Module Standards and Controls

The generation, storage and signing operations of the CA Private Keys are performed using an FIPS140-2 Level 3 conformant HSM.

No stipulation for Subscriber Private Keys.

6.2.2 Private Key Multi-Person Control

Activation, deactivation, backup and other operations relating to CA Private Keys are jointly performed by at least two authorized individuals in a secure environment.

Activation, deactivation, backup and other operations relating to Subscriber Private Keys must be performed securely under the control of the relevant Subscribers.

6.2.3 Private Key Escrow

The CA does not Escrow CA Private Keys.

The CA does not Escrow Subscriber Private Keys.

6.2.4 Private Key Backup

Backup of Private Keys of the CA is jointly performed by at least two authorized individuals and is stored in a secure room as encrypted.

The backup of Subscriber Private Keys must be securely stored under the control of the relevant Subscribers.

6.2.5 Private Key Archival

The CA does not archive CA Private Keys.

No stipulation for Subscriber Private Keys.

6.2.6 Private Key Transfer into or from a Cryptographic Module

The transfer of Private Keys of the CA into and from an HSM is performed in a secure room while encrypted.

No stipulation for Subscriber Private Keys.

6.2.7 Private Key Storage on Cryptographic Module

Private Keys of the CA operated on the Digital Certification Infrastructure, are stored within the HSM.

No stipulation for Subscriber Private Keys.

6.2.8 Method of Activating Private Key

CA Private Keys are jointly activated by at least two authorized individuals in a secure room.

No stipulation for Subscriber Private Keys.

6.2.9 Method of Deactivating Private Key

CA Private Keys are jointly deactivated by at least two authorized individuals in a secure room.

No stipulation for Subscriber Private Keys.

6.2.10 Method of Destroying Private Key

CA Private Keys are jointly destroyed by at least two authorized individuals by means of complete initialization or physical destruction. The Private Key backups are also destroyed in the same manner.

No stipulation for Subscriber Private Keys.

6.2.11 Cryptographic Module Rating

The quality standards to be applied to the HSMs used by the CA are as specified in "6.2.1 Cryptographic Module Standards and Controls" hereof.

No stipulation for Subscriber Private Keys.

6.3 Other Aspects of Key Pair Management

6.3.1 Public Key Archival

The provisions for CA Public Keys are stipulated in "6.2.1 Cryptographic Module Standards and Controls" of the CPS.

No stipulation for Subscriber Private Keys.

6.3.2 Certificate Operational Periods and Key Pair Usage Periods

The validity period of the CA Private Key and Public Key shall not exceed twenty (20) years.

No stipulation for Subscriber Private Keys. The validity period of Subscriber Certificates issued by the CA shall be one (1) year.

- 6.4 Activation Data
- 6.4.1 Activation Data Generation and Installation Relevant provisions are stipulated in the CPS.
- 6.4.2 Activation Data ProtectionRelevant provisions are stipulated in the CPS.
- 6.4.3 Other Aspects of Activation DataRelevant provisions are stipulated in the CPS.
- 6.5 Computer Security Controls
- 6.5.1 Specific Computer Security Technical Requirements Relevant provisions are stipulated in the CPS.
- 6.5.2 Computer Security Rating
 Relevant provisions are stipulated in the CPS.
- 6.6 Life-Cycle Technical Controls
- 6.6.1 System Development ControlsRelevant provisions are stipulated in the CPS.
- 6.6.2 Security Management ControlsRelevant provisions are stipulated in the CPS.
- 6.6.3 Life-Cycle Security ControlsRelevant provisions are stipulated in the CPS.
- 6.7 Network Security ControlsRelevant provisions are stipulated in the CPS.

6.8 Time-Stamping

Relevant provisions are stipulated in the CPS.

7. Certificate, CRL, and OCSP Profiles

7.1 Certificate Profile

Certificates issued by the CA conform to RFC5280, the profile of which are indicated in the tables below.

Table 7.1-1 SECOM Passport for Web EV 2.0 CA Server Certificate Profile

| Basic Fields | | Settings | critical |
|---------------------|-------------------------|-----------------------------------|----------|
| Version | | Version 3 | - |
| Serial Number | | e.g.) 0123456789 | - |
| Signature A | Algorithm | SHA256 with RSAEncryption | - |
| Issuer | Country | C=JP | - |
| | Organization | O=SECOM Trust Systems CO.,LTD. | - |
| | Common Name | CN=SECOM Passport for Web EV | - |
| | | 2.0 CA | |
| Validity | NotBefore | e.g.) 2018/2/1 00:00:00 GMT | - |
| | NotAfter | e.g.) 2019/2/1 00:00:00 GMT | - |
| Subject | Country | C=JP (Fixed value) | - |
| | State Or Province | Required | - |
| | Locality | Required | - |
| | jurisdictionOfIncorpora | JP (Fixed value) | |
| | tionCountryName | | - |
| | Organization | Required | - |
| | Organizational Unit | Optional | - |
| | Common Name | Server name (Required) | - |
| | Serial Number | Required (*1) | - |
| | businessCategory | Required (*2) | - |
| Subject Pub | olic Key Info | Subject Public Key 2048 bits | - |
| Extension I | Fields | Settings | critical |
| keyUsage | | digitalSignature, keyEncipherment | у |
| extendedKe | eyUsage | serverAuth | n |
| Subject Alt Name | | dNSName=Server Name | n |
| CertificatePolicies | | [1]policyIdentifier | n |
| | | OID=1.2.392.200091.100.721.1 | |
| | | policyQualifiers | |

| | policyQualifierId=CPS | |
|------------------------------------|---------------------------------------|---|
| | qualifiier=https://repo1.secomtrust.n | |
| | et/spcpp/pfw/pfwev2ca/ | |
| | [2]policyIdentifier=2.23.140.1.1 | |
| CRL Distribution Points | http://repo1.secomtrust.net/spcpp/pf | n |
| | w/pfwev2ca/fullcrl.crl | |
| Authority Information Access | accessMethod | n |
| | ocsp (1 3 6 1 5 5 7 48 1) | |
| | accessLocation | |
| | http://ev2.ocsp.secomtrust.net | |
| Authority Key Identifier | SHA-1 hash value of authority | n |
| | Public Key (160 bits) | |
| Subject Key Identifier | SHA-1 hash value of the subject | n |
| | Public Key (160 bits) | |
| Certificate Transparency Extension | SignedCertificateTimestampList | n |
| (1.3.6.1.4.1.11129.2.4.2) | value | |

Table 7.1-2 SECOM Passport for Web EV 2.0 CA OCSP Server Certificate Profile

| Basic Fields | | Settings | critical |
|-------------------------|--------------|--------------------------------|----------|
| Version | | Version 3 | - |
| Serial Number | | e.g.) 0123456789 | - |
| Signature Algorithm | | SHA256 with RSAEncryption | - |
| Issuer | Country | C=JP | - |
| | Organization | O=SECOM Trust Systems CO.,LTD. | - |
| | Common Name | CN=SECOM Passport for Web EV | - |
| | | 2.0 CA | |
| Validity | NotBefore | e.g.) 2010/12/1 00:00:00 GMT | - |
| | NotAfter | e.g.) 2011/4/1 00:00:00 GMT | - |
| Subject | Country | C=JP (Fixed value) | - |
| | Organization | SECOM Trust Systems CO.,LTD. | - |
| | | (Fixed value) | |
| | Common Name | OCSP Server name (Required) | - |
| Subject Public Key Info | | Subject Public Key 2048 bits | - |
| Extension Fields | | Settings | critical |
| keyUsage | | digitalSignature | у |

| extendedKeyUsage | OCSPSigning | n |
|--------------------------|---------------------------------------|---|
| OCSP No Check | null | n |
| CertificatePolicies | policyIdentifier | n |
| | OID=1.2.392.200091.100.721.1 | |
| | policyQualifiers | |
| | policyQualifierId=CPS | |
| | qualifiier=https://repo1.secomtrust.n | |
| | et/spcpp/pfw/pfwev2ca/ | |
| Authority Key Identifier | SHA-1 hash value of authority | n |
| | Public Key (160 bits) | |
| Subject Key Identifier | SHA-1 hash value of the subject | n |
| | Public Key (160 bits) | |

(*1) For the following Subscribers, the CA sets the Serial Number as indicated below:

Registered corporations: Corporate registration number or a comparable number Central government ministries and agencies and state organs: Corporate registration number, or Date of establishment

Local governments and their organs: Corporate registration number or Date of establishment

National and public universities and high schools: Corporate registration number or Date of establishment

Should SECOM Trust Systems be unable to verify the corporate registration number and date of establishment, the following word or words are entered as the Serial Number:

Central government ministries and agencies and state organs: Government

Local governments and their organs: Local Government

National and public universities and high schools: Public School

(*2) For the following Subscribers, the CA sets the business Category as indicated below:

Registered corporations: Private Organization

Central government ministries and agencies and state organs: Government Entity

Local governments and their organs: Government Entity

National and public universities and high schools: Government Entity

7.1.1 Version Number(s)

This CA applies version 3.

7.1.2 Certificate Extension

Certificates issued by this CA use certificate extension fields.

7.1.3 Algorithm Object Identifier

The algorithm OID used in this service is as follows:

| Algorithm | Object Identifier |
|----------------------------|-----------------------|
| sha256 With RSA Encryption | 1.2.840.113549.1.1.11 |
| RSA Encryption | 1 2 840 113549 1 1 1 |

7.1.4 Name Format

This CA and the subscribers are uniquely identified by the DN defined according to the X.500 distinguished name.

7.1.5 Name Constraints

Set in the CA as necessary.

7.1.6 Certificate Policy Object Identifier

The OID of the certificate issued by the CA is as described in this CP "1.2 Document Name and Identification".

7.1.7 Use of Policy Constraint Extensions

Not set.

7.1.8 Policy Qualifier Syntax and Semantics

For the policy qualifier, the URI of the Web page that publishes this CP and CPS is stored.

7.1.9 How to interpret Critical Certificate Policy Extensions

Not set.

7.2 CRL Profile

CRLs issued by the CA conform to RFC5280, the profile of which are indicated in the tables below.

Table 7.2-1 SECOM Passport for Web EV 2.0 CA CRL Profile

| Basic Fields | | Settings | critical |
|--------------------------|-----------------|---------------------------------|----------|
| Version | | Version 2 | - |
| Signature Algorithm | | SHA256 with RSAEncryption | - |
| Issuer | Country | C=JP | - |
| | Organization | O= SECOM Trust Systems CO.,LTD. | - |
| | Common Name | CN=SECOM Passport for Web EV | - |
| | | 2.0 CA | |
| This Update | | e.g.) 2018/2/1 00:00:00 GMT | - |
| Next Update | | e.g.) 2018/2/5 00:00:00 GMT | - |
| | | Update interval =24H, Validity | |
| | | period =96H | |
| Revoked | Serial Number | e.g.) 0123456789 | - |
| Certificates | Revocation Date | e.g.) 2018/2/1 00:00:00 GMT | - |
| | Reason Code | e.g.) cessation of operation | - |
| | | (Revocation reason) | |
| | | * Setting is optional | |
| Extension Fields | | Settings | critical |
| CRL Number | | CRL number | n |
| Authority Key Identifier | | SHA-1 hash value of authority | n |
| | | Public Key (160 bits) | |

7.2.1 Version Number(s)

This CA applies CRL version 2.

7.2.2 Certificate Revocation Lists and CRL Entry Extensions

Use the CRL extension field issued by the CA.

7.3 OCSP Profile

The CA provides OCSP to the Certificates conforming to RFC5019 and 6960.

7.3.1 Version Number(s)

The CA uses OCSP Version 1.

7.3.2 OCSP Extensions

Refer to this CP "7.1 Certificate Profile".

8. Compliance Audit and Other Assessments

The CA performs audits from time to time to examine if the operation thereof is in compliance with this CP and the CPS. Provisions for the compliance verification audits thereof are set forth in this CP and the CPS.

8.1 Frequency and Circumstances of Assessment

SECOM Trust Systems performs compliance audits at least once a year to examine if the operation of the services is in compliance with this CP and the CPS.

8.2 Identity/Qualifications of Assessor

The compliance audits of the CA shall be performed by auditors with solid proficiency in the CA operations. The audit of the WebTrust-certified CA shall be performed by an auditing firm.

8.3 Assessor's Relationship to Assessed Entity

Auditors to be appointed shall be those who have no special interests in SECOM Trust Systems.

8.4 Topics Covered by Assessment

Audits are performed with respect to business activities for operation of the CA. Audits may also be performed, conforming to the standards for CA set forth in WebTrust for CA, WebTrust for EV, and WebTrust for BR.

8.5 Actions Taken as a Result of Deficiency

SECOM Trust Systems promptly implements corrective measures with respect to the deficiencies identified in the audit report.

8.6 Communication of Results

Audit reports are reported to the Certification Services Improvement Committee. Audit reports are retained and managed to allow access only by the authorized parties.

Verification reports based on WebTrust for CA, WebTrust for EV, and WebTrust for BR are made available on a specific website conforming to the rules thereof.

9. Other Business and Legal Matters

9.1 Fees

9.1.1 Fees for Issuing or Renewing Certificates Stipulated separately in contracts.

9.1.2 Certificate Access Fee

No stipulation.

9.1.3 Expiration or Access Fee for Status Information

No stipulation.

9.1.4 Fees for Other Services

No stipulation.

9.1.5 Refund Policy

Stipulated separately in contracts.

9.2 Financial Responsibility

9.2.1 Insurance Coverage

SECOM Trust Systems shall maintain a sufficient financial resources for the operation and maintenance of the CA.

9.2.2 Other Assets

No stipulation.

9.2.3 End entity Insurance or Warranty coverage

No stipulation.

9.3 Confidentiality of Business Information

9.3.1 Scope of Confidential Information

Relevant provisions are stipulated in the CPS.

- 9.3.2 Information Not Within the Scope of Confidential Information Relevant provisions are stipulated in the CPS.
- 9.3.3 Responsibility to Protect Confidential Information Relevant provisions are stipulated in the CPS.
- 9.4 Privacy of Personal Information
- 9.4.1 Personal Information Protection Plan Relevant provisions are stipulated in the CPS.
- 9.4.2 Information Treated as Personal Information Relevant provisions are stipulated in the CPS.
- 9.4.3 Information that is not considered Personal Information Relevant provisions are stipulated in the CPS.
- 9.4.4 Responsibility for protecting Personal Information Relevant provisions are stipulated in the CPS.
- 9.4.5 Notice and Consent regarding use of Personal Information Relevant provisions are stipulated in the CPS.
- 9.4.6 Information Disclosure with Judicial or Administrative Procedures Relevant provisions are stipulated in the CPS.
- 9.4.7 Other Information Disclosure Conditions Relevant provisions are stipulated in the CPS.
- $9.5 \quad Intellectual \ Property \ Rights$

The following copyrighted materials are the property of SECOM Trust Systems.

- · This CP;
- SECOM stickers and the sticker certification pages
- 9.6 Representations and Warranties

9.6.1 CA Representation and Warranties

SECOM Trust Systems bears the obligation to perform the following in the execution of its duties as a CA:

- · Secure generation and management of CA Private Keys;
- accurate issuance, revocation and administration of Certificates reflecting the issuance requests by the RA;
- · management and operational monitoring of the systems;
- issuance and publication of CRLs;
- · provision of access to the OCSP server; and
- · maintenance and administration of the Repository.

9.6.2 RA Representations and Warranties

SECOM Trust Systems bears the obligation to perform the following in the execution of its duties as an RA:

- Installation and operation of registration terminals in a secure environment;
- accurate review of Certificate Applications, including identification and authentication, in issuing Certificates; and
- provision of prompt and accurate instructions on issuance, revocation and other Certificate-related actions.

9.6.3 Subscriber Representations and Warranties

Subscribers shall bear obligations to:

- provide accurate and complete information in submitting a Certificate Application;
- promptly notify SECOM Trust Systems of any change in the information provided therein;
- · protect their own Private Keys against compromise;
- use the Certificates conforming to the provisions of the Service Terms and this CP;
- promptly request SECOM Trust Systems to revoke the Subscriber Certificate in case the Subscriber determines that the Private Key corresponding to the Public Key indicated therein has or may have been compromised, or there has been a change in the registered information.

9.6.4 Relying Party Representations and Warranties

Relying Parties shall bear the obligations to:

- · authenticate the validity of the CA Certificate;
- authenticate the validity of the Subscriber Certificate by checking the validity period thereof to ensure that it has not expired and that it is not registered as a revoked Certificate in the CRL or on the OCSP server; and
- · determine whether or not to trust the Subscriber information on their own responsibilities.

9.6.5 Representations and Warranties of Other Participants No stipulation.

9.7 Disclaimer of Warranties

SECOM Trust Systems is not liable for any direct, special, incidental or consequential damages arising in connection with the warranties stipulated in "9.6.1CA Representations and Warranties" and "9.6.2 RA Representations and Warranties" hereof, or for lost earnings, loss of data, or any other indirect or consequential damages.

9.8 Limitations of Liability

SECOM Trust Systems is not liable for the provisions of "9.6.1 CA Representations and Warranties" and "9.6.2 RA Representations and Warranties" hereof in any of the following cases:

- Any damage arising from unlawful conduct, unauthorized use, negligence or any other cause not attributable to SECOM Trust Systems;
- · any damage attributable to the failure of a Subscriber to perform its obligations;
- · any damage attributable to a Subscriber system;
- damages attributable to a hardware or software defect or malfunction or any other behavior of the SECOM Trust Systems or the Subscriber system;
- damages caused by information published in a Certificate, a CRL or on the OCSP server due to the reasons not attributable to SECOM Trust Systems;
- any damage incurred in an outage of the normal communication due to reasons not attributable to SECOM Trust Systems;
- any damage arising in connection with the use of a Certificate, including transaction debts;
- damages attributable to improvement, beyond expectations at this point in time,
 in hardware or software type of cryptographic algorithm decoding skills; and
- · any damage attributable to the suspension of the CA's operations due to force

majeure, including, but not limited to, natural disasters, earthquakes, volcanic eruptions, fires, tsunami, floods, lightning strikes, wars, civil commotion and terrorism.

9.9 Indemnities

SECOM Trust Systems shall compensate a Subscriber for the damages incurred thereby for reasons attributable to a Certificate in an amount not to exceed the contract fees received and equal to the fees for the remaining months of the contract period (period of less than one month is rounded off) and shall not be liable in any other way.

9.10 Term and Termination

9.10.1 Term

This CP goes into effect upon approval by the Certification Services Improvement Committee.

This CP will not be invalidated under any circumstances prior to the termination stipulated in "9.10.2 Termination" hereof.

9.10.2 Termination

This CP loses effect as of the termination hereof by SECOM Trust Systems with the exception of the provisions stipulated in "9.10.3 Effect of Termination and Survival".

9.10.3 Effect of Termination and Survival

Even in the event of termination of the use of a Certificate by a Subscriber, termination of a contract between SECOM Trust Systems and the other party thereto, or the termination of a service provided by SECOM Trust Systems, provisions that should remain in effect, due to the nature thereof, shall survive any such termination, regardless of the reasons therefor, and remain in full force and effect with respect to any Subscriber, Relying Party, entity in a contractual relationship with SECOM Trust Systems, and SECOM Trust Systems.

9.11 Individual Notices and Communications with Participants

SECOM Trust Systems provides the necessary notices to Subscribers and Relying Parties through its website, e-mail or in other written forms.

9.12 Amendments

9.12.1 Procedure for Amendment

SECOM Trust Systems authenticates this CP on a regular basis. Further, SECOM Trust Systems revises this CP as needed at its discretion, and the revised version goes into effect upon approval by the Certification Services Improvement Committee.

9.12.2 Notification Method and Timing

Whenever this CP is modified, the prompt publication of the modified CP shall be deemed as the notification thereof to the participants.

9.12.3 Circumstances under Which OID Must Be Changed

OID shall be changed if the Certification Service Improvement Committee determines that it is necessary.

9.13 Dispute Resolution Procedures

A party seeking to file a lawsuit, request arbitration or take any other legal action against SECOM Trust Systems for the resolution of a dispute relating to a Certificate issued by the CA, said party shall notify SECOM Trust Systems to this effect in advance. As regards the location for arbitration and court proceedings, a dispute settlement institution located within Tokyo shall have exclusive jurisdiction.

9.14 Governing Law

The CA and this CP are governed by the laws of Japan. The laws of Japan will apply to any dispute concerning the interpretation or validity of this CP and the CPS, as well as the use of the Certificates.

9.15 Compliance with Applicable Law

The CA shall handle cryptographic hardware and software in compliance with relevant export regulations of Japan.

9.16 Miscellaneous Provisions

9.16.1 Entire Agreement

SECOM Trust Systems comprehensively stipulates the obligations of Subscribers and Relying Parties and other relevant matters in this CP, the Service Terms, and the CPS, for provision of the services. Any agreement otherwise, whether oral or written, shall have no effect.

9.16.2 Assignment

When assigning the services to a third party, SECOM Trust Systems may assign its responsibilities and other obligations specified in this CP, the Service Terms, and the CPS.

9.16.3 Severability

Even if any provision of this CP, the Service Terms or the CPS is deemed invalid, all other provisions stipulated therein shall remain in full force and effect.

9.16.4 Enforcement

Disputes regarding this service shall be governed by the Tokyo District Court, and Secom Trust Systems may seek compensation and attorney's fees from the parties for any dispute arising from the contractual provisions of each prescribed document, damages, losses and costs related to the parties' actions.

9.16.5 Irresistible Force

Secom Trust Systems shall not be liable for any damages caused by natural disasters, earthquakes, eruptions, fires, tsunamis, floods, lightning strikes, disturbances, terrorism, or any other force majeure, whether or not foreseeable, If it becomes impossible to provide the CA, we may suspend the CA until the situation ceases.

9.17 Other Provisions

No stipulation