

SECOM Passport for Web EV
Certification Authority Certificate Policy
Version 3.06

October 23, 2024

SECOM Trust Systems Co., Ltd.

Version History		
Version Number	Date	Description
1.00	2007/06/29	Publication of the first version
1.10	2008/09/19	Compliance with EV Guidelines Ver1.1
1.20	2008/12/18	Support for the 2048-bit key size
1.30	2010/11/18	Support for OCSP
1.40	2012/11/09	Addition of SubjectAltName to the Certificate Profile Deletion of the 1024-bit key size Overall revision of the descriptions and styles
2.00	2014/08/01	Major version upgrade Addition of SECOM Passport for Web EV2.0CA
2.10	2015/04/15	Addition of the CAA description
2.20	2015/04/30	Addition of the Certificate Transparency Extension description
2.30	2015/12/25	Addition of the "Authentication of Domain Name" provisions
2.40	2017/05/23	Removal of "SECOM Passport for Web EVCA" Revision of the acceptance and issuance dates for Renewal/Re-Keying requests Overall revision of the descriptions and styles
2.50	2017/09/07	Correction of the "CAA Records" description.
2.60	2018/03/29	Revision of CPS Registration of EV OID
2.70	2018/08/01	Correction of description about Authentication of Domain. Revision of the descriptions
2.71	2019/05/24	Overall revision of the descriptions and styles
2.72	2020/03/30	Revised chapters and added some " No Stipulation" content
2.73	2020/09/01	Removal of “Certificate validity period 2 years”
2.74	2020/09/29	Revision of Reason code for CRL profile
2.75	2020/10/26	Addition of description about Organization Authentication
2.76	2021/05/31	Modification of description about Domain Authentication Modification of Certificate Revocation Reasons Addition of the Special Requirements for Key Compromise
2.77	2021/06/15	Revision of the descriptions and styles Modification of Certificate Revocation Reasons

2.78	2021/11/30	Modification of description about Domain Authentication Overall revision of the descriptions and styles
3.00	2022/06/10	Overall revision of the descriptions and styles
3.01	2023/05/17	Update “2.3 Time or Frequency of Publication” Update “4.9.1 Circumstances for Certificate Revocation” Update “5.5.1 Types of Records Archived” Update “5.5.2 Retention Period for Archive” Update “5.5.3 Protection of Archive” Update “5.5.4 Archive Backup Procedures” Update “5.5.5 Requirements for Time-Stamping of Records” Update “5.5.6 Archive Collection System” Update “5.5.7 Procedures to Obtain and Verify Archive Information” Update “5.7.1 Incident and Compromise Handling Procedures” Update “5.7.2 Computing Resources, Software, and/or Data are Corrupted” Update “5.7.3 Entity Private Key Compromise Procedures” Update “5.7.4 Business Continuity Capabilities after a Disaster” Update “7.1 Certificate Profile” Update “7.2 CRL Profile” Update “7.2.2 Certificate Revocation Lists and CRL Entry Extensions”
3.02	2023/08/28	Update “1.6 Definitions and Acronyms” Update “7.1 Certificate Profile”
3.03	2023/09/14	Update “7.1 Certificate Profile”

3.04	2024/04/01	<p>Update “1.1 Overview ”</p> <p>Update “1.4.1 Appropriate Certificate Uses”</p> <p>Update “1.4.2 Prohibited Certificate Uses”</p> <p>Update “1.5.2 Contact Information”</p> <p>Update “1.6 Definitions and Acronyms”</p> <p>Update “3.1.1 Types of Names”</p> <p>Update “3.2.2 Authentication of Organization Identity</p> <p>Update “3.2.2.1 Identity”</p> <p>Update “3.2.2.2 DBA/Tradename”</p> <p>Update “3.2.2.4 “Domain Authentication”</p> <p>Update “3.2.2.7 Data Source Accuracy</p> <p>Update “3.2.4 Non-Verified Subscriber Information”</p> <p>Update “3.2.5 Validation of Authority”</p> <p>Update “3.2.6 Criteria for Interoperation”</p> <p>Update “4.1.1 Who Can Submit a Certificate Application</p> <p>Update “4.2.1 Performing Identification and Authentication Functions”</p> <p>Update “4.3.1 CA Actions during Certificate Issuance”</p> <p>Update “4.5.1 Subscriber Private Key and Certificate Usage”</p> <p>Update “4.9.8 Maximum Latency for CRLs”</p> <p>Update “6.1.3 Public Key Delivery to Certificate Issuer”</p> <p>Update “7.1 Certificate Profile”</p> <p>Update “7.2 CRL Profile”</p> <p>Update “8 Compliance Audit and Other Assessments”</p> <p>Update “8.1 Frequency and Circumstances of Assessment”</p> <p>Update “8.2 Identity/Qualifications of Assessor”</p> <p>Update “8.3 Assessor’s Relationship to Assessed Entity”</p> <p>Update “8.4 Topics Covered by Assessment”</p> <p>Update “8.5 Actions Taken as a Result of Deficiency”</p> <p>Update “8.6 Communication of Results”</p> <p>Update “9.2.1 Insurance Coverage”</p>
------	------------	--

3.05	2024/08/21	<p>Update the below:</p> <ul style="list-style-type: none">1.3.1 CA1.3.2 RA1.3.3 Subscribers1.3.4 Relying Party1.6 Definitions and Acronyms2.1 Repository2.2 Publication of Certificate Information3.2.2 Authentication of Organization Identity4.1.2 Enrollment Process and Responsibilities4.2.1 Performing Identification and Authentication Functions4.9.1 Circumstances for Certificate Revocation4.9.7 CRL Issuance Frequency6.1.1 Key Pair Generation7.1 Certificate Profile7.2 CRL Profile7.2.2 CRL Entry Extensions <p>Delete the below:</p> <ul style="list-style-type: none">4.2.4 CAA Records Processing
------	------------	---

3.06	2024/10/23	<p>Update the below:</p> <ul style="list-style-type: none">1.5.2 Contact Information1.6 Definitions and Acronyms2.2 Publication of Certificate Information3.2.2.4 Domain Authentication3.2.2.9 Multi-Perspective Issuance Corroboration4.3.1.1 Manual authorization of certificate issuance for Root Cas4.3.1.2 Linting of to-be-signed Certificate content4.3.1.3 Linting of issued Certificates4.9.11 Other Forms of Revocation Advertisements Available6.2.1 Cryptographic Module Standards and Controls6.2.7 Private Key Storage on Cryptographic Module7.1.1 Version Number(s)7.1.2 Certificate Extension7.1.8 Policy Qualifier Syntax and Semantics7.2.1 Version Number(s)
------	------------	--

Table of Contents

1. Introduction.....	1
1.1 Overview	1
1.2 Document Name and Identification.....	2
1.3 PKI Participants.....	2
1.3.1 CA	3
1.3.2 RA	3
1.3.3 Subscribers.....	3
1.3.4 Relying Parties	4
1.3.5 Other Parties	4
1.4 Certificate Usage.....	4
1.4.1 Appropriate Certificate Uses	4
1.4.2 Prohibited Certificate Uses.....	5
1.5 Policy Administration	5
1.5.1 Organization Administering the Document	5
1.5.2 Contact Information	5
1.5.3 Person Determining CP Suitability for the Policy	6
1.5.4 Approval Procedure	6
1.6 Definitions and Acronyms.....	6
2. Publication and Repository Responsibilities.....	13
2.1 Repository	13
2.2 Publication of Certificate Information.....	13
2.3 Time or Frequency of Publication	13
2.4 Access Controls on Repository.....	13
3. Identification and Authentication.....	14
3.1 Naming.....	14
3.1.1 Types of Names	14
3.1.2 Need for Names to Be Meaningful	15
3.1.3 Anonymity or Pseudonymity of Subscribers.....	15
3.1.4 Rules for Interpreting Various Name Forms.....	15
3.1.5 Uniqueness of Names	15
3.1.6 Recognition, Authentication, and Roles of Trademarks	15
3.2 Initial Identity Validation.....	15
3.2.1 Method to Prove Possession of Private Key.....	16
3.2.2 Authentication of Organization Identity.....	16
3.2.2.1 Identity	25

3.2.2.2 DBA/Tradename.....	26
3.2.2.3 Verification of Country	26
3.2.2.4 Domain Authentication	26
3.2.2.5 Authentication for an IP Address	30
3.2.2.6 Wildcard Domain Validation	30
3.2.2.7 Data Source Accuracy	30
3.2.2.8 CAA Records.....	31
3.2.2.9 Multi-Perspective Issuance Corroboration	31
3.2.3 Authentication of Individual Identity	36
3.2.4 Non-Verified Subscriber Information.....	36
3.2.5 Validation of Authority	36
3.2.6 Criteria for Interoperation.....	37
3.3 Identification and Authentication for Re-Key Requests.....	37
3.3.1 Identification and Authentication for Routine Re-Key.....	37
3.3.2 Identification and Authentication for Re-Key after Revocation.....	37
3.4 Identification and Authentication for Revocation Requests	37
4. Certificate Life-Cycle Operational Requirements	38
4.1 Certificate Application	38
4.1.1 Who Can Submit a Certificate Application.....	38
4.1.2 Enrollment Process and Responsibilities.....	40
4.2 Certificate Application Processing	41
4.2.1 Performing Identification and Authentication Functions	41
4.2.2 Approval or Rejection of Certificate Applications	44
4.2.3 Time to Process Certificate Applications	44
4.3 Certificate Issuance.....	44
4.3.1 CA Actions during Certificate Issuance	44
4.3.1.1 Manual authorization of certificate issuance for Root CAs	44
4.3.1.2 Linting of to-be-signed Certificate content	44
4.3.1.3 Linting of issued Certificates	45
4.3.2 Notifications to Subscriber of Certificate Issuance.....	45
4.4 Certificate Acceptance.....	45
4.4.1 Conduct Constituting Certificate Acceptance.....	45
4.4.2 Publication of the Certificate by the CA	46
4.4.3 Notification of Certificate Issuance by the CA to Other Entities.....	46
4.5 Key Pair and Certificate Usage.....	46
4.5.1 Subscriber Private Key and Certificate Usage.....	46

4.5.2 Relying Party Public Key and Certificate Usage	46
4.6 Certificate Renewal.....	46
4.6.1 Circumstances for Certificate Renewal	46
4.6.2 Who May Request Renewal	47
4.6.3 Processing Certificate Renewal Requests.....	47
4.6.4 Notification of New Certificate Issuance to Subscriber	47
4.6.5 Conduct Constituting Acceptance of a Renewal Certificate.....	47
4.6.6 Publication of the Renewal Certificates by the CA.....	47
4.6.7 Notification of Certificate Issuance by the CA to Other Entities.....	47
4.7 Certificate Re-Key	47
4.7.1 Circumstances for Certificate Re-Key.....	47
4.7.2 Who May Request Certification of a New Public Key.....	47
4.7.3 Processing Certificate Re-Keying Requests.....	47
4.7.4 Notification of New Certificate Issuance to Subscriber	47
4.7.5 Conduct Constituting Acceptance of a Re-Keyed Certificate	48
4.7.6 Publication of the Re-Keyed Certificate by the CA.....	48
4.7.7 Notification of Certificate Issuance by the CA to Other Entities.....	48
4.8 Certificate Modification	48
4.8.1 Circumstances for Certificate Modification	48
4.8.2 Who May Request Certificate Modification.....	48
4.8.3 Processing Certificate Modification Requests	48
4.8.4 Notification of New Certificate Issuance to Subscriber	48
4.8.5 Conduct Constituting Acceptance of Modified Certificate.....	48
4.8.6 Publication of the Modified Certificates by the CA.....	48
4.8.7 Notification of Certificate Issuance by the CA to Other Entities.....	48
4.9 Certificate Revocation and Suspension	49
4.9.1 Circumstances for Certificate Revocation	49
4.9.2 Who Can Request Revocation.....	50
4.9.3 Procedure for Revocation Request.....	51
4.9.4 Revocation Request Grace Period.....	51
4.9.5 Time within Which CA Shall Process the Revocation Request.....	51
4.9.6 Revocation Checking Requirements for Relying Parties	52
4.9.7 CRL Issuance Frequency	52
4.9.8 Maximum Latency for CRLs.....	52
4.9.9 On-Line Revocation/Status Checking Availability	52
4.9.10 On-Line Revocation/Status Checking Requirements.....	52

4.9.11 Other Forms of Revocation Advertisements Available.....	54
4.9.12 Special Requirements Regarding Key Compromise	54
4.9.13 Circumstances for Suspension.....	54
4.9.14 Who Can Request Suspension	55
4.9.15 Procedure for Suspension Request.....	55
4.9.16 Limits on Suspension Period	55
4.10 Certificate Status Services	55
4.10.1 Operational Characteristics.....	55
4.10.2 Service Availability	55
4.10.3 Optional Features.....	55
4.11 End of Subscription (Registry)	55
4.12 Key Escrow and Recovery.....	55
4.12.1 Key Escrow and Recovery Policy and Practices	56
4.12.2 Session Key Encapsulation and Recovery Policy and Practices	56
5. Facility, Management, and Operational Controls	57
5.1 Physical Controls.....	57
5.1.1 Site Location and Construction	57
5.1.2 Physical Access	57
5.1.3 Power and Air Conditioning.....	57
5.1.4 Water Exposures.....	57
5.1.5 Fire Prevention and Protection	57
5.1.6 Media Storage	57
5.1.7 Waste Disposal.....	57
5.1.8 Off-Site Backup.....	57
5.2 Procedural Controls	57
5.2.1 Trusted Roles	57
5.2.2 Number of Persons Required per Task	57
5.2.3 Identification and Authentication for Each Role.....	57
5.2.4 Roles Requiring Separation of Duties	58
5.3 Personnel Controls	58
5.3.1 Qualifications, Experience, and Clearance Requirements	58
5.3.2 Background Check Procedures	58
5.3.3 Training Requirements	58
5.3.4 Retraining Frequency and Requirements	58
5.3.5 Job Rotation Frequency and Sequence	58
5.3.6 Sanctions for Unauthorized Actions.....	58

5.3.7 Independent Contractor Requirements	58
5.3.8 Documentation Supplied to Personnel.....	58
5.4 Audit Logging Procedures.....	58
5.4.1 Types of Events Recorded	58
5.4.2 Frequency of Processing Audit Log	58
5.4.3 Retention Period for Audit Log.....	59
5.4.4 Protection of Audit Log.....	59
5.4.5 Audit Log Backup Procedure	59
5.4.6 Audit Log Collection System.....	59
5.4.7 Notification to Event-Causing Subject.....	59
5.4.8 Vulnerability Assessments.....	59
5.5 Records Archival.....	59
5.5.1 Types of Records Archived	59
5.5.2 Retention Period for Archive.....	59
5.5.3 Protection of Archive	59
5.5.4 Archive Backup Procedures	59
5.5.5 Requirements for Time-Stamping of Records.....	60
5.5.6 Archive Collection System	60
5.5.7 Procedures to Obtain and Verify Archive Information	60
5.6 Key Changeover	60
5.7 Compromise and Disaster Recovery	60
5.7.1 Incident and Compromise Handling Procedures	60
5.7.2 Computing Resources, Software, and/or Data are Corrupted.....	60
5.7.3 Entity Private Key Compromise Procedures.....	60
5.7.4 Business Continuity Capabilities after a Disaster	60
5.8 CA or RA Termination.....	60
6. Technical Security Controls	61
6.1 Key Pair Generation and Installation	61
6.1.1 Key Pair Generation.....	61
6.1.2 Private Key Delivery to Subscriber.....	61
6.1.3 Public Key Delivery to Certificate Issuer	61
6.1.4 CA Public Key Delivery to Relying Parties.....	61
6.1.5 Key Sizes	61
6.1.6 Public Key Parameters Generation and Quality Checking.....	61
6.1.7 Key Usage Purposes	61
6.2 Private Key Protection and Cryptographic Module Engineering Controls	62

6.2.1 Cryptographic Module Standards and Controls	62
6.2.2 Private Key Multi-Person Control.....	62
6.2.3 Private Key Escrow	62
6.2.4 Private Key Backup.....	62
6.2.5 Private Key Archival	62
6.2.6 Private Key Transfer into or from a Cryptographic Module	62
6.2.7 Private Key Storage on Cryptographic Module.....	62
6.2.8 Method of Activating Private Key	63
6.2.9 Method of Deactivating Private Key	63
6.2.10 Method of Destroying Private Key	63
6.2.11 Cryptographic Module Rating.....	63
6.3 Other Aspects of Key Pair Management	63
6.3.1 Public Key Archival	63
6.3.2 Certificate Operational Periods and Key Pair Usage Periods	63
6.4 Activation Data.....	63
6.4.1 Activation Data Generation and Installation	64
6.4.2 Activation Data Protection.....	64
6.4.3 Other Aspects of Activation Data	64
6.5 Computer Security Controls.....	64
6.5.1 Specific Computer Security Technical Requirements	64
6.5.2 Computer Security Rating	64
6.6 Life-Cycle Technical Controls.....	64
6.6.1 System Development Controls.....	64
6.6.2 Security Management Controls.....	64
6.6.3 Life-Cycle Security Controls	64
6.7 Network Security Controls	64
6.8 Time-Stamping	64
7. Certificate, CRL, and OCSP Responder Certificate Profiles	65
7.1 Certificate Profile	65
7.1.1 Version Number(s).....	70
7.1.2 Certificate Extension.....	70
7.1.3 Algorithm Object Identifier.....	70
7.1.4 Name Format	70
7.1.5 Name Constraints.....	71
7.1.6 Certificate Policy Object Identifier.....	71
7.1.7 Use of Policy Constraint Extensions	71

7.1.8 Policy Qualifier Syntax and Semantics	71
7.1.9 How to interpret Critical Certificate Policy Extensions	71
7.2 CRL Profile	72
7.2.1 Version Number(s)	72
7.2.2 Certificate Revocation Lists and CRL Entry Extensions	72
7.3 OCSP Profile	76
7.3.1 Version Number(s)	76
7.3.2 OCSP Extensions	76
8. Compliance Audit and Other Assessments	77
8.1 Frequency and Circumstances of Assessment	77
8.2 Identity/Qualifications of Assessor	77
8.3 Assessor's Relationship to Assessed Entity	77
8.4 Topics Covered by Assessment	77
8.5 Actions Taken as a Result of Deficiency	77
8.6 Communication of Results	77
8.7 Self-Audits	77
9. Other Business and Legal Matters	78
9.1 Fees	78
9.1.1 Fees for Issuing or Renewing Certificates	78
9.1.2 Certificate Access Fee	78
9.1.3 Expiration or Access Fee for Status Information	78
9.1.4 Fees for Other Services	78
9.1.5 Refund Policy	78
9.2 Financial Responsibility	78
9.2.1 Insurance Coverage	78
9.2.2 Other Assets	79
9.2.3 End entity Insurance or Warranty coverage	79
9.3 Confidentiality of Business Information	79
9.3.1 Scope of Confidential Information	79
9.3.2 Information Not Within the Scope of Confidential Information	79
9.3.3 Responsibility to Protect Confidential Information	79
9.4 Privacy of Personal Information	79
9.4.1 Personal Information Protection Plan	79
9.4.2 Information Treated as Personal Information	79
9.4.3 Information that is not considered Personal Information	79
9.4.4 Responsibility for protecting Personal Information	80

9.4.5 Notice and Consent regarding use of Personal Information	80
9.4.6 Information Disclosure with Judicial or Administrative Procedures	80
9.4.7 Other Information Disclosure Conditions	80
9.5 Intellectual Property Rights	80
9.6 Representations and Warranties	80
9.6.1 CA Representation and Warranties	80
9.6.2 RA Representations and Warranties	82
9.6.3 Subscriber Representations and Warranties	82
9.6.4 Relying Party Representations and Warranties	84
9.6.5 Representations and Warranties of Other Participants	84
9.7 Disclaimer of Warranties	84
9.8 Limitations of Liability	85
9.9 Indemnities	85
9.10 Term and Termination	85
9.10.1 Term	86
9.10.2 Termination	86
9.10.3 Effect of Termination and Survival	86
9.11 Individual Notices and Communications with Participants	86
9.12 Amendments	86
9.12.1 Procedure for Amendment	86
9.12.2 Notification Method and Timing	86
9.12.3 Circumstances under Which OID Must Be Changed	86
9.13 Dispute Resolution Procedures	87
9.14 Governing Law	87
9.15 Compliance with Applicable Law	87
9.16 Miscellaneous Provisions	87
9.16.1 Entire Agreement	87
9.16.2 Assignment	87
9.16.3 Severability	87
9.16.4 Enforcement	88
9.16.5 Irresistible Force	88
9.17 Other Provisions	88

1. Introduction

1.1 Overview

SECOM Passport for Web EV Certification Authority Certificate Policy (hereinafter, "this CP") defines the policy on EV TLS certificates (hereinafter, "Certificates") issued by CA (hereinafter, "the CA"), which is operated by SECOM Trust Systems Co., Ltd. (hereinafter, "SECOM Trust Systems"), by specifying the purpose of use, the scope of application, and the user procedures concerning the Certificates. Various procedures regarding the operation and maintenance of the CA are stipulated in the SECOM Digital Certification Infrastructure Certification Practice Statement (hereinafter, "CPS").

Unilateral cross-certificate by Security Communication RootCA2 has been issued to the SECOM Passport for Web EV 2.0 CA.

Certificates issued by the CA are used for server authentication and data encryption in the communication routing. The parties to whom Certificates may be issued (Certificate subjects) are set forth in the SECOM Passport for Web EV Service Terms (hereinafter, "Service Terms").

A party seeking to obtain Certificates from the CA must examine its usage purposes against this CP, the Service Terms and the CPS, and agree to all three prior to getting the Certificates issued.

The CA shall comply with the latest versions of the standard set forth by the CA/Browser Forum and Application Software Supplier standard published at <https://www.cabforum.org/>.

Table 1.1-1 List of Standards

Types of certificates issued by subordinate CAs	Standards to comply with
TLS Server Certificate	<ul style="list-style-type: none">● Baseline Requirements for the Issuance and Management of Publicly-Trusted TLS Server Certificates (hereinafter, Baseline Requirements)● Guidelines for the Issuance and Management of Extended Validation Certificates (Applies to

	<p>EV certificates only. Hereinafter, EV Guidelines.)</p> <ul style="list-style-type: none">● Apple Root Certificate Program● Chrome Root Program Policy● Microsoft Trusted Root Program● Mozilla Root Store Policy
--	--

In the event of a conflict between this CP and the Service Terms or the CPS, the order of precedence in the application thereof shall be the Service Terms, this CP, and the CPS. Any provisions set forth in a separate contract or the like between SECOM Trust Systems and an organization, a group or any other party, with which it has a contractual relationship that are inconsistent with the Service Terms, this CP or the CPS, shall prevail. In the event of any inconsistency between this CP and the Baseline Requirements, the Baseline Requirements take precedence over this document.

This CP shall be revised as necessary in order to reflect any technical or operational developments or improvements pertaining to the CA

This CP conforms to the RFC3647 "Internet X.509 Public Key Infrastructure Certificate Policy and Certification Practices Framework" advocated by the IETF as a CA practice framework.

1.2 Document Name and Identification

The official name of this CP is "SECOM Passport for Web EV Certification Authority Certificate Policy". A registered and unique object identifier (hereinafter, "OID") is assigned to this CP. The OID of this CP and that of the CPS herein referenced are as follows:

CP/CPS	OID
SECOM Passport for Web EV Certification Authority Certificate Policy	1.2.392.200091.100.721.1
SECOM Digital Certification Infrastructure Certification Practice Statement	1.2.392.200091.100.401.1

1.3 PKI Participants

1.3.1 CA

CA is an organization that is responsible for the creation, issuance, revocation, and management of Certificates. The term applies equally to both Root CAs and Subordinate CAs.

1.3.2 RA

Any Legal Entity that is responsible for identification and authentication of subjects of Certificates, but is not a CA, and hence does not sign or issue Certificates. An RA may assist in the certificate application process or revocation process or both. When RA is used as an adjective to describe a role or function, it does not necessarily imply a separate body, but can be part of the CA.

With the exception of this CP “3.2.2.4 Domain Authentication” and this CP “3.2.2.5 Authentication for an IP Address”, the CA MAY delegate the performance of all, or any part, of this CP “3.2 Initial Identity Validation” requirements to a Delegated Third Party, provided that the process as a whole fulfills all of the requirements of this CP “3.2 Initial Identity Validation”.

Before the CA authorizes a Delegated Third Party to perform a delegated function, the CA SHALL contractually require the Delegated Third Party to:

1. Meet the qualification requirements of the CPS “5.3.1 Qualifications, Experience, and Clearance Requirements”, when applicable to the delegated function;
2. Retain documentation in accordance with the CPS “5.5.2 Retention Period for Archive”;
3. Abide by the other provisions of the Baseline Requirements that are applicable to the delegated function; and
4. Comply with:
 - a. the CA’s Certificate Policy/Certification Practice Statement or
 - b. the Delegated Third Party’s practice statement that the CA has verified complies with the Baseline Requirements.

1.3.3 Subscribers

Subscribers shall be any natural person or Legal Entity that receive a Certificate issued by the CA and conforms to the Subscriber Agreement or Term of Use.

1.3.4 Relying Parties

Relying Party is any natural person or Legal Entity that relies on a Valid Certificate. An Application Software Supplier is not considered a Relying Party when software distributed by such Supplier merely displays information relating to a Certificate.

1.3.5 Other Parties

Other Parties include auditors, companies and organizations that have service contracts with SECOM Trust Systems, and companies that perform system integration.

1.4 Certificate Usage

1.4.1 Appropriate Certificate Uses

The certificates issued by the CA are intended for establishing Web-based data communication conduits via the TLS protocols and for verifying the authenticity of executable code.

The primary purposes of an EV Certificate are to:

1. Identify the legal entity that controls a Web site:

Provide a reasonable assurance to the user of an Internet browser that the Web site the user is accessing is controlled by a specific legal entity identified in the EV Certificate by name, address of Place of Business, Jurisdiction of Incorporation or Registration and Registration Number or other disambiguating information;

2. Enable encrypted communications with a Web site:

Facilitate the exchange of encryption keys in order to enable the encrypted communication of information over the Internet between the user of an Internet browser and a Web site.

The secondary purposes of an EV Certificate are to help establish the legitimacy of a business claiming to operate a Web site or distribute executable code, and to provide a vehicle that can be used to assist in addressing problems related to phishing, malware, and other forms of online identity fraud. By providing more reliable third-party verified identity and address information regarding the business, EV Certificates may help to:

1. Make it more difficult to mount phishing and other online identity fraud

attacks using Certificates;

2. Assist companies that may be the target of phishing attacks or online identity fraud by providing them with a tool to better identify themselves to users;
3. Assist law enforcement organizations in their investigations of phishing and other online identity fraud, including where appropriate, contacting, investigating, or taking legal action against the Subject.

1.4.2 Prohibited Certificate Uses

Certificates issued by the CA may not be used for purposes other than server authentication and data encryption in the communication routing.

The CA doesn't permit certificate issuance unless it has confirmed from the domain name registrant verified in accordance with this CP "3.2.2.4 Domain Authentication" that he/she has the right to use the domain.

EV Certificates focus only on the identity of the Subject named in the Certificate, and not on the behavior of the Subject. As such, an EV Certificate is not intended to provide any assurances, or otherwise represent or warrant:

1. That the Subject named in the EV Certificate is actively engaged in doing business;
2. That the Subject named in the EV Certificate complies with applicable laws;
3. That the Subject named in the EV Certificate is trustworthy, honest, or reputable in its business dealings;
4. That it is "safe" to do business with the Subject named in the EV Certificate.

1.5 Policy Administration

1.5.1 Organization Administering the Document

This CP is maintained and administered by SECOM Trust Systems.

1.5.2 Contact Information

Inquiries concerning this CP should be directed to:

Contact Information	CA Support Center, SECOM Trust Systems Co., Ltd.
Address	10-5 Tomihisa-cho, Shinjuku-ku, Tokyo 162-0067

Inquiry details	Inquiries for this CP Except for Certificate Problem Report
-----------------	--

E-mail	ra-support@secom.co.jp
Business hours	9:00-18:00 (except Saturdays, Sundays, national holidays, and year-end and New Year holidays)

The Subscribers, Relying Parties, Application Software Suppliers, and other third parties can report suspected Private Key Compromise, Certificate misuse, or other types of fraud, compromise, misuse, inappropriate conduct, or any other matter related to Certificates. The CA revokes certificates when it is determined that it needs to be revoked.

Inquiry details	Certificate Problem Report
URL	https://www.secomtrust.net/sts/cert/report_entry.html
Business hours	24x7

1.5.3 Person Determining CP Suitability for the Policy

The Certification Services Improvement Committee determines the suitability of the contents of this CP. This CP will be reviewed and revised at least annually.

1.5.4 Approval Procedure

This CP is prepared and revised by SECOM Trust Systems and goes into effect upon approval by the Certification Services Improvement Committee.

1.6 Definitions and Acronyms

Archive

Information obtained for the purpose of preserving history for legal or other reasons.

ADN (Authorization Domain Name)

Domain name used to obtain authentication for certificate issuance for a particular FQDN

Application Software Supplier

A supplier of Internet browser software or other relying-party application software that displays or uses Certificates and incorporates Root Certificates.

Attestation Letter

A letter attesting that Subject Information is correct, which is written by an accountant, lawyer, government official, or other reliable third party customarily relied upon for such information.

Audit Log

Behavioral, access and other histories pertaining to the CA systems which are recorded for inspection of access to and unauthorized operation of the CA systems.

Baseline Requirements

A document issued by the CA/Browser Forum (available at cabforum.org.) that integrates a set of fundamental requirements for Certificate issuance/administration.

CA (Certification Authority)

An entity that mainly issues, renews and revokes Certificates, generates and protects CA private keys, and registers Subscribers.

CAA (Certificate Authority Authorization)

A function to prevent false issuance of Certificates by an unintended CA, by including the CA information for the domain ownership/control rights to grant the Certificate issuance for the specific domain, in the DNS record.

CA/Browser Forum

An NPO organized by CAs and Internet browser vendors that works to define and standardize the Certificate issuance requirements.

CP (Certificate Policy)

A document that sets forth provisions pertaining to Certificates issued by a CA, including Certificate types, usage and application procedure.

CPS (Certification Practices Statement)

A document that sets forth provisions pertaining to the practices of CAs, including procedures for the CA operations and the security standards.

CRL (Certificate Revocation List)

A list of information on Certificates which were revoked prior to their expiration due to reasons such as changes to the information provided in the Certificates and loss of the relevant private key.

CSPRNG (Cryptographically Secure Pseudo Random Number Generator)

A random number generator intended for use in cryptographic system.

CT (Certificate Transparency)

Certificate Transparency, stipulated in RFC 6962, is an open framework for monitoring/auditing the records of the issued Certificates by registering and publishing them on the log servers.

Digital Certificate

Digital data certifying that a public key is owned by the party specified, validity of which is certified by the digital signature of the relevant CA that is affixed thereto. Digital Certificate is referred to as "Certificate" hereinafter.

Escrow

Escrow means the placement (entrustment) of an asset in the control of an independent third party.

EV Processes

The keys, software, processes, and procedures by which the CA verifies Certificate Data under this Guideline, issues EV Certificates, maintains a Repository, and revokes EV Certificates.

EV TLS Certificate

Certificates issued in compliance with the review/authentication criteria developed newly in the guidelines by an NPO "CA/Browser Forum" are collectively called "Extended Validation Certificates (EV Certificates)". These Certificates are particularly called "EV TLS Certificates" if the subjects are web servers.

FIPS140

The security certification standards developed by the U.S. NIST (National Institute of Standards and Technology) for cryptographic modules.

HSM (Hardware Security Module)

A tamper-resistant cryptographic module used to ensure the security mainly in generation, storage and usage of private keys.

IA (Issuing Authority)

An entity which, of the duties of a CA, mainly handles the issuance/ renewal/ revocation of Certificates, generation and protection of CA private keys, and the maintenance and management of repositories.

Key Pair

A pair of keys comprising a private key and a public key in the public key cryptosystem.

Linting

A process in which the content of digitally signed data such as a Precertificate [RFC 6962], Certificate, Certificate Revocation List, or OCSP response, or data-to-be-signed object (as described in RFC 5280, Section 4.1.1.1) is checked for conformance with the profiles and requirements defined in the Baseline Requirements.

Multi-Perspective Issuance Corroboration

A process by which the determinations made during domain validation and CAA checking by the Primary Network Perspective are corroborated by other Network Perspectives before Certificate issuance.

Network Perspective

Related to Multi-Perspective Issuance Corroboration. A system (e.g., a cloud-hosted server instance) or collection of network components (e.g., a VPN and corresponding infrastructure) for sending outbound Internet traffic associated with a domain control validation method and/or CAA check. The location of a Network Perspective is determined by the point where unencapsulated outbound Internet traffic is typically first handed off to the network infrastructure providing Internet connectivity to that perspective.

OCSP (Online Certificate Status Protocol)

A protocol for real-time provision of information on Certificate status.

OID (Object Identifier)

A unique numeric identifier registered by the international registration authority, in a framework to maintain and administer the uniqueness of the mutual connectivity, services and other aspects of the networks.

PKI (Public Key Infrastructure)

An infrastructure for use of the encryption technology known as the public key cryptosystem to realize such security technologies as digital signature, encryption and certification.

Precertificate

A Precertificate is a signed data structure that can be submitted to a Certificate Transparency log, as defined by RFC 6962. A Precertificate is created after a CA has decided to issue a Certificate, but prior to the actual signing of the Certificate. The CA MAY construct and sign a Precertificate corresponding to the Certificate, for purposes of submitting to CT Logs. The CA MAY use the returned Signed Certificate Timestamps to then alter the Certificate's extensions field, adding a Signed Certificate Timestamp List, as defined in Section 7.1.2.11.3 of the Baseline Requirements and as permitted by the relevant profile, prior to signing the Certificate.

Primary Network Perspective

The Network Perspective used by the CA to make the determination of 1) the CA's authority to issue a Certificate for the requested domain(s) or IP address(es) and 2) the Applicant's authority and/or domain authorization or control of the requested domain(s) or IP address(es).

Private Key

A key comprising a Key Pair used in the public key cryptosystem, which corresponds to a Public Key and is possessed only by the relevant Subscriber.

Public Key

A key of a Key Pair used in the Public Key cryptosystem. A Public Key corresponds to

the Private Key and is published to and shared with the recipient.

RA (Registration Authority)

An entity which, of the duties of a CA, mainly performs assessment of application submissions, registration of information necessary for the issuance of Certificates, and requests Certificate signing to CAs on behalf of Subscribers.

Relying Party

Any natural person or Legal Entity that relies on a Valid Certificate. An Application Software Supplier is not considered a Relying Party when software distributed by such Supplier merely displays information relating to a Certificate.

Repository

A (online) database for storing and providing access to CA certificates, CRLs and the like.

RFC3647 (Request for Comments 3647)

A document defining the framework for CP and CPS published by the IETF (The Internet Engineering Task Force), an industry group which establishes technical standards for the Internet.

RSA

One of the most standard encryption technologies widely used in the Public Key cryptosystem.

SHA-1 (Secure Hash Algorithm 1)

A hash function used in digital signing. A hash function is a computation technique for generating a fixed-length string from a given text. The hash length is 160 bits. The algorithm works to detect any alterations in the original message during the transmission by comparing the hash values transmitted and received.

SHA-256 (Secure Hash Algorithm 256)

A hash function used in digital signing. A hash function is a computation technique for generating a fixed-length string from a given text. The hash length is 256 bits. The algorithm works to detect any alterations in the original message during the transmission by comparing the hash values transmitted and received.

Short-lived Subscriber Certificate

For Certificates issued on or after 15 March 2024 and prior to 15 March 2026, a Subscriber Certificate with a Validity Period less than or equal to 10 days (864,000 seconds). For Certificates issued on or after 15 March 2026, a Subscriber Certificate with a Validity Period less than or equal to 7 days (604,800 seconds).

WebTrust for CA

Certification system for standards maintained by CPA Canada for the internal controls regarding the reliability of certificate authorities and the safety of electronic commerce.

WebTrust for CA - Extended Validation SSL

Audit standards maintained by CPA Canada defining the rules for the reviews/authentications by the CAs for issuance of EV TLS Certificates and on the Certificates themselves.

WebTrust for CA - SSL Baseline with Network Security

Audit standards maintained by CPA Canada defining the rules for the reviews/authentications by the CAs for issuance of TLS Certificates and on the Certificates themselves.

WHOIS

Information obtained directly from a domain name registrar or registry operator via a protocol defined in RFC3912, a registry data access protocol defined in RFC7482, or an HTTPS website.

X.500

A series of computer network standards regarding the decentralized directory service.

2. Publication and Repository Responsibilities

2.1 Repository

The CA SHALL make revocation information for Subordinate Certificates and Subscriber Certificates available in accordance with this CP.

2.2 Publication of Certificate Information

The CA SHALL publicly disclose its CP and/or CPS through an appropriate and readily accessible online means that is available on a 24x7 basis. The CA SHALL publicly disclose its CA business practices to the extent required by the CA's selected audit scheme (see this CP "Section 8.4 Topics Covered by Assessment").

The CP and/or CPS MUST be structured in accordance with RFC 3647 and MUST include all material required by RFC 3647.

The regulations that the CA complies with shall be described in "1.1 Overview."

The CA SHALL host test Web pages that allow Application Software Suppliers to test their software with Subscriber Certificates that chain up to each publicly trusted Root Certificate.

The CA SHALL host separate Web pages using Subscriber Certificates that are:

- i. valid,
- ii. revoked, and
- iii. expired.

2.3 Time or Frequency of Publication

The CA shall develop, implement, enforce, and annually update a CP and CPS that describes in detail how the CA implements the latest version of the Baseline Requirements. The CA shall indicate conformance with the Baseline Requirements by incrementing the version number and adding a dated changelog entry, even if no other changes are made to a CP and CPS.

2.4 Access Controls on Repository

The CA makes its Repository publicly available in a read-only manner. In the CA, only the authorized CA administrators can perform operations such as adding, deleting, modifying, and publishing Repositories.

3. Identification and Authentication

3.1 Naming

3.1.1 Types of Names

The certificate issued by the CA meets the requirements of the X.509 standard, RFC5280 standard and Baseline Requirements, and the distinguished name assigned to the certificate holder is set according to the X.500 distinguished name format. The following information shall be included in a Certificate issued by the CA:

1. [Country Name (C)] shall be JP.
2. [Organization Name (O)] shall be the name of the relevant corporation or a non-corporation organization.

The following notation shall be used in accordance with Appendix D-1 of the EV Guidelines.

- A. The Revised Hepburn method of Romanization, as well as Kunrei-shiki and Nihon-shiki methods described in ISO 3602, are acceptable for Japanese Romanizations.
 - B. The CA MAY verify the Romanized transliteration, language translation (e.g. English name), or other recognized Roman-letter substitute of the Applicant's formal legal name with either a QIIS, Verified Legal Opinion, or Verified Accountant Letter.
 - C. The CA MAY use the Financial Services Agency to verify a Romanized, translated, or other recognized Roman-letter substitute name. When used, the CA MUST verify that the translated English is recorded in the audited Financial Statements.
 - D. When relying on Articles of Incorporation to verify a Romanized, translated, or other recognized Roman-letter substitute name, the Articles of Incorporation MUST be accompanied either: by a document, signed with the original Japanese Corporate Stamp, that proves that the Articles of Incorporation are authentic and current, or by a Verified Legal Opinion or a Verified Accountant Letter. The CA MUST verify the authenticity of the Corporate Stamp.
3. [Organizational Unit Name (OU)] shall be prohibited to use.
 4. [Common Name (CN)] is the main domain name and shall be the domain name existing in the Subject Alternative Name. All domain names are added to Subject Alternative Name.

5. If the `dNSName` entry value in the Subject Alternative Name extension area contains international characters other than ASCII strings, puny-code converted version of the string is used.

3.1.2 Need for Names to Be Meaningful

The Common Name used in a Certificate issued by the CA shall be meaningful when the hostname used in the web server DNS for which the relevant Subscriber plans to install the Certificate is assigned.

3.1.3 Anonymity or Pseudonymity of Subscribers

An anonymous or pseudonymous name may not be registered as the Organization Name or the Common Name in the Certificate issued by the CA.

3.1.4 Rules for Interpreting Various Name Forms

Rules concerning the interpretation of various name forms are governed by the X.500 Series DN rules.

3.1.5 Uniqueness of Names

The CA guarantees that the issued certificate can uniquely identify the owner of the certificate by the information contained in the identification name of the Subject.

The serial number of the certificate shall be the serial number including the random number generated by CSPRNG. The serial number assigned in the CA is unique.

3.1.6 Recognition, Authentication, and Roles of Trademarks

SECOM Trust Systems does not verify intellectual property rights for the names indicated in Certificate applications. Subscribers may not submit any registered trademark or other trademark-related names of a third party. SECOM Trust Systems will not arbitrate or engage itself in the resolution of any dispute between Subscribers and third parties over the registered trademark or any alike. SECOM Trust Systems reserves the right to reject a Subscriber Certificate Application or revoke an issued Certificate due to the dispute.

3.2 Initial Identity Validation

3.2.1 Method to Prove Possession of Private Key

A Subscriber proves possession of the relevant Private Key with the following method: The signature on the relevant Certificate Signing Request (hereinafter, "CSR") is authenticated to prove that such CSR is signed with the Private Key corresponding to the Public Key.

3.2.2 Authentication of Organization Identity

If the Applicant requests a Certificate that will contain Subject Identity Information comprised only of the countryName field, then the CA SHALL verify the country associated with the Subject using a verification process meeting the requirements of this CP "3.2.2.3 Verification of Country" and that is described in the CA's CP and CPS. If the Applicant requests a Certificate that will contain the countryName field and other Subject Identity Information, then the CA SHALL verify the identity of the Applicant, and the authenticity of the Applicant Representative's certificate request using a verification process meeting the requirements of this CP "3.2.2.1 Identity" and that is described in the CA's CP and CPS. The CA SHALL inspect any document relied upon under this Section for alteration or falsification.

The verification source used when issuing EV Certificates shall be disclosed at the URL below.

<https://www.secomtrust.net/service/pfw/apply/ev/list.html>

To verify the Applicant's legal existence and identity, the CA MUST do the following.

Private Organization Subjects

- A. Legal Existence: Verify that the Applicant is a legally recognized entity, in existence and validly formed (e.g., incorporated) with the Incorporating or Registration Agency in the Applicant's Jurisdiction of Incorporation or Registration, and not designated on the records of the Incorporating or Registration Agency by labels such as "inactive", "invalid", "not current", or the equivalent.
- B. Organization Name: Verify that the Applicant's formal legal name as recorded with the Incorporating or Registration Agency in the Applicant's Jurisdiction of Incorporation or Registration matches the Applicant's name in the EV Certificate Request.

- C. Registration Number: Obtain the specific Registration Number assigned to the Applicant by the Incorporating or Registration Agency in the Applicant's Jurisdiction of Incorporation or Registration. Where the Incorporating or Registration Agency does not assign a Registration Number, the CA SHALL obtain the Applicant's date of Incorporation or Registration.
- D. Registered Agent: Obtain the identity and address of the Applicant's Registered Agent or Registered Office (as applicable in the Applicant's Jurisdiction of Incorporation or Registration).

Government Entity Subjects

- A. Legal Existence: Verify that the Applicant is a legally recognized Government Entity, in existence in the political subdivision in which such Government Entity operates.
- B. Entity Name: Verify that the Applicant's formal legal name matches the Applicant's name in the EV Certificate Request.
- C. Registration Number: The CA MUST attempt to obtain the Applicant's date of incorporation, registration, or formation, or the identifier for the legislative act that created the Government Entity. In circumstances where this information is not available, the CA MUST enter appropriate language to indicate that the Subject is a Government Entity.

Business Entity Subjects

- A. Legal Existence: Verify that the Applicant is engaged in business under the name submitted by the Applicant in the Application.
- B. Organization Name: Verify that the Applicant's formal legal name as recognized by the Registration Agency in the Applicant's Jurisdiction of Registration matches the Applicant's name in the EV Certificate Request.
- C. Registration Number: Attempt to obtain the specific unique Registration Number assigned to the Applicant by the Registration Agency in the Applicant's Jurisdiction of Registration. Where the Registration Agency does not assign a Registration Number, the CA SHALL obtain the Applicant's date of Registration.
- D. Principal Individual: Verify the identity of the identified Principal Individual.

Non-Commercial Entity Subjects (International Organizations)

- A. Legal Existence: Verify that the Applicant is a legally recognized International Organization Entity.
- B. Entity Name: Verify that the Applicant's formal legal name matches the Applicant's name in the EV Certificate Request.
- C. Registration Number: The CA MUST attempt to obtain the Applicant's date of formation, or the identifier for the legislative act that created the International Organization Entity. In circumstances where this information is not available, the CA MUST enter appropriate language to indicate that the Subject is an International Organization Entity.

If, in addition to the Applicant's formal legal name, as recorded with the applicable Incorporating Agency or Registration Agency in the Applicant's Jurisdiction of Incorporation or Registration, the Applicant's identity, as asserted in the EV Certificate, is to contain any assumed name under which the Applicant conducts business, the CA MUST verify that:

- i. the Applicant has registered its use of the assumed name with the appropriate government agency for such filings in the jurisdiction of its Place of Business (as verified in accordance with EV Guidelines),
- ii. That such filing continues to be valid.

To verify the Applicant's physical existence and business presence, the CA MUST verify that the physical address provided by the Applicant is an address where the Applicant or a Parent/Subsidiary Company conducts business operations, and is the address of the Applicant's Place of Business.

- A. Place of Business in the Country of Incorporation or Registration
 - i. For Applicants whose Place of Business is in the same country as the Applicant's Jurisdiction of Incorporation or Registration and whose Place of Business is NOT the same as that indicated in the relevant Qualified Government Information Source (hereinafter, QGIS) to verify legal existence:
 - 1. For Applicants listed at the same Place of Business address in the current version of either at least one QGIS (other than that used to verify legal existence), QIIS, the CA MUST confirm that the Applicant's address, as listed in the EV Certificate Request, is a valid business address for the Applicant or a Parent/Subsidiary Company by reference to such QGIS, QIIS, and MAY rely on the Applicant's representation that such address is its Place of Business;

2. For Applicants who are not listed at the same Place of Business address in the current version of either at least one QIIS, the CA MUST confirm that the address provided by the Applicant in the EV Certificate Request is the Applicant's or a Parent/Subsidiary Company's business address, by obtaining documentation of a site visit to the business address, which MUST be performed by a reliable individual or firm. The documentation of the site visit MUST:
- a. Verify that the Applicant's business is located at the exact address stated in the EV Certificate Request (e.g., via permanent signage, employee confirmation, etc.),
 - b. Identify the type of facility (e.g., office in a commercial building, private residence, storefront, etc.) and whether it appears to be a permanent business location,
 - c. Indicate whether there is a permanent sign (that cannot be moved) that identifies the Applicant,
 - d. Indicate whether there is evidence that the Applicant is conducting ongoing business activities at the site (not that it is just, for example, a mail drop, P.O. box, etc.)
 - e. Include one or more photos of
 - i. the exterior of the site (showing signage indicating the Applicant's name, if present, and showing the street address if possible)
 - ii. the interior reception area or workspace.
 - ii. For all Applicants, the CA MAY alternatively rely on a Verified Professional Letter that indicates the address of the Applicant's or a Parent/Subsidiary Company's Place of Business and that business operations are conducted there.
 - iii. For Government Entity Applicants, the CA MAY rely on the address contained in the records of the QGIS in the Applicant's jurisdiction.
 - iv. For Applicants whose Place of Business is in the same country as the Applicant's Jurisdiction of Incorporation or Registration and where the QGIS used in to verify legal existence contains a business address for the Applicant, the CA MAY rely on the address in the QGIS to confirm the Applicant's or a Parent/Subsidiary Company's address as listed in the EV Certificate Request.
- B. Place of Business not in the Country of Incorporation or Registration: The CA MUST rely on a Verified Professional Letter that indicates the address of the Applicant's Place of Business and that business operations are conducted there.
- To assist in communicating with the Applicant and confirming that the Applicant is

aware of and approves issuance, the CA MUST verify a telephone number, fax number, email address, or postal delivery address as a Verified Method of Communication with the Applicant.

To verify a Verified Method of Communication with the Applicant, the CA MUST:

- A. Verify that the Verified Method of Communication belongs to the Applicant, or a Parent/Subsidiary or Affiliate of the Applicant, by matching it with one of the Applicant's Parent/Subsidiary or Affiliate's Places of Business in:
 - i. records provided by the applicable phone company;
 - ii. QGIS or QIIS
 - iii. a Verified Professional Letter
- B. Confirm the Verified Method of Communication by using it to obtain an affirmative response sufficient to enable a reasonable person to conclude that the Applicant, or a Parent/Subsidiary or Affiliate of Applicant, can be contacted reliably by using the Verified Method of Communication.

The CA MUST verify that the Applicant has the ability to engage in business by verifying the Applicant's, or Affiliate/Parent/Subsidiary Company's, operational existence. The CA MAY rely on its verification of a Government Entity's legal existence under the EV Guidelines Section 3.2.2.2 as verification of a Government Entity's operational existence.

To verify the Applicant's ability to engage in business, the CA MUST verify the operational existence of the Applicant, or its Affiliate/Parent/Subsidiary Company, by:

1. Verifying that the Applicant, Affiliate, Parent Company, or Subsidiary Company has been in existence for at least three years, as indicated by the records of an Incorporating Agency or Registration Agency;
2. Verifying that the Applicant, Affiliate, Parent Company, or Subsidiary Company is listed in either a current QIIS or QTIS;
3. Verifying that the Applicant, Affiliate, Parent Company, or Subsidiary Company has an active current Demand Deposit Account with a Regulated Financial Institution by receiving authenticated documentation of the Applicant's, Affiliate's, Parent Company's, or Subsidiary Company's Demand Deposit Account directly from a Regulated Financial Institution;
4. Relying on a Verified Professional Letter to the effect that the Applicant has an active current Demand Deposit Account with a Regulated Financial Institution.

For each Fully-Qualified Domain Name listed in a Certificate which is not an Onion Domain Name, the CA SHALL confirm that, as of the date the Certificate was issued, the Applicant either is the Domain Name Registrant or has control over the FQDN using a procedure specified in Section 3.2.2.4 of the Baseline Requirements.

EV Certificates MAY include Domain Names containing mixed character sets only in compliance with the rules set forth by the domain registrar. The CA MUST visually compare any Domain Names with mixed character sets with known high risk domains. If a similarity is found, then the EV Certificate Request MUST be flagged as High Risk. The CA must perform reasonably appropriate additional authentication and verification to be certain beyond reasonable doubt that the Applicant and the target in question are the same organization.

For both the Contract Signer and the Certificate Approver, the CA MUST verify the following.

1. Name, Title and Agency:

The CA MUST verify the name and title of the Contract Signer and the Certificate Approver, as applicable. The CA MUST also verify that the Contract Signer and the Certificate Approver are agents representing the Applicant.

2. Signing Authority of Contract Signer:

The CA MUST verify that the Contract Signer is authorized by the Applicant to enter into the Subscriber Agreement (and any other relevant contractual obligations) on behalf of the Applicant, including a contract that designates one or more Certificate Approvers on behalf of the Applicant.

3. EV Authority of Certificate Approver:

The CA MUST verify, through a source other than the Certificate Approver him- or herself, that the Certificate Approver is expressly authorized by the Applicant to do the following, as of the date of the EV Certificate Request:

- A. Submit, and, if applicable, authorize a Certificate Requester to submit, the EV Certificate Request on behalf of the Applicant;
- B. Provide, and, if applicable, authorize a Certificate Requester to provide, the information requested from the Applicant by the CA for issuance of the EV Certificate;
- C. Approve EV Certificate Requests submitted by a Certificate Requester.

Where the CA and Applicant contemplate the submission of multiple future EV

Certificate Requests, then, after the CA:

1. Has verified the name and title of the Contract Signer and that he/she is an employee or agent of the Applicant;
2. Has verified the Signing Authority of such Contract Signer in accordance with one of the procedures in the EV Guidelines, Section 3.2.2.8.3.

The CA and the Applicant MAY enter into a written agreement, signed by the Contract Signer on behalf of the Applicant, whereby, for a specified term, the Applicant expressly authorizes one or more Certificate Approver(s) designated in such agreement to exercise EV Authority with respect to each future EV Certificate Request submitted on behalf of the Applicant and properly authenticated as originating with, or otherwise being approved by, such Certificate Approver(s).

Such an agreement MUST provide that the Applicant shall be obligated under the Subscriber Agreement for all EV Certificates issued at the request of, or approved by, such Certificate Approver(s) until such EV Authority is revoked, and MUST include mutually agreed-upon provisions for:

- i. authenticating the Certificate Approver when EV Certificate Requests are approved,
- ii. periodic re-confirmation of the EV Authority of the Certificate Approver,
- iii. secure procedures by which the Applicant can notify the CA that the EV Authority of any such Certificate Approver is revoked,
- iv. such other appropriate precautions as are reasonably necessary.

Both the Subscriber Agreement and each non-pre-authorized EV Certificate Request MUST be signed. The Subscriber Agreement MUST be signed by an authorized Contract Signer. The EV Certificate Request MUST be signed by the Certificate Requester submitting the document, unless the Certificate Request has been pre-authorized in line with the EV Guidelines, Section 3.2.2.8.4. If the Certificate Requester is not also an authorized Certificate Approver, then an authorized Certificate Approver MUST independently approve the EV Certificate Request. In all cases, applicable signatures MUST be a legally valid and contain an enforceable seal or handwritten signature (for a paper Subscriber Agreement and/or EV Certificate Request), or a legally valid and enforceable electronic signature (for an electronic Subscriber Agreement and/or EV Certificate Request), that binds the Applicant to the terms of each respective document.

In cases where an EV Certificate Request is submitted by a Certificate Requester,

before the CA issues the requested EV Certificate, the CA MUST verify that an authorized Certificate Approver reviewed and approved the EV Certificate Request. Acceptable methods of verifying the Certificate Approver's approval of an EV Certificate Request include:

1. Contacting the Certificate Approver using a Verified Method of Communication for the Applicant and obtaining oral or written confirmation that the Certificate Approver has reviewed and approved the EV Certificate Request;
2. Notifying the Certificate Approver that one or more new EV Certificate Requests are available for review and approval at a designated access-controlled and secure Web site, followed by a login by, and an indication of approval from, the Certificate Approver in the manner required by the Web site;
3. Verifying the signature of the Certificate Approver on the EV Certificate Request.

The CA MUST verify whether the Applicant, the Contract Signer, the Certificate Approver, the Applicant's Jurisdiction of Incorporation, Registration, or Place of Business:

- A. Is identified on any government denied list, list of prohibited persons, or other list that prohibits doing business with such organization or person under the laws of the country of the CA's jurisdiction(s) of operation;
- B. Has its Jurisdiction of Incorporation, Registration, or Place of Business in any country with which the laws of the CA's jurisdiction prohibit doing business.

The CA MUST NOT issue any EV Certificate to the Applicant if either the Applicant, the Contract Signer, or Certificate Approver or if the Applicant's Jurisdiction of Incorporation or Registration or Place of Business is on any such list.

Final Cross-Correlation and Due Diligence

1. The results of the verification processes and procedures outlined in these Guidelines are intended to be viewed both individually and as a group.
Thus, after all of the verification processes and procedures are completed, the CA MUST have a person who is not responsible for the collection of information review all of the information and documentation assembled in support of the EV Certificate application and look for discrepancies or other details requiring further explanation.

2. The CA MUST obtain and document further explanation or clarification from the Applicant, Certificate Approver, Certificate Requester, Qualified Independent Information Sources, and/or other sources of information, as necessary, to resolve those discrepancies or details that require further explanation.
3. The CA MUST refrain from issuing an EV Certificate until the entire corpus of information and documentation assembled in support of the EV Certificate Request is such that issuance of the EV Certificate will not communicate factual information that the CA knows, or the exercise of due diligence should discover from the assembled information and documentation, to be inaccurate,. If satisfactory explanation and/or additional documentation are not received within a reasonable time, the CA MUST decline the EV Certificate Request and SHOULD notify the Applicant accordingly.
4. In the case where some or all of the documentation used to support the application is in a language other than the CA's normal operating language, the CA or its Affiliate MUST perform the requirements of this Final Cross-Correlation and Due Diligence section using employees under its control and having appropriate training, experience, and judgment in confirming organizational identification and authorization and fulfilling all qualification requirements contained in the EV Guidelines, Section 5.3.2. When employees under the control of the CA do not possess the language skills necessary to perform the Final Cross-Correlation and Due Diligence a CA MAY:
 - A. Rely on language translations of the relevant portions of the documentation, provided that the translations are received from a Translator;
 - B. When the CA has utilized the services of an RA, the CA MAY rely on the language skills of the RA to perform the Final Cross-Correlation and Due Diligence, provided that the RA complies with the EV Guidelines, Section 3.2.2.13, Subsections (1), (2) and (3). Notwithstanding the foregoing, prior to issuing the EV Certificate, the CA MUST review the work completed by the RA and determine that all requirements have been met;
 - C. When the CA has utilized the services of an RA, the CA MAY rely on the RA to perform the Final Cross-Correlation and Due Diligence, provided that the RA complies with this section and is subjected to the Audit Requirements of the EV Guidelines, Section 8.1.1 and Section 8.2.

In the case of EV Certificates to be issued in compliance with the requirements of the EV Guidelines, Section 1.3.2, the Enterprise RA MAY perform the requirements of this Final Cross-Correlation and Due Diligence section.

Roles requiring separation of duties

1. The CA MUST enforce rigorous control procedures for the separation of validation duties to ensure that no one person can single-handedly validate and authorize the issuance of an EV Certificate. The Final Cross-Correlation and Due Diligence steps, as outlined in the EV Guidelines, Section 3.2.2.13, MAY be performed by one of the persons. For example, one Validation Specialist MAY review and verify all the Applicant information and a second Validation Specialist MAY approve issuance of the TLS Server Certificate.
2. Such controls MUST be auditable.

Security for data

As specified in Section 5 of the Baseline Requirements. In addition, systems used to process and approve EV Certificate Requests MUST require actions by at least two trusted persons before creating an EV Certificate.

In consistent with this CP “5.5.2 Retention Period for Archive”, the CA shall maintain an internal database containing all previously revoked Certificates and previously rejected Certificate Requests due to suspicion or concern of phishing or other fraudulent use. The CA shall use this information to identify future suspicious certificate requests.

3.2.2.1 Identity

If the Subject Identity Information is to include the name or address of an organization, the CA SHALL verify the identity and address of the organization and that the address is the Applicant’s address of existence or operation. The CA SHALL verify the identity and address of the Applicant using documentation provided by, or through communication with, at least one of the following:

1. A government agency in the jurisdiction of the Applicant’s legal creation, existence, or recognition;
2. A third party database that is periodically updated and considered a Reliable Data Source;

3. A site visit by the CA or a third party who is acting as an agent for the CA;
4. An Attestation Letter.

The CA MAY use the same documentation or communication described in 1 through 4 above to verify both the Applicant's identity and address.

3.2.2.2 DBA/Tradename

If the Subject Identity Information is to include a DBA or tradename, the CA verifies the Applicant's right to use the DBA/tradename using the following:

1. Documentation provided by, or communication with, a government agency in the jurisdiction of the Applicant's legal creation, existence, or recognition;
2. A Reliable Data Source;
3. Communication with a government agency responsible for the management of such DBAs or tradenames;
4. An Attestation Letter accompanied by documentary support;
5. A utility bill, bank statement, credit card statement, government-issued tax document, or other form of identification that the CA determines to be reliable.

3.2.2.3 Verification of Country

If the subject:countryName field is present in the Subject Identification Name of the certificate, then the CA verifies the country associated with the Subject using one of the following:

- information provided by the Domain Name Registrar
- the method described in this CP "3.2.2.1 Identity"

3.2.2.4 Domain Authentication

Secom Trust Systems will authenticate the domain using the following Baseline Requirements-compliant method to verify that the certificate subscriber has the right to use the domain name.

The random value described in this section shall consist of a random number of 112 bits or more generated by the CA, and shall be valid for the use of response confirmation for 30 days from the generation.

In the CA, when making a WHOIS inquiry, the IP address of the contacted WHOIS server is checked by "<Top Level Domain>.whois-servers.net" on the DNS server, and the inquiry is made to that WHOIS server first. WHOIS responses are not cached and are referenced with each inquiry.

WHOIS obtains the information from domain name registrars or registry operators

via the HTTPS website or the protocol defined in RFC3912.

The CA doesn't issue certificates if "RFC 7686 - The ".onion" Special-Use Domain Name" is included in the certificates.

1. Prove the applicant's authority over the FQDN by sending a random value by email, or postal mail to a domain contact registered with the WHOIS Registry Service and receiving an acknowledgment containing the random value. Random values are sent to an email address, or resident address that is recognized as a domain contact. The management of multiple authentication domain names can be checked by email, or postal mail

The CA may send the emails or mails recognized in this section to multiple recipients, each recipient is recognized as a domain name registrant representing all FQDN domain name registrants authorized for email or postal use. Random values shall be unique to each email or postal mail.

The CA may resend the entire email or postal mail, including the reuse of random values, provided that the entire communication content and the recipient remain unchanged.

(Baseline Requirements Section 3.2.2.4.2 Email, Fax, SMS, or Postal Mail to Domain Contact)

2. The local part is 'admin',' administrator',' webmaster',' hostmaster', or 'postmaster' and the following "@" demonstrates control of the requested FQDN by sending a random value to the email address created as the authentication domain name and receiving an acknowledgment containing the random value. The authentication domain name under "@" used in the e-mail address should be the domain name included in the FQDN for which the certificate is issued, and if the authentication domain is the same, multiple FQDNs can be also checked by e-mail.

(Baseline Requirements Section 3.2.2.4.4 Constructed Email to Domain Contact)

3. Prove the applicant's authority over the FQDN by verifying that there is a random value or application token in either the DNS CNAME, TXT or CAA record of either the FQDN for which the certificate is issued or the authentication domain name (includes each prefixed with a label that begins with an underscore character). Relevant CAA resource records should be verified using the search algorithm defined in Section 3 of RFC 8659.

The CA using this method MUST implement Multi-Perspective Issuance Corroboration as specified in Section 3.2.2.9. To count as corroborating, a Network Perspective MUST observe the same challenge information (i.e. Random Value or Request Token) as the Primary Network Perspective.

(Baseline Requirement Section 3.2.2.4.7 DNS Change))

4. Prove the applicant's authority over the FQDN by sending a random value via email to the Email contact in the DNS CAA record of the authentication domain name and receiving an acknowledgment containing the random value. If the email contacts are the same, the multiple FQDNs can also be checked by email.

The CA using this method MUST implement Multi-Perspective Issuance Corroboration as specified in Section 3.2.2.9. To count as corroborating, a Network Perspective MUST observe the selected contact address used for domain validation observed by the Primary Network Perspective.

(Baseline Requirement Section 3.2.2.4.13 Email to DNS CAA Contact)

5. Prove the applicant's authority over the FQDN by sending a random value via email to the Email contact in the DNS TXT record of the authentication domain name and receiving an acknowledgment containing the random value. If the email contacts are the same, the multiple FQDNs can also be checked by email.

The CA using this method MUST implement Multi-Perspective Issuance Corroboration as specified in Section 3.2.2.9. To count as corroborating, a Network Perspective MUST observe the selected contact address used for domain validation observed by the Primary Network Perspective.

(Baseline Requirement Section 3.2.2.4.14 Email to DNS TXT Contact)

6. Confirm the applicant's control over the FQDN by verifying that the request token or random value is included in the contents of the file. The CA accesses via an approved port, and confirms that Random value is placed under the "http (or https): // [FQDN to be issued certificate] /.well-known/pki-validation" directory, and that it receives a normal HTTP or HTTPS response sent from the request.

For Certificates issued on or after 2021-12-01, the CA must not issue Certificates for other FQDNs that end with all the labels of the validated FQDN unless the CA performs a separate validation for that FQDN using an authorized method. This method is not used for validating Wildcard Domain Names.

If the CA follows redirects the following apply:

1. Redirects MUST be initiated at the HTTP protocol layer. For validations performed on or after July 1, 2021, redirects MUST be the result of a 3xx301, 302, or 307 HTTP status code response, as defined in RFC 7231, Section 6.4, or a 308 HTTP status code response, as defined in RFC 7538, Section 3. Redirects MUST be to the final value of the Location HTTP response header, as defined in RFC 7231, Section 7.1.2.
2. Redirects MUST be to resource URLs with either the "http" or "https" scheme.
3. Redirects MUST be to resource URLs accessed via Authorized Ports.

If a Random Value is used, then:

1. The CA MUST provide a Random Value unique to the certificate request. Except for Onion Domain Names, the CA using this method MUST implement MultiPerspective Issuance Corroboration as specified in Section 3.2.2.9. To count as corroborating, a Network Perspective MUST observe the same challenge information (i.e. Random Value or Request Token) as the Primary Network Perspective.

(Baseline Requirements Section 3.2.2.4.18 Agreed-Upon Change to Website v2)

7. Confirming the Applicant's control over a FQDN by validating domain control of the FQDN using the ACME HTTP Challenge method defined in Section 8.3 of RFC 8555.

The CA MUST receive a successful HTTP response from the request (meaning a 2xx HTTP status code must be received).

The token (as defined in RFC 8555, Section 8.3) MUST NOT be used for more than 30 days from its creation.

If the CA follows redirects, the following apply:

1. Redirects MUST be initiated at the HTTP protocol layer.
For validations performed on or after July 1, 2021, redirects MUST be the result of a 301, 302, or 307 HTTP status code response, as defined in RFC 7231, Section 6.4, or a 308 HTTP status code response, as defined in RFC 7538, Section 3. Redirects MUST be to the final value of the Location HTTP response header, as defined in RFC 7231, Section 7.1.2.
2. Redirects MUST be to resource URLs with either via the "http" or "https" scheme.
3. Redirects MUST be to resource URLs accessed via Authorized Ports.

Except for Onion Domain Names, the CA MUST implement MultiPerspective

Issuance Corroboration as specified in Section 3.2.2.9. To count as corroborating, a Network Perspective MUST observe the same challenge information (i.e. Random Value or Request Token) as the Primary Network Perspective.

(Baseline Requirements section 3.2.2.4.19 Agreed-Upon Change to Website – ACME)

3.2.2.5 Authentication for an IP Address

The CA does not issue a certificate by authenticating the IP address.

3.2.2.6 Wildcard Domain Validation

The CA does not issue wildcard certificates.

3.2.2.7 Data Source Accuracy

Prior to using any data source as a Reliable Data Source, the CA evaluate the source for its reliability, accuracy, and resistance to alteration or falsification. The CA should consider the following during its evaluation:

1. The age of the information provided,
2. The frequency of updates to the information source,
3. The data provider and purpose of the data collection,
4. The public accessibility of the data availability, and
5. The relative difficulty in falsifying or altering the data.

When issuing an EV certificate, A Qualified Independent Information Source (QIIS) is a regularly-updated and publicly available database that is generally recognized as a dependable source for certain information. A database qualifies as a QIIS if the CA determines that:

1. Industries other than the certificate industry rely on the database for accurate location, contact, or other information;
2. The database provider updates its data on at least an annual basis.

The CA SHALL use a documented process to check the accuracy of the database and ensure its data is acceptable, including reviewing the database provider's terms of use.

The CA SHALL NOT use any data in a QIIS that the CA knows is

- i. self-reported.
- ii. not verified by the QIIS as accurate.

Databases in which the CA or its owners or affiliated companies maintain a controlling interest, or in which any Registration Authorities or subcontractors to whom the CA has outsourced any portion of the vetting process (or their owners or

affiliated companies) maintain any ownership or beneficial interest, do not qualify as a QIIS.

A Qualified Government Information Source (QGIS) is a regularly-updated and current, publicly available, database designed for the purpose of accurately providing the information for which it is consulted, and which is generally recognized as a dependable source of such information provided that it is maintained by a Government Entity, the reporting of data is required by law, and false or misleading reporting is punishable with criminal or civil penalties. Nothing in these Guidelines shall prohibit the use of third-party vendors to obtain the information from the Government Entity provided that the third party obtains the information directly from the Government Entity.

3.2.2.8 CAA Records

As part of the issuance process, the CA must check for CAA records and follow the processing instructions found, for each `dNSName` in the `subjectAltName` extension of the certificate to be issued, as specified in RFC 8659. If the CA issues, they must do so within the TTL of the CAA record, or 8 hours, whichever is greater.

When processing CAA records, the CA must process the `issue`, `issuewild`, and `iodef` property tags as specified in RFC 8659, although they are not required to act on the contents of the `iodef` property tag. Additional property tags may be supported, but must not conflict with or supersede the mandatory property tags set out in Baseline Requirements. The CA must respect the critical flag and not issue a certificate if they encounter an unrecognized property tag with this flag set.

The CA is permitted to treat a record lookup failure as permission to issue if:

- the failure is outside the CA's infrastructure; and
- the lookup has been retried at least once; and
- the domain's zone does not have a DNSSEC validation chain to the ICANN root.

The CA shall log any actions taken as part of its processing practices.

3.2.2.9 Multi-Perspective Issuance Corroboration

Multi-Perspective Issuance Corroboration attempts to corroborate the determinations (i.e., domain validation pass/fail, CAA permission/prohibition) made by the Primary Network Perspective from multiple remote Network Perspectives before Certificate issuance. This process can improve protection against equally-specific prefix Border Gateway Protocol (BGP) attacks or hijacks.

The CA MAY use either the same set, or different sets of Network Perspectives when performing Multi-Perspective Issuance Corroboration for the required 1) Domain Authorization or Control and 2) CAA Record checks.

The set of responses from the relied upon Network Perspectives MUST provide the CA with the necessary information to allow it to affirmatively assess:

- the presence of the expected 1) Random Value, 2) Request Token, 3) Contact Address as specified in this CP “3.2.2.4 Domain Authentication”.
- the CA’s authority to issue to the requested domain(s), as specified in this CP “3.2.2.8 CAA Records”

This CP 3.2.2.4 “Domain Authentication” describe the validation methods that require the use of Multi-Perspective Issuance Corroboration and how a Network Perspective can corroborate the outcomes determined by the Primary Network Perspective.

Results or information obtained from one Network Perspective MUST NOT be reused or cached when performing validation through subsequent Network Perspectives (e.g., different Network Perspectives cannot rely on a shared DNS cache to prevent an adversary with control of traffic from one Network Perspective from poisoning the DNS cache used by other Network Perspectives). The network infrastructure providing Internet connectivity to a Network Perspective MAY be administered by the same organization providing the computational services required to operate the Network Perspective. All communications between a remote Network Perspective and the CA MUST take place over an authenticated and encrypted channel relying on modern protocols (e.g., over HTTPS).

A Network Perspective MAY use a recursive DNS resolver that is NOT co-located with the Network Perspective. However, the DNS resolver used by the Network Perspective MUST fall within the same Regional Internet Registry service region as the Network Perspective relying upon it. Furthermore, for any pair of DNS resolvers used on a Multi-Perspective Issuance Corroboration attempt, the straight-line distance between the two States, Provinces, or Countries the DNS resolvers reside in MUST be at least 500 km. The location of a DNS resolver is determined by the point where unencapsulated outbound DNS queries are typically first handed off to the

network infrastructure providing Internet connectivity to that DNS resolver.

The CA MAY immediately retry Multi-Perspective Issuance Corroboration using the same validation method or an alternative method (e.g., the CA can immediately retry validation using “Email to DNS TXT Contact” if “Agreed-Upon Change to Website -ACME” does not corroborate the outcome of Multi-Perspective Issuance Corroboration). When retrying Multi-Perspective Issuance Corroboration, the CA MUST NOT rely on corroborations from previous attempts. There is no stipulation regarding the maximum number of validation attempts that may be performed in any period of time.

The “Quorum Requirements” Table describes quorum requirements related to MultiPerspective Issuance Corroboration. If the CA does NOT rely on the same set of Network Perspectives for both Domain Authorization or Control and CAA Record checks, the quorum requirements MUST be met for both sets of Network Perspectives (i.e.,the Domain Authorization or Control set and the CAA record check set). Network Perspectives are considered distinct when the straight-line distance between the two States, Provinces, or Countries they reside in is at least 500 km. Network Perspectives are considered “remote” when they are distinct from the Primary Network Perspective and the other Network Perspectives represented in a quorum.

The CA MAY reuse corroborating evidence for CAA record quorum compliance for a maximum of 398 days. After issuing a Certificate to a domain, remote Network Perspectives MAY omit retrieving and processing CAA records for the same domain or its subdomains in subsequent Certificate requests from the same Applicant for up to a maximum of 398 days.

Table 3.2.2.9-1 Quorum Requirements

# of Distinct Remote Network Perspectives Used	# of Allowed non-Corrobocations
2-5	1
6+	2

Remote Network Perspectives performing Multi-Perspective Issuance Corroboration:

MUST:

● **Network Hardening**

- Rely upon networks (e.g., Internet Service Providers or Cloud Provider Networks) implementing measures to mitigate BGP routing incidents in the global Internet routing system for providing internet connectivity to the Network Perspective.

SHOULD:

● **Facility & Service Provider Requirements**

- Be hosted from an ISO/IEC 27001certified facility or equivalent security framework independently audited and certified or reported.
- Rely on services covered in one of the following reports: System and Organization Controls 2 (SOC 2), IASE 3000, ENISA 715, FedRAMP Moderate, C5:2020, CSA STAR CCM, or equivalent services framework independently audited and certified or reported.

● **Vulnerability Detection and Patch Management**

- Implement intrusion detection and prevention controls to protect against common network and system threats.
- Document and follow a vulnerability correction process that addresses the identification, review, response, and remediation of vulnerabilities.
- Undergo or perform a Vulnerability Scan at least every three (3) months.
- Undergo a Penetration Test on at least an annual basis.
- Apply recommended security patches within six (6) months of the security patch's availability, unless the CA documents that the security patch would introduce additional vulnerabilities or instabilities that outweigh the benefits of applying the security patch.

● **System Hardening**

- Disable all accounts, applications, services, protocols, and ports that are not used.
- Implement multi-factor authentication for all user accounts.

● **Network Hardening**

- Configure each network boundary control (firewall, switch, router, gateway, or other network control device or system) with rules that support only the services, protocols, ports, and communications identified as necessary to its operations.
- Rely upon networks (e.g., Internet Service Providers) that:
 - 1) use mechanisms based on Secure Inter-Domain Routing (RFC 6480), for example, BGP Prefix Origin Validation (RFC 6811),
 - 2) make use of other non-RPKI route-leak prevention mechanisms (such as RFC

9234),

3) apply current best practices described in BCP 194.

While it is RECOMMENDED that under normal operating conditions Network Perspectives performing Multi-Perspective Issuance Corroboration forward all Internet traffic via a network or set of networks that filter RPKI-invalid BGP routes as defined by RFC 6811, it is NOT REQUIRED.

Beyond the above considerations, computing systems performing Multi-Perspective Issuance Corroboration are considered outside of the audit scope described in “8 Compliance Audit and Other Assessments” of this CP.

If any of the above considerations are performed by a Delegated Third Party, the CA MAY obtain reasonable evidence from the Delegated Third Party to ascertain assurance that one or more of the above considerations are followed. As an exception to this CP “1.3.2 RA”, Delegated Third Parties are not required to be within the audit scope described in Section “8 Compliance Audit and Other Assessments” of this CP to satisfy the above considerations.

Phased Implementation Timeline

Effective September 15, 2024, the CA SHOULD implement Multi-Perspective Issuance Corroboration using at least two (2) remote Network Perspectives.

Effective March 15, 2025, the CA MUST implement Multi-Perspective Issuance Corroboration using at least two (2) remote Network Perspectives. The CA MAY proceed with certificate issuance if the number of remote Network Perspectives that do not corroborate the determinations made by the Primary Network Perspective (“non-corroborations”) is greater than allowed in the Quorum Requirements table.

Effective September 15, 2025, the CA MUST implement Multi-Perspective Issuance Corroboration using at least two (2) remote Network Perspectives. The CA MUST NOT proceed with certificate issuance if the number of non-corroborations is greater than allowed in the Quorum Requirements table.

Effective March 15, 2026, the CA MUST implement Multi-Perspective Issuance Corroboration using at least three (3) remote Network Perspectives. The CA MUST NOT proceed with certificate issuance if the number of non-corroborations is greater than allowed in the Quorum Requirements table and if the remote Network Perspectives that do corroborate the determinations made by the Primary Network

Perspective do not fall within the service regions of at least two (2) distinct Regional Internet Registries.

Effective June 15, 2026, the CA MUST implement Multi-Perspective Issuance Corroboration using at least four (4) remote Network Perspectives. The CA MUST NOT proceed with certificate issuance if the number of non-corroborations is greater than allowed in the Quorum Requirements table and if the remote Network Perspectives that do corroborate the determinations made by the Primary Network Perspective do not fall within the service regions of at least two (2) distinct Regional Internet Registries.

Effective December 15, 2026, the CA MUST implement Multi-Perspective Issuance Corroboration using at least five (5) remote Network Perspectives. The CA MUST NOT proceed with certificate issuance if the number of non-corroborations is greater than allowed in the Quorum Requirements table and if the remote Network Perspectives that do corroborate the determinations made by the Primary Network Perspective do not fall within the service regions of at least two (2) distinct Regional Internet Registries.

3.2.3 Authentication of Individual Identity

SECOM Trust Systems does not issue certificates to individuals.

3.2.4 Non-Verified Subscriber Information

The information about non-verified certificate subscribers will not be included in the certificates issued by the CA.

3.2.5 Validation of Authority

If the Applicant for a Certificate containing Subject Identity Information is an organization, the CA SHALL use a Reliable Method of Communication to verify the authenticity of the Applicant Representative's certificate request.

The CA MAY use the sources listed in this CP, "Section 3.2.2.1 Identity" to verify the Reliable Method of Communication. Provided that the CA uses a Reliable Method of Communication, the CA MAY establish the authenticity of the certificate request directly with the Applicant Representative or with an authoritative source within the Applicant's organization, such as the Applicant's main business offices, corporate offices, human resource offices, information technology offices, or other department that the CA deems appropriate.

3.2.6 Criteria for Interoperation

The CA SHALL disclose all Cross-Certified Subordinate CA Certificates that identify the CA as the Subject, provided that the CA arranged for or accepted the establishment of the trust relationship (i.e. the Cross-Certified Subordinate CA Certificate at issue).

3.3 Identification and Authentication for Re-Key Requests

3.3.1 Identification and Authentication for Routine Re-Key

Subscribers shall be identified and authenticated for Re-Keying in the same manner as set forth in this CP "3.2 Initial Identity Validation" hereof.

3.3.2 Identification and Authentication for Re-Key after Revocation

A routine Re-Key after Revocation is not supported. The (Re-Keying) application for a Certificate shall be treated as a new submission, and the applicant Subscriber shall be identified and authenticated in the same manner as set forth in this CP "3.2 Initial Identity Validation" hereof.

3.4 Identification and Authentication for Revocation Requests

Accepting a Revocation Request via a website accessible only by the Subscriber, SECOM Trust Systems identifies and authenticates the applicant Subscriber.

4. Certificate Life-Cycle Operational Requirements

4.1 Certificate Application

4.1.1 Who Can Submit a Certificate Application

A person who may submit a certificate application shall be individuals, corporations, other organizations that use certificates, and agents delegated by certificate subscribers (hereinafter referred to as "Applicant").

In accordance with this CP, "Section 5.5.2, Retention Period for Archive", the CA SHALL maintain an internal database of all previously revoked Certificates and previously rejected certificate requests due to suspected phishing or other fraudulent usage or concerns. The CA SHALL use this information to identify subsequent suspicious certificate requests.

For EV Certificate, to verify the Applicant's legal existence and identity, the CA MUST do the following.

Private Organization Subjects

- A. Legal Existence: Verify that the Applicant is a legally recognized entity, in existence and validly formed (e.g., incorporated) with the Incorporating or Registration Agency in the Applicant's Jurisdiction of Incorporation or Registration, and not designated on the records of the Incorporating or Registration Agency by labels such as "inactive", "invalid", "not current", or the equivalent.
- B. Organization Name: Verify that the Applicant's formal legal name as recorded with the Incorporating or Registration Agency in the Applicant's Jurisdiction of Incorporation or Registration matches the Applicant's name in the EV Certificate Request.
- C. Registration Number: Obtain the specific Registration Number assigned to the Applicant by the Incorporating or Registration Agency in the Applicant's Jurisdiction of Incorporation or Registration. Where the Incorporating or Registration Agency does not assign a Registration Number, the CA SHALL obtain the Applicant's date of Incorporation or Registration.
- D. Registered Agent: Obtain the identity and address of the Applicant's Registered Agent or Registered Office (as applicable in the Applicant's Jurisdiction of Incorporation or Registration).

Government Entity Subjects

- A. Legal Existence: Verify that the Applicant is a legally recognized Government Entity, in existence in the political subdivision in which such Government Entity operates.
- B. Entity Name: Verify that the Applicant's formal legal name matches the Applicant's name in the EV Certificate Request.
- C. Registration Number: The CA MUST attempt to obtain the Applicant's date of incorporation, registration, or formation, or the identifier for the legislative act that created the Government Entity. In circumstances where this information is not available, the CA MUST enter appropriate language to indicate that the Subject is a Government Entity.

Business Entity Subjects

- A. Legal Existence: Verify that the Applicant is engaged in business under the name submitted by the Applicant in the Application.
- B. Organization Name: Verify that the Applicant's formal legal name as recognized by the Registration Agency in the Applicant's Jurisdiction of Registration matches the Applicant's name in the EV Certificate Request.
- C. Registration Number: Attempt to obtain the specific unique Registration Number assigned to the Applicant by the Registration Agency in the Applicant's Jurisdiction of Registration. Where the Registration Agency does not assign a Registration Number, the CA SHALL obtain the Applicant's date of Registration.
- D. Principal Individual: Verify the identity of the identified Principal Individual.

Non-Commercial Entity Subjects (International Organizations)

- A. Legal Existence: Verify that the Applicant is a legally recognized International Organization Entity.
- B. Entity Name: Verify that the Applicant's formal legal name matches the Applicant's name in the EV Certificate Request.
- C. Registration Number: The CA MUST attempt to obtain the Applicant's date of formation, or the identifier for the legislative act that created the International Organization Entity. In circumstances where this information is not available, the CA MUST enter appropriate language to indicate that the Subject is an International Organization Entity.

Specifically, register the following values.

If the subscriber is as follows, the CA will set the serialNumber as follows:

Registered corporation : Company corporation number or corporate number
Central ministries and national agencies : Corporate number or establishment date
Local governments and their institutions : Corporate number or establishment date
National and public universities and high school institutions : Corporate number or establishment date

If the corporate number and establishment date cannot be confirmed by the CA, enter the following text in serialNumber.

Central ministries and national agencies : Government
Local governments and their institutions : Local Government
National and public universities and high school institutions : Public School

If the subscriber is as follows, the CA will set the business Category as follows

Registered corporation : Private Organization
Central ministries and national agencies : Government Entity
Local governments and their institutions : Government Entity
National and public universities and high school institutions : Government Entity

4.1.2 Enrollment Process and Responsibilities

Prior to the issuance of a Certificate, the CA SHALL obtain the following documentation from the Applicant:

1. A certificate request, which may be electronic; and
2. An executed Subscriber Agreement or Terms of Use, which may be electronic.

The CA SHOULD obtain any additional documentation the CA determines necessary to meet the Baseline Requirements.

Prior to the issuance of a Certificate, the CA SHALL obtain from the Applicant a certificate request in a form prescribed by the CA and that complies with the Baseline Requirements. One certificate request MAY suffice for multiple Certificates to be issued to the same Applicant, subject to the aging and updating requirement in this CP “Section 4.2.1 Performing Identification and Authentication Functions” , provided that each Certificate is supported by a valid, current certificate request

signed by the appropriate Applicant Representative on behalf of the Applicant. The certificate request MAY be made, submitted and/or signed electronically.

The certificate request MUST contain a request from, or on behalf of, the Applicant for the issuance of a Certificate, and a certification by, or on behalf of, the Applicant that all of the information contained therein is correct.

4.2 Certificate Application Processing

4.2.1 Performing Identification and Authentication Functions

Once accepted, the Certificate Application is authenticated by SECOM Trust Systems in accordance with "3.2 Initial Identification and Authentication" hereof.

The certificate request may include all factual information about the Applicant to be included in the Certificate, and such additional information as is necessary for the CA to obtain from the Applicant in order to comply with these Requirements and the CA's Certificate Policy and/or Certification Practice Statement. In cases where the certificate request does not contain all the necessary information about the Applicant, the CA shall obtain the remaining information from the Applicant or, having obtained it from a reliable, independent, third-party data source, confirm it with the Applicant. The CA shall establish and follow a documented procedure for verifying all data requested for inclusion in the Certificate by the Applicant.

Applicant information include, but not be limited to, at least one Fully-Qualified Domain Name or IP address to be included in the Certificate's Subject Alternative Name extension.

In this CP "6.3.2 Certificate Operational Periods and Key Pair Usage Periods", the expiration date of the subscriber certificate is limited.

The CA may use the documents and data provided in Section 3.2 to verify certificate information, or may reuse previous validations themselves, provided that:

The CA obtained the data or document from a source specified under Section 3.2 or completed the validation itself no more than 825 days prior to issuing the Certificate. For validation of Domain Names according to Section 3.2.2.4, any data, document, or completed validation used MUST be obtained no more than 398 days prior to issuing the Certificate.

After the change to any validation method specified in the Baseline Requirements or EV Guidelines, a CA may continue to reuse validation data or documents collected prior to the change, or the validation itself, for the period stated in the Baseline Requirements Section 4.2.1 unless otherwise specifically provided in a ballot.

The CA checks the CAA record at the time of reviewing the application information. The Certificate Subscribers who want to grant the authority to issue certificates to the FQDN must include the value of "secomtrust.net" in the property "issue" or "issuewild" of the CAA record for each DNS zone.

If there is already a CAA entry in each DNS zone of the Certificate Subscriber and a certificate is required to be issued by this CA, the value of "secomtrust.net" must be included in the property "issue" or "issuewild" of the CAA record.

The CA shall develop, maintain, and implement documented procedures that identify and require additional verification activity for High Risk Certificate Requests prior to the Certificate's approval, as reasonably necessary to ensure that such requests are properly verified under Baseline Requirements.

If a Delegated Third Party fulfills any of the CA's obligations under this section, the CA shall verify that the process used by the Delegated Third Party to identify and further verify High Risk Certificate Requests provides at least the same level of assurance as this CA's own processes.

The validity period of EV certificate verified data is as follows:

1. Except for reissuance of an EV Certificate under the EV Guidelines, Section 3.2.2.14.2 and except when permitted otherwise in the EV Guidelines, Section 3.2.2.14.1, the age of all data used to support issuance of an EV Certificate (before revalidation is required) SHALL NOT exceed the following limits:
 - A. Legal existence and identity - 398 days
 - B. Assumed name - 398 days
 - C. Address of Place of Business - 398 days
 - D. Verified Method of Communication - 398 days
 - E. Operational existence - 398 days
 - F. Domain Name - 398 days
 - G. Name, Title, Agency, and Authority - 398 days, unless a contract between the CA and the Applicant specifies a different term, in which case, the term specified in such contract controls. For example, the contract MAY include the perpetual assignment of EV roles until revoked by the Applicant or CA, or until the contract expires or is terminated.
2. The 398-day period set forth above SHALL begin to run on the date the information was collected by the CA.
3. The CA MAY reuse a previously submitted EV Certificate Request, Subscriber Agreement, or Terms of Use, including use of a single EV Certificate Request in

support of multiple EV Certificates containing the same Subject to the extent permitted under the EV Guideline, Section 3.2.2.9 and the EV Guideline, Section 3.2.2.10.

4. The CA MUST repeat the verification process required in the EV Guidelines for any information obtained outside the time limits specified above except when permitted otherwise under the EV Guideline, Section 3.2.2.14.

The following Applicant roles are required for the issuance of an EV Certificate.

1. Certificate Requester:

The EV Certificate Request MUST be submitted by an authorized Certificate Requester. A Certificate Requester is a natural person who is either the Applicant, employed by the Applicant, an authorized agent who has express authority to represent the Applicant, or a third party (such as an ISP or hosting company) that completes and submits an EV Certificate Request on behalf of the Applicant.

2. Certificate Approver:

The EV Certificate Request MUST be approved by an authorized Certificate Approver. A Certificate Approver is a natural person who is either the Applicant, employed by the Applicant, or an authorized agent who has express authority to represent the Applicant to

- i. act as a Certificate Requester and to authorize other employees or third
- ii. to approve EV Certificate Requests submitted by other Certificate Requesters.

3. Contract Signer:

A Subscriber Agreement applicable to the requested EV Certificate MUST be signed by an authorized Contract Signer. A Contract Signer is a natural person who is either the Applicant, employed by the Applicant, or an authorized agent who has express authority to represent the Applicant, and who has authority on behalf of the Applicant to sign Subscriber Agreements.

4. Applicant Representative:

In the case where the CA and the Subscriber are affiliated, Terms of Use applicable to the requested EV Certificate MUST be acknowledged and agreed to by an authorized Applicant Representative. An Applicant Representative is a natural person who is either the Applicant, employed by the Applicant, or an authorized agent who has express authority to represent the Applicant, and who has authority on behalf of the Applicant to

acknowledge and agree to the Terms of Use.

The Applicant MAY authorize one individual to occupy two or more of these roles. The Applicant MAY authorize more than one individual to occupy any of these roles.

4.2.2 Approval or Rejection of Certificate Applications

The CA does not issue Certificates containing Internal Names or Reserved IP Addresses.

SECOM Trust Systems issues a Certificate corresponding to any application that it approves following the review and authentication, subsequently notifying the relevant Subscriber of the completion thereof and the issuance of the Certificate. Should a Certificate Application be inadequate or deficient, SECOM Trust Systems shall notify the relevant Subscriber of the reason therefor and ask for re-submission of the documents and any other information required.

4.2.3 Time to Process Certificate Applications

SECOM Trust Systems promptly issues a Certificate corresponding to any approved Certificate Application.

4.3 Certificate Issuance

4.3.1 CA Actions during Certificate Issuance

4.3.1.1 Manual authorization of certificate issuance for Root CAs

Certificate issuance by the Root CA SHALL require an individual authorized by the CA (i.e. the CA system operator, system officer, or PKI administrator) to deliberately issue a direct command in order for the Root CA to perform a certificate signing operation.

4.3.1.2 Linting of to-be-signed Certificate content

Due to the complexity involved in implementing Certificate Profiles that conform to these Requirements, it is considered best practice for the CA to implement a Linting process to test the technical conformity of each to-be-signed artifact prior to signing it. When a Precertificate has undergone Linting, it is not necessary for the corresponding to-be-signed Certificate to also undergo Linting, provided that the CA has a technical control to verify that the to-be-signed Certificate corresponds to the to-be-signed Precertificate in the manner described by RFC 6962 (Certificate

Transparency), Section 3.2. Effective 2024-09-15, the CA SHOULD implement such a Linting process. Effective 2025-03-15, the CA SHALL implement such a Linting process.

Methods used to produce a certificate containing the to-be-signed Certificate content include, but are not limited to:

1. Sign the Certificate with a “dummy” Private Key whose Public Key component is not certified by a Certificate that chains to a publicly-trusted CA Certificate; or
2. Specify a static value for the signature field of the Certificate ASN.1 SEQUENCE.

The CA MAY implement their own certificate Linting tools, but the CA SHOULD use the Linting tools that have been widely adopted by the industry.

(see <https://cabforum.org/resources/tools/>)

The CA is encouraged to contribute to open-source Linting projects, such as by:

- creating new or improving existing lints,
- reporting potentially inaccurate linting results as bugs,
- notifying maintainers of Linting software of checks that are not covered by existing lints,
- updating documentation of existing lints, and
- generating test certificates for positive/negative tests of specific lints.

4.3.1.3 Linting of issued Certificates

The CA MAY use a Linting process to test each issued Certificate.

4.3.2 Notifications to Subscriber of Certificate Issuance

SECOM Trust Systems notifies the relevant Subscriber of the fact that the Subscriber Certificate is ready for download via a website accessible only by the Subscriber via e-mail. Download of the Certificate is made available to the Subscriber upon receiving the e-mail notice from the CA. Or sending the Certificate to the Subscriber, which makes the notifications of issuance.

4.4 Certificate Acceptance

4.4.1 Conduct Constituting Certificate Acceptance

A Certificate shall be deemed to be accepted upon confirmation of the Certificate

download from the website accessible only by the Subscriber.

Or, in case of sending the Certificate to the Subscriber, if there is no request from the Subscriber mentioning any mistakes in the Certificate within a week after sending, it is considered as that Certificate is accepted.

4.4.2 Publication of the Certificate by the CA

The CA certificate of this CA will be published in the repository. The CA can publish the certificate of the certificate subscriber by registering it in the CT (Certificate Transparency) log.

4.4.3 Notification of Certificate Issuance by the CA to Other Entities

SECOM Trust Systems will not send a notice of Certificate issuance to entities other than the person in charge, who was registered at the time of the Certificate Application submission.

4.5 Key Pair and Certificate Usage

4.5.1 Subscriber Private Key and Certificate Usage

Certificates shall be used in accordance with this CP, Service Terms and CPS.

Subscriber shall protect the Private Key from unauthorized use or disclosure by third parties and shall use the Private Key only for its intended purpose in accordance with “9.6.3 Subscriber Representations and Warranties”.

4.5.2 Relying Party Public Key and Certificate Usage

Relying Parties may authenticate the reliability of Certificates issued by the CA using the CA Certificates. Relying Parties must understand and agree to this CP and the CPS prior to verifying the reliability of and placing trust in a Certificate issued by the CA.

4.6 Certificate Renewal

The CA recommends generating a new Key Pair when Subscribers renew a Certificate.

4.6.1 Circumstances for Certificate Renewal

No stipulation

4.6.2 Who May Request Renewal

No stipulation

4.6.3 Processing Certificate Renewal Requests

No stipulation

4.6.4 Notification of New Certificate Issuance to Subscriber

No stipulation

4.6.5 Conduct Constituting Acceptance of a Renewal Certificate

No stipulation

4.6.6 Publication of the Renewal Certificates by the CA

No stipulation

4.6.7 Notification of Certificate Issuance by the CA to Other Entities

No stipulation

4.7 Certificate Re-Key

4.7.1 Circumstances for Certificate Re-Key

A Certificate is Re-Keyed when the validity period of the Certificate is about to expire or when the Certificate is revoked due to the key compromise.

4.7.2 Who May Request Certification of a New Public Key

The provisions of this CP "4.1.1 Who Can Submit a Certificate Application" hereof shall apply.

4.7.3 Processing Certificate Re-Keying Requests

The provisions of this CP "4.3.1 CA Actions during Certificate Issuance" hereof shall apply.

4.7.4 Notification of New Certificate Issuance to Subscriber

The provisions of this CP "4.3.2 Notifications to Subscriber of Certificate Issuance" hereof shall apply.

4.7.5 Conduct Constituting Acceptance of a Re-Keyed Certificate

The provisions of this CP "4.4.1 Conduct Constituting Certificate Acceptance" hereof shall apply.

4.7.6 Publication of the Re-Keyed Certificate by the CA

The provisions of this CP "4.4.2 Publication of the Certificate by the CA" hereof shall apply.

4.7.7 Notification of Certificate Issuance by the CA to Other Entities

The provisions of this CP "4.4.3 Notification of Certificate Issuance by the CA to Other Entities" hereof shall apply.

4.8 Certificate Modification

Should modification be required in any information registered in a Certificate, the CA shall revoke the relevant Certificate and issue a new Certificate.

4.8.1 Circumstances for Certificate Modification

No stipulation

4.8.2 Who May Request Certificate Modification

No stipulation

4.8.3 Processing Certificate Modification Requests

No stipulation

4.8.4 Notification of New Certificate Issuance to Subscriber

No stipulation

4.8.5 Conduct Constituting Acceptance of Modified Certificate

No stipulation

4.8.6 Publication of the Modified Certificates by the CA

No stipulation

4.8.7 Notification of Certificate Issuance by the CA to Other Entities

No stipulation

4.9 Certificate Revocation and Suspension

4.9.1 Circumstances for Certificate Revocation

The CA MAY support revocation of Short-lived Subscriber Certificates.

With the exception of Short-lived Subscriber Certificates, the CA shall revoke a Certificate within 24 hours and use the corresponding CRLReason (revocation reason) in this CP “7.2.2 Certificate Revocation Lists and CRL Entry Extensions” if one or more of the following occurs:

1. The Subscriber requests in writing, without specifying CRLReason, that the CA revoke the Certificate (CRLReason “unspecified (0)” which results in no reasonCode extension being provided in the CRL);
2. The Subscriber notifies the CA that the original certificate request was not authorized and does not retroactively grant authorization (CRL Reason #9, privilegeWithdrawn);
3. The CA obtains evidence that the Subscriber’s Private Key corresponding to the Public Key in the Certificate suffered a Key Compromise (CRL Reason #1, key Compromise);
4. The CA is made aware of a demonstrated or proven method that can easily compute the Subscriber’s Private Key based on the Public Key in the Certificate, including but not limited to those identified in (the Baseline Requirements Section 6.1.1.3(5), CPS 6.1.1 “Key Pair Generation”) (CRL Reason #1, key Compromise);
5. The CA obtains evidence that the validation of domain authorization or control for any Fully-Qualified Domain Name or IP address in the Certificate should not be relied upon (CRLReason #4, superseded);

With the exception of Short-lived Subscriber Certificates, the CA should revoke a certificate within 24 hours, must revoke a Certificate within 5 days and use the corresponding CRLReason if one or more of the following occurs:

6. The Certificate no longer complies with the requirements of Section “6.1.5 Key Sizes” and Section “6.1.6 Public Key Parameters Generation and Quality Checking” of this CP (CRLReason #4, superseded) ;
7. The CA obtains evidence that the Certificate was misused (CRLReason #9, privilegeWithdrawn);

8. The CA is made aware that a Subscriber has violated one or more of its material obligations under the Subscriber Agreement or Terms of Use (CRL Reason #9, privilegeWithdrawn);
9. The CA is made aware of any circumstance indicating that use of a Fully-Qualified Domain Name or IP address in the Certificate is no longer legally permitted (e.g. a court or arbitrator has revoked a Domain Name Registrant's right to use the Domain Name, a relevant licensing or services agreement between the Domain Name Registrant and the Applicant has terminated, or the Domain Name Registrant has failed to renew the Domain Name) (CRLReason #5, cessationOfOperation);
10. The CA is made aware of a material change in the information contained in the Certificate (CRLReason #9, privilegeWithdrawn);
11. The CA is made aware that the Certificate was not issued in accordance with the Baseline Requirements or the CA's CP or CPS (CRLReason #4, superseded);
12. The CA determines or is made aware that any of the information appearing in the Certificate is inaccurate (CRLReason #9, privilegeWithdrawn);
13. The CA's right to issue Certificates under the Baseline Requirements expires or is revoked or terminated, unless the CA has made arrangements to continue maintaining the CRL/OCSP Repository (CRLReason "unspecified (0)" which results in no reasonCode extension being provided in the CRL);
14. Revocation is required by the CA's CP and CPS for a reason that is not otherwise required to be specified by this section 4.9.1.1 (CRLReason "unspecified (0)" which results in no reasonCode extension being provided in the CRL);
15. The CA is made aware of a demonstrated or proven method that exposes the Subscriber's Private Key to compromise or if there is clear evidence that the specific method used to generate the Private Key was flawed (CRL Reason #1, key Compromise).

4.9.2 Who Can Request Revocation

A request for Revocation of a Certificate may be made by the Certificate user corporation, an Authorized Person, as specified in the Client Organization-Based Document Submission Criteria [SECOM Passport for Web EV], of a non-user corporation, or an agent appointed by the Authorized Person.

The Subscriber, RA, or Issuing CA can initiate revocation. Additionally, Subscribers,

Relying Parties, Application Software Suppliers, and other third parties may submit Certificate Problem Reports informing the issuing CA of reasonable cause to revoke the certificate.

4.9.3 Procedure for Revocation Request

A Subscriber shall submit a Revocation Request by selecting the relevant Certificate information on the website accessible only by the Subscriber.

4.9.4 Revocation Request Grace Period

Should a Subscriber determine that a Private Key has or could have been compromised, the Subscriber must promptly submit a Revocation Request.

4.9.5 Time within Which CA Shall Process the Revocation Request

Within 24 hours after receiving a Certificate Problem Report, the CA shall investigate the facts and circumstances related to a Certificate Problem Report and provide a preliminary report on its findings to both the Subscriber and the entity who filed the Certificate Problem Report.

After reviewing the facts and circumstances, the CA shall work with the Subscriber and any entity reporting the Certificate Problem Report or other revocation-related notice to establish whether or not the certificate will be revoked, and if so, a date which the CA will revoke the certificate. The period from receipt of the Certificate Problem Report or revocation-related notice to published revocation must not exceed the time frame set forth in the CP Section “4.9.1Circumstances for Certificate Revocation”.

The date selected by the CA should consider the following criteria:

1. The nature of the alleged problem (scope, context, severity, magnitude, risk of harm);
2. The consequences of revocation (direct and collateral impacts to Subscribers and Relying Parties);
3. The number of Certificate Problem Reports received about a particular Certificate or Subscriber;
4. The entity making the complaint

If the CA receives a revocation request with a specified revocation date, it will revoke on the specified date.

4.9.6 Revocation Checking Requirements for Relying Parties

The URLs of the CRL storage destination and the OCSP responder are indicated on the Certificates issued by the CA.

CRLs and the OCSP responder may be accessed using a commonly available Web Interface. CRLs do not contain expired Certificate information.

Relying Parties must authenticate the validity of a Subscriber Certificate. The validity of a Certificate may be verified by using the CRL posted on the Repository site or the OCSP responder.

4.9.7 CRL Issuance Frequency

CRLs must be available via a publicly-accessible HTTP URL (i.e., “published”).

Within twenty-four (24) hours of issuing its first Certificate, the CA MUST generate and publish either: - a full and complete CRL; OR - partitioned (i.e., “sharded”) CRLs that, when aggregated, represent the equivalent of a full and complete CRL.

If the CA publishes a CRL, then the CA shall update and reissue CRLs at least once every seven days, and the value of the nextUpdate field must not be more than ten days beyond the value of the thisUpdate field.

4.9.8 Maximum Latency for CRLs

The CRLs issued by the CA are reflected onto the Repository within a reasonable time.

4.9.9 On-Line Revocation/Status Checking Availability

OCSP responses must conform to RFC6960 and/or RFC5019. OCSP responses must either:

1. Be signed by the CA that issued the Certificates whose revocation status is being checked, or
2. Be signed by an OCSP Responder whose Certificate is signed by the CA that issued the Certificate whose revocation status is being checked.

In the latter case, the OCSP signing Certificate must contain an extension of type id-pkix-ocsp-nocheck, as defined by RFC6960.

4.9.10 On-Line Revocation/Status Checking Requirements

Relying Parties must authenticate the validity of Subscriber Certificates. When not using the CRL posted on the Repository to check for the Revocation registration of a Certificate, the Relying Parties must confirm the Certificate status available through

the OCSRP responder.

OCSRP responders operated by the CA shall support the HTTP GET method, as described in RFC 6960 and/or RFC 5019.

The validity interval of an OCSRP response is the difference in time between the thisUpdate and nextUpdate field, inclusive. For purposes of computing differences, a difference of 3,600 seconds shall be equal to one hour, and a difference of 86,400 seconds shall be equal to one day, ignoring leap-seconds.

For the status of Subscriber Certificates:

1. OCSRP responses must have a validity interval greater than or equal to eight hours;
2. OCSRP responses must have a validity interval less than or equal to ten days;
3. For OCSRP responses with validity intervals less than sixteen hours, then the CA shall update the information provided via an Online Certificate Status Protocol prior to one-half of the validity period before the nextUpdate.
4. For OCSRP responses with validity intervals greater than or equal to sixteen hours, then the CA shall update the information provided via an Online Certificate Status Protocol at least eight hours prior to the nextUpdate, and no later than four days after the thisUpdate.

For the status of Subordinate CA Certificates:

The CA SHALL update information provided via an Online Certificate Status Protocol

- i. at least every twelve months; and
- ii. within 24 hours after revoking a Subordinate CA Certificate.

If the OCSRP responder receives a request for the status of a certificate serial number that is "unused", then the responder should not respond with a "good" status. If the OCSRP responder is for a CA that is not Technically Constrained in line with the CP "Section 7.1.5 Name Constraints", the responder must not respond with a "good" status for such requests.

The CA should monitor the OCSRP responder for requests for "unused" serial numbers as part of its security response procedures.

The OCSRP responder may provide definitive responses about "reserved" certificate serial numbers, as if there was a corresponding Certificate that matches the Precertificate [RFC6962].

A certificate serial number within an OCSRP request is one of the following three options:

1. "assigned" if a Certificate with that serial number has been issued by the Issuing CA, using any current or previous key associated with that CA subject; or
2. "reserved" if a Precertificate [RFC6962] with that serial number has been issued by
 - a. the Issuing CA; or
 - b. a Precertificate Signing Certificate [RFC6962] associated with the Issuing CA;or
3. "unused" if neither of the previous conditions are met.

4.9.11 Other Forms of Revocation Advertisements Available

The CA allows the subscribers to use OCSP stapling in accordance with RFC4366 (Transport Layer Security (TLS) Extensions), RFC 5246 (The Transport Layer Security (TLS) Protocol Version 1.2), RFC 8446 (The Transport Layer Security (TLS) Protocol Version 1.3).

4.9.12 Special Requirements Regarding Key Compromise

The Relying Party shall demonstrate key compromise in the following methods:

- Submitting the private key itself, or the data containing the private key and how to extract the private key from the data
- Submitting the CSR that includes data such as distinguished names that are recognized as compromised and that can verify the signature
- Submitting the challenge response specified by this CA that can be verified by public key, and the private key signature for public key
- Providing the vulnerabilities that can be verified for compromise and the sources of referenced security incidents

If the CA learns that the private key of the Certificate Subscriber may have been compromised, it will notify the Certificate Subscriber that the private key may have been compromised.

If the CA determines that the private key has been compromised or is likely to be compromised, the CP "4.9.1 Circumstances for Certificate Revocation" shall be dealt with.

4.9.13 Circumstances for Suspension

The CA will not suspend Certificates.

4.9.14 Who Can Request Suspension

Not applicable.

4.9.15 Procedure for Suspension Request

Not applicable.

4.9.16 Limits on Suspension Period

Not applicable.

4.10 Certificate Status Services

4.10.1 Operational Characteristics

Certificate status is available to Subscribers and Relying Parties for confirmation through the OCSP responder. The CA must not remove Revocation entries on a CRL or OCSP Response until after the Expiry Date of the revoked Certificate.

4.10.2 Service Availability

The CA shall operate and maintain its CRL and OCSP capability with resources sufficient to provide a response time of ten seconds or less under normal operating conditions.

The CA shall maintain an online 24x7 Repository that application software can use to automatically check the current status of all unexpired Certificates issued by the CA. The CA shall maintain a continuous 24x7 ability to respond internally to a high-priority Certificate Problem Report, and where appropriate, forward such a complaint to law enforcement authorities, and/or revoke a Certificate that is the subject of such a complaint.

4.10.3 Optional Features

No stipulation

4.11 End of Subscription (Registry)

Subscribers may end their subscription to the services by submitting a Certificate Revocation Request or naturally letting it expire.

4.12 Key Escrow and Recovery

4.12.1 Key Escrow and Recovery Policy and Practices

The CA does not Escrow Subscriber Private Keys.

4.12.2 Session Key Encapsulation and Recovery Policy and Practices

Not applicable.

5. Facility, Management, and Operational Controls

5.1 Physical Controls

5.1.1 Site Location and Construction

Relevant provisions are stipulated in the CPS.

5.1.2 Physical Access

Relevant provisions are stipulated in the CPS.

5.1.3 Power and Air Conditioning

Relevant provisions are stipulated in the CPS.

5.1.4 Water Exposures

Relevant provisions are stipulated in the CPS.

5.1.5 Fire Prevention and Protection

Relevant provisions are stipulated in the CPS.

5.1.6 Media Storage

Relevant provisions are stipulated in the CPS.

5.1.7 Waste Disposal

Relevant provisions are stipulated in the CPS.

5.1.8 Off-Site Backup

Relevant provisions are stipulated in the CPS.

5.2 Procedural Controls

5.2.1 Trusted Roles

Relevant provisions are stipulated in the CPS.

5.2.2 Number of Persons Required per Task

Relevant provisions are stipulated in the CPS.

5.2.3 Identification and Authentication for Each Role

Relevant provisions are stipulated in the CPS.

5.2.4 Roles Requiring Separation of Duties

Relevant provisions are stipulated in the CPS.

5.3 Personnel Controls

5.3.1 Qualifications, Experience, and Clearance Requirements

Relevant provisions are stipulated in the CPS.

5.3.2 Background Check Procedures

Relevant provisions are stipulated in the CPS.

5.3.3 Training Requirements

Relevant provisions are stipulated in the CPS.

5.3.4 Retraining Frequency and Requirements

Relevant provisions are stipulated in the CPS.

5.3.5 Job Rotation Frequency and Sequence

Relevant provisions are stipulated in the CPS.

5.3.6 Sanctions for Unauthorized Actions

Relevant provisions are stipulated in the CPS.

5.3.7 Independent Contractor Requirements

Relevant provisions are stipulated in the CPS.

5.3.8 Documentation Supplied to Personnel

Relevant provisions are stipulated in the CPS.

5.4 Audit Logging Procedures

5.4.1 Types of Events Recorded

Relevant provisions are stipulated in the CPS.

5.4.2 Frequency of Processing Audit Log

Relevant provisions are stipulated in the CPS.

5.4.3 Retention Period for Audit Log

Relevant provisions are stipulated in the CPS.

5.4.4 Protection of Audit Log

Relevant provisions are stipulated in the CPS.

5.4.5 Audit Log Backup Procedure

Relevant provisions are stipulated in the CPS.

5.4.6 Audit Log Collection System

Relevant provisions are stipulated in the CPS.

5.4.7 Notification to Event-Causing Subject

Relevant provisions are stipulated in the CPS.

5.4.8 Vulnerability Assessments

Relevant provisions are stipulated in the CPS.

5.5 Records Archival

5.5.1 Types of Records Archived

Relevant provisions are stipulated in the CPS.

5.5.2 Retention Period for Archive

Relevant provisions are stipulated in the CPS.

5.5.3 Protection of Archive

Relevant provisions are stipulated in the CPS.

5.5.4 Archive Backup Procedures

Relevant provisions are stipulated in the CPS.

5.5.5 Requirements for Time-Stamping of Records

Relevant provisions are stipulated in the CPS.

5.5.6 Archive Collection System

Relevant provisions are stipulated in the CPS.

5.5.7 Procedures to Obtain and Verify Archive Information

Relevant provisions are stipulated in the CPS.

5.6 Key Changeover

Before the remaining validity period of a Certificate corresponding to the CA Private Key becomes shorter than the maximum validity period of the Certificate issued to a Subscriber, a new Private Key is generated in its stead and a new Certificate is issued. Once a new Private Key is generated, Certificates and CRLs are issued using the new Private Key.

5.7 Compromise and Disaster Recovery

5.7.1 Incident and Compromise Handling Procedures

Relevant provisions are stipulated in the CPS.

5.7.2 Computing Resources, Software, and/or Data are Corrupted

Relevant provisions are stipulated in the CPS.

5.7.3 Entity Private Key Compromise Procedures

Relevant provisions are stipulated in the CPS.

5.7.4 Business Continuity Capabilities after a Disaster

Relevant provisions are stipulated in the CPS.

5.8 CA or RA Termination

In the event of termination of the CA by SECOM Trust Systems, the company shall so notify Subscribers and other affected participants prior to such termination. All Certificates issued by the CA are revoked prior to the termination thereof.

6. Technical Security Controls

6.1 Key Pair Generation and Installation

6.1.1 Key Pair Generation

Relevant provisions are stipulated in the CPS.

6.1.2 Private Key Delivery to Subscriber

The CA does not deliver Private Keys to Subscribers.

6.1.3 Public Key Delivery to Certificate Issuer

A Subscriber Public Key may be delivered online to the CA, the communication routing of which is encrypted by TLS.

6.1.4 CA Public Key Delivery to Relying Parties

Relying Parties may obtain CA Public Keys by accessing the CA Repository.

6.1.5 Key Sizes

Relevant provisions are stipulated in the CPS.

6.1.6 Public Key Parameters Generation and Quality Checking

Relevant provisions are stipulated in the CPS.

6.1.7 Key Usage Purposes

"keyCertSign" and "cRLSign" bits shall be specified to the [keyUsage] of the CA Certificate.

"digitalSignature" and "keyEncipherment" shall be specified to the [keyUsage] of Subscriber Certificates issued by the CA.

Private Keys corresponding to Root Certificates MUST NOT be used to sign Certificates except in the following cases:

1. Self-signed Certificates to represent the Root CA itself;
2. Certificates for Subordinate CAs and Cross Certificates;
3. Certificates for infrastructure purposes (administrative role certificates, internal CA operational device certificates); and
4. Certificates for OCSP Response verification.

6.2 Private Key Protection and Cryptographic Module Engineering Controls

6.2.1 Cryptographic Module Standards and Controls

The generation, storage and signing operations of the CA Private Keys are performed using the CPS "6.2.7 Private Key Storage on Cryptographic Module" conformant cryptographic module. No stipulation for Subscriber Private Keys.

6.2.2 Private Key Multi-Person Control

Activation, deactivation, backup and other operations relating to the CA Private Keys are jointly performed by at least two authorized individuals in a secure environment. Activation, deactivation, backup and other operations relating to Subscriber Private Keys must be performed securely under the control of the relevant Subscribers.

6.2.3 Private Key Escrow

The CA does not Escrow CA Private Keys.

The CA does not Escrow Subscriber Private Keys.

6.2.4 Private Key Backup

Backup of Private Keys of the CA is jointly performed by at least two authorized individuals and is stored in a secure room as encrypted.

The backup of Subscriber Private Keys must be securely stored under the control of the relevant Subscribers.

6.2.5 Private Key Archival

The CA does not archive the CA Private Keys.

No stipulation for Subscriber Private Keys.

6.2.6 Private Key Transfer into or from a Cryptographic Module

The transfer of Private Keys of the CA into and from an HSM is performed in a secure room while encrypted.

No stipulation for Subscriber Private Keys.

6.2.7 Private Key Storage on Cryptographic Module

Private Keys of the CA operated on the Digital Certification Infrastructure shall be protected by the cryptographic module that complies with the CPS "6.2.7 Private Key

Storage on Cryptographic Module". No stipulation for Subscriber Private Keys.

6.2.8 Method of Activating Private Key

The CA Private Keys are jointly activated by at least two authorized individuals in a secure room.

No stipulation for Subscriber Private Keys.

6.2.9 Method of Deactivating Private Key

The CA Private Keys are jointly deactivated by at least two authorized individuals in a secure room.

No stipulation for Subscriber Private Keys.

6.2.10 Method of Destroying Private Key

The CA Private Keys are jointly destroyed by at least two authorized individuals by means of complete initialization or physical destruction. The Private Key backups are also destroyed in the same manner.

No stipulation for Subscriber Private Keys.

6.2.11 Cryptographic Module Rating

The quality standards to be applied to the HSMs used by the CA are as specified in "6.2.1 Cryptographic Module Standards and Controls" hereof.

No stipulation for Subscriber Private Keys.

6.3 Other Aspects of Key Pair Management

6.3.1 Public Key Archival

The provisions for the CA Public Keys are stipulated in "6.2.1 Cryptographic Module Standards and Controls" of the CPS.

No stipulation for Subscriber Private Keys.

6.3.2 Certificate Operational Periods and Key Pair Usage Periods

Relevant provisions are stipulated in the CPS.

6.4 Activation Data

6.4.1 Activation Data Generation and Installation

Relevant provisions are stipulated in the CPS.

6.4.2 Activation Data Protection

Relevant provisions are stipulated in the CPS.

6.4.3 Other Aspects of Activation Data

Relevant provisions are stipulated in the CPS.

6.5 Computer Security Controls

6.5.1 Specific Computer Security Technical Requirements

The CA enforce multi-factor authentication for all accounts capable of directly causing certificate issuance.

6.5.2 Computer Security Rating

Relevant provisions are stipulated in the CPS.

6.6 Life-Cycle Technical Controls

6.6.1 System Development Controls

Relevant provisions are stipulated in the CPS.

6.6.2 Security Management Controls

Relevant provisions are stipulated in the CPS.

6.6.3 Life-Cycle Security Controls

Relevant provisions are stipulated in the CPS.

6.7 Network Security Controls

Relevant provisions are stipulated in the CPS.

6.8 Time-Stamping

Relevant provisions are stipulated in the CPS.

7. Certificate, CRL, and OCSP Responder Certificate Profiles

7.1 Certificate Profile

The CA shall meet the technical requirements set forth in the CP “Section 2.2 – Publication of Information, “Section 6.1.5– Key Sizes”, and “Section 6.1.6 – Public Key Parameters Generation and Quality Checking”.

When the CA issues a subscriber certificate, the CA shall generate non-sequential Certificate serial numbers greater than zero (0) and less than 2^{159} containing at least 64 bits of output from a CSPRNG.

Certificates issued by the CA conform to RFC5280. The CA SHALL NOT include any Subject attributes except as specified in EV Guideline Section 9.2. The profile of which are indicated in the tables below.

As defined in Section 7.1.2.9 of the Baseline Requirements, for Version, Serial Number, Signature, Issuer, Validity, Subject, SubjectPublicKeyInfo, and SignatureAlgorithm of the Precertificate of the TLS server certificate, the encoded values must be byte-for-byte identical to the TLS server certificate. The order, criticality, and encoded values of Extension fields other than "Extension for Certificate Transparency" must be byte-for-byte identical to the extensions field of the certificate. The Precertificate MUST contain the Precertificate Poison extension (OID: 1.3.6.1.4.1.11129.2.4.3). This extension MUST have an extnValue OCTET STRING which is exactly the hex - encoded bytes 0500, the encoded representation of the ASN.1 NULL value, as specified in RFC 6962, Section 3.1.

Table 7.1-1 SECOM Passport for Web EV 2.0 CA Server Certificate Profile

Basic Fields		Settings	Critical
Version		Version 3	-
Serial Number		non - sequential Certificate serial numbers greater than zero (0) and less than 2^{159} containing at least 64 bits of output from a CSPRNG	-
Signature Algorithm		sha256WithRSAEncryption	-
Issuer	Country	C=JP	-
	Organization	O=SECOM Trust Systems CO.,LTD.	-
	Common Name	CN=SECOM Passport for Web EV 2.0 CA	-

Validity	NotBefore	A value within 48 hours before the certificate signing	-
	NotAfter	Specified in the CPS “6.3.2 Certificate Operational Periods and Key Pair Usage Periods”.	-
Subject	Country	C=JP (Fixed value)	-
	State Or Province	Required This field MUST contain the address of the physical location of the Subject's Place of Business.	-
	Locality	Required This field MUST contain the address of the physical location of the Subject's Place of Business.	-
	jurisdictionOfIncorporationCountryName	JP (Fixed value) This field MUST contain the address of the physical location of the Subject's Place of Business.	-
	Organization	Required This field MUST contain the Subject's full legal organization name as listed in the official records of the Incorporating or Registration Agency in the Subject's Jurisdiction of Incorporation or Registration or as otherwise verified by the CA as provided herein.	-
	Organizational Unit	Prohibited	-
	Common Name	Required Only one entry must be included, which is one of the values included in the Subject Alternative Name extension of the certificate. The value must be encoded as a character-for-character copy of the	-

		<p>dNSName entry value from the Subject Alternative Name extension. Specifically, the FQDN part of all domain labels in a fully qualified domain name must be encoded as LDH labels, and P labels must not be converted to Unicode representation.</p> <p>Must not contain a reserved IP address or internal name.</p>	
	Serial Number	Required (*1)	-
	businessCategory	Required (*2)	-
Subject Public Key Info		Subject Public Key 2048 bits	-
Extension Fields		Settings	Critical
keyUsage		digitalSignature, keyEncipherment	Y
extendedKeyUsage		serverAuth	N
Subject Alternative Name		<p>Required</p> <p>Includes at least one dNSName.</p> <p>Includes fully qualified domain names verified according to this CP "3.2.2.4 Domain Authentication".</p> <p>The entry cannot include an internal name. The FQDN portion of the fully qualified domain name contained in the entry must be composed entirely of LDH Labels joined together by a U+002E FULL STOP (".") character.</p> <p>The zero-length Domain Label representing the root zone of the Internet Domain Name System must not be included.</p> <p>Effective 2021-10-01, the Fully-Qualified Domain Name must consist solely of Domain Labels that are PLabels or Non-Reserved LDH</p>	N

	Labels.	
CertificatePolicies	[1]policyIdentifier OID=1.2.392.200091.100.721.1 policyQualifiers policyQualifierId=CPS qualifier=The CA's repository HTTP(S) URL [2]policyIdentifier=2.23.140.1.1	N
CRL Distribution Points	HTTP URL for the CRL service of the CA * Optional if id-ad-ocsp accessMethod is present in the Authority Information Access extension.	N
Authority Information Access	accessMethod ocsp (1.3.6.1.5.5.7.48.1) accessLocation OCSP responder's HTTP URL CA Issuers (1.3.6.1.5.5.7.48.2) accessLocation HTTP URL of the CA certificate	N
Authority Key Identifier	SHA-1 hash value of authority Public Key (160 bits)	N
Subject Key Identifier	Optional SHA-1 hash value of the subject Public Key (160 bits)	N
Certificate Transparency Extension (1.3.6.1.4.1.11129.2.4.2)	Optional SignedCertificateTimestampList value	N

Table 7.1-2 SECOM Passport for Web EV 2.0 CA OCSP Responder Certificate Profile

Basic Fields	Settings	Critical
Version	Version 3	-
Serial Number	non - sequential Certificate serial numbers greater than zero (0) and	-

		less than 2^{159} containing at least 64 bits of output from a CSPRNG	
Signature Algorithm		SHA256 with RSAEncryption	-
Issuer	Country	C=JP	-
	Organization	O=SECOM Trust Systems CO.,LTD.	-
	Common Name	CN=SECOM Passport for Web EV 2.0 CA	-
Validity	NotBefore	A value within 1 day before the certificate signing	-
	NotAfter	Specified in the CPS “6.3.2 Certificate Operational Periods and Key Pair Usage Periods”.	-
Subject	Country	C=JP (Fixed value)	-
	Organization	SECOM Trust Systems CO.,LTD. (Fixed value)	-
	Common Name	OCSP Responder name (Required)	-
Subject Public Key Info		Subject Public Key 2048 bits	-
Extension Fields		Settings	Critical
keyUsage		digitalSignature	Y
extendedKeyUsage		OCSPSigning	N
OCSP No Check		null	N
CertificatePolicies		Prohibited	N
Authority Key Identifier		SHA-1 hash value of authority Public Key (160 bits)	N
Subject Key Identifier		SHA-1 hash value of the subject Public Key (160 bits)	N

(*1) For the following Subscribers, the CA sets the Serial Number as indicated below:

Registered corporations: Corporate registration number or a comparable number

Central government ministries and agencies and state organs: Corporate registration number, or Date of establishment

Local governments and their organs: Corporate registration number or Date of establishment

National and public universities and high schools: Corporate registration number or Date of establishment

Should SECOM Trust Systems be unable to verify the corporate registration number and date of establishment, the following word or words are entered as the Serial Number:

Central government ministries and agencies and state organs: Government

Local governments and their organs: Local Government

National and public universities and high schools: Public School

(*2) For the following Subscribers, the CA sets the business Category as indicated below:

Registered corporations: Private Organization

Central government ministries and agencies and state organs: Government Entity

Local governments and their organs: Government Entity

National and public universities and high schools: Government Entity

7.1.1 Version Number(s)

This CA shall use X.509 v3.

7.1.2 Certificate Extension

Certificates issued by this CA use the RFC 5280 compliant certificate extension fields. The certificate profile described in “7.1 Certificate Profile” includes a certificate extension.

7.1.3 Algorithm Object Identifier

The algorithm OID used in this service is as follows:

Algorithm	Object Identifier
sha256 With RSA Encryption	1.2.840.113549.1.1.11
RSA Encryption	1.2.840.113549.1.1.1

7.1.4 Name Format

This CA uses the distinguished name specified in RFC5280.

For every valid Certification Path (as defined by RFC 5280, Section 6):

For each Certificate in the Certification Path, the encoded content of the Issuer Distinguished Name field of a Certificate shall be byte-for-byte identical with the encoded form of the Subject Distinguished Name field of the Issuing CA certificate.

By issuing the Certificate, the CA represents that it followed the procedure set forth

in its Certificate Policy and/or Certification Practice Statement to verify that, as of the Certificate's issuance date, all of the Subject Information was accurate. The CA shall not include a Domain Name or IP Address in a Subject attribute except as specified in Baseline Requirements Section 3.2.2.4 or Baseline Requirements Section 3.2.2.5.

Subject attributes must not contain only metadata such as '.', '-', and ' ' (i.e. space) characters, and/or any other indication that the value is absent, incomplete, or not applicable.

The CA does not issue a certificate with a Subject Alternative Name extension or "common name" field that contains a reserved IP address or internal name.

If the "common name" value is a fully qualified domain name or a wildcard domain name, the "common name" value is encoded as a character-for-character copy of the dNSName entry value in the Subject Alternative Name extension. Specifically, all Domain Labels in the FQDN part of a fully qualified domain name or wildcard domain name are encoded as LDH Labels, and P-Labels does not convert to Unicode.

7.1.5 Name Constraints

Not Set in the CA.

7.1.6 Certificate Policy Object Identifier

The OID of the certificate issued by the CA is as described in this CP "1.2 Document Name and Identification". The following Certificate Policy identifiers are reserved for use by CAs as an optional means of asserting that a Certificate complies with Baseline Requirements.

{joint-iso-itu-t(2) international-organizations(23) ca-browser-forum(140)
certificate-policies(1) ev-guidelines(1)} (2.23.140.1.1)

7.1.7 Use of Policy Constraint Extensions

Not set.

7.1.8 Policy Qualifier Syntax and Semantics

For the policy qualifier, the URI of the Web page that publishes this CP and CPS MAY be stored.

7.1.9 How to interpret Critical Certificate Policy Extensions

Not set.

7.2 CRL Profile

CRLs issued by the CA conform to RFC5280, the profile of which are indicated in the tables below.

Table 7.2-1 SECOM Passport for Web EV 2.0 CA CRL Profile

Basic Fields		Settings	Critical
Version		Version 2	-
Signature Algorithm		SHA256 with RSAEncryption	-
Issuer	Country	C=JP	-
	Organization	O= SECOM Trust Systems CO.,LTD.	-
	Common Name	CN=SECOM Passport for Web EV 2.0 CA	-
This Update		Issued date and time of CRL	-
Next Update		Date and time when the next CRL will be issued. Up to 10 days after thisUpdate.	-
Revoked Certificates	Serial Number	Byte-for-bite identical value to the serialNumber included in the revoked certificate	-
	Revocation Date	Usually, the date and time the revocation occurred.	-
	Reason Code	Value specified in "7.2.2 CRL Entry Extensions"	-
Extension Fields		Settings	Critical
CRL Number		CRL number	N
Authority Key Identifier		SHA-1 hash value of authority Public Key (160 bits)	N

7.2.1 Version Number(s)

The CA shall use X.509 v2 CRLs as specified in RFC 5280.

7.2.2 Certificate Revocation Lists and CRL Entry Extensions

Table 7.2-2-1 CRL Extensions

Extension	Presence	Critical	Description
authorityKeyIdentifier	Required	N	-
CRLNumber	Required	N	Contains an INTEGER (number) greater than or equal to 0 and less than 2^{159} .
IssuingDistributionPoint	*	Y	This extension is not recommended for full and complete CRLs. Full and complete CRLs are used in the CA
Any other extension	Not Recommended	-	-

Table 7.2-2-2 Revoked Certificates Component

Component	Presence	Description
serialNumber	Required	Byte-for-byte identical to the serialNumber contained in the revoked certificate.
revocationDate	Required	Nomally the date and time revocation occurred. See below this table for circumstances where backdating is permitted.
crlEntryExtensions	*	For requirements, see "Table 7.2-2-3 crlEntryExtensions Component."

The CA SHOULD update the revocation date in a CRL entry when it is determined that the private key of the Certificate was compromised prior to the revocation date that is indicated in the CRL entry for that Certificate. Backdating the revocationDate field is an exception to best practice described in RFC 5280 (Section 5.3.2); however, the Baseline Requirements specify the use of the revocationDate field to support TLS implementations that process the revocationDate field as the date when the Certificate is first considered to be compromised.

Table 7.2-2-3 crlEntryExtensions Component

CRL Entry Extension	Presence	Description
reasonCode	*	When present (OID 2.5.29.21) , not be marked critical and indicate the most appropriate reason for revocation of the Certificate. However, be omitted if the CRL entry is for a Certificate not technically capable of causing issuance and either 1) the CRL entry is for Subscriber Certificate subject to the Requirements revoked prior to July 15, 2023 or 2) the reason for revocation (i.e.,reasonCode) is unspecified. See the table of “CRLReasons” for the requirements.
Any other value	Not Recommended	-

Table 7.2-2-4 CRLReasons

RFC 5280 reasonCode	RFC 5280 reasonCode value	Description
unspecified	0	Represented by the omission of a reasonCode. However, be omitted if the CRL entry is for a Subscriber Certificate subject to the Baseline Requirements revoked prior to July 15, 2023.
keyCompromise	1	Indicate that it is known or suspected that the Subscriber’s Private Key has been compromised.
affiliationChanged	3	Indicate that the Subject’s name or other Subject’s Identity Information in the Certificate has changed, but there is no cause to suspect that the Certificate’s Private Key has been compromised.
superseded	4	Indicate that the Subscriber has requested a new Certificate, the CA has reasonable evidence that the validation of domain authorization or control for any FDQN or IP address in the Certificate should not be relied upon, or the CA has revoked the Certificate for

		compliance reasons such as the Certificate does not comply with the Baseline Requirements or the CA's CP or CPS.
cessationOfOperation	5	Indicates that the website with the Certificate is shut down prior to the expiration of the Certificate, or if the Subscriber no longer owns or controls the Domain Name in the Certificate prior to the expiration of the Certificate.
certificateHold	6	MUST NOT be included if the CRL entry is for: 1) a Certificate subject to the Baseline Requirements, 2) a Certificate not subject to the Baseline Requirements and was either: A) issued on-or-after 2020-09-30 or B) has a notBefore on-or-after 2020-09-30.
privilegeWithdrawn	9	Indicates that there has been a subscriber-side infraction that has not resulted in keyCompromise, such as the Certificate Subscriber provided misleading information in their Certificate Request or has not upheld their material obligations under the Subscriber Agreement or Terms of Use.

The Subscriber Agreement, or an online resource referenced therein, must inform Subscribers about the revocation reason options listed above and provide explanation about when to choose each option. Tools that the CA provides to the Subscriber must allow for these options to be easily specified when the Subscriber requests revocation of their Certificate, with the default value being that no revocation reason is provided (i.e. the default corresponds to the CRLReason “unspecified (0)” which results in no reasonCode extension being provided in the CRL).

The privilegeWithdrawn reasonCode should not be made available to the Subscriber as a revocation reason option, because the use of this reasonCode is determined by the CA and not the Subscriber.

When the CA obtains verifiable evidence of Key Compromise for a Certificate whose CRL entry does not contain a reasonCode extension or has a reasonCode extension with a non-keyCompromise reason, the CA should update the CRL entry to enter

keyCompromise as the CRLReason in the reasonCode extension.

In the CA, the following reasonCode shall be used.

- keyCompromise (1)
- affiliationChanged (3)
- superseded (4)
- cessationOfOperation (5)
- privilegeWithdrawn (9)

7.3 OCSF Profile

The CA provides OCSF responder to the Certificates conforming to RFC5019 and 6960.

Effective 2020-09-30, if an OCSF response is for a Root CA or Subordinate CA Certificate, including Cross Certificates, and that certificate has been revoked, then the revocationReason field within the RevokedInfo of the CertStatus must be present. Effective 2020-09-30, the CRLReason indicated must contain a value permitted for CRLs, as specified in the CP “Section 7.2.2 Certificate Revocation Lists and CRL Entry Extensions”.

7.3.1 Version Number(s)

The CA uses OCSF Version 1.

7.3.2 OCSF Extensions

Refer to this CP “7.1 Certificate Profile”. The singleExtensions of an OCSF response must not contain the reasonCode (OID 2.5.29.21) CRL entry extension.

8. Compliance Audit and Other Assessments

Relevant provisions are stipulated in the CPS.

8.1 Frequency and Circumstances of Assessment

Relevant provisions are stipulated in the CPS.

8.2 Identity/Qualifications of Assessor

Relevant provisions are stipulated in the CPS.

8.3 Assessor's Relationship to Assessed Entity

Relevant provisions are stipulated in the CPS.

8.4 Topics Covered by Assessment

The CA SHALL undergo an audit as appropriate in accordance with the WebTrust Standards below:

- WebTrust for CAs
- WebTrust for CAs SSL Baseline with Network Security
- WebTrust Principles and Criteria for Certification Authorities - Extended Validation SSL
- WebTrust Principles and Criteria for Certification Authorities - Network Security

8.5 Actions Taken as a Result of Deficiency

Relevant provisions are stipulated in the CPS.

8.6 Communication of Results

Relevant provisions are stipulated in the CPS.

8.7 Self-Audits

Relevant provisions are stipulated in the CPS.

9. Other Business and Legal Matters

9.1 Fees

9.1.1 Fees for Issuing or Renewing Certificates

Stipulated separately in contracts.

9.1.2 Certificate Access Fee

No stipulation.

9.1.3 Expiration or Access Fee for Status Information

No stipulation.

9.1.4 Fees for Other Services

No stipulation.

9.1.5 Refund Policy

Stipulated separately in contracts.

9.2 Financial Responsibility

9.2.1 Insurance Coverage

The CA shall maintain a sufficient financial resources for the operation and maintenance.

The CA SHALL maintain the following insurance related to their respective performance and obligations the EV Guidelines:

- A. Commercial General Liability insurance (occurrence form) with policy limits of at least two million US dollars in coverage;
- B. Professional Liability/Errors and Omissions insurance, with policy limits of at least five million US dollars in coverage, and including coverage for:
 - i. claims for damages arising out of an act, error, or omission, unintentional breach of contract, or neglect in issuing or maintaining EV Certificates,
 - ii. claims for damages arising out of infringement of the proprietary rights of any third party (excluding copyright, and trademark infringement), and invasion of privacy and advertising injury.

Such insurance must be with a company rated no less than A- as to Policy Holder's Rating in the current edition of Best's Insurance Guide (or with an association of companies each of the members of which are so rated).

The CA MAY self-insure for liabilities that arise from such party's performance and obligations under these Guidelines provided that it has at least five hundred million US dollars in liquid assets based on audited financial statements in the past twelve months, and a quick ratio (ratio of liquid assets to current liabilities) of not less than 1.0.

9.2.2 Other Assets

No stipulation.

9.2.3 End entity Insurance or Warranty coverage

No stipulation.

9.3 Confidentiality of Business Information

9.3.1 Scope of Confidential Information

Relevant provisions are stipulated in the CPS.

9.3.2 Information Not Within the Scope of Confidential Information

Relevant provisions are stipulated in the CPS.

9.3.3 Responsibility to Protect Confidential Information

Relevant provisions are stipulated in the CPS.

9.4 Privacy of Personal Information

9.4.1 Personal Information Protection Plan

Relevant provisions are stipulated in the CPS.

9.4.2 Information Treated as Personal Information

Relevant provisions are stipulated in the CPS.

9.4.3 Information that is not considered Personal Information

Relevant provisions are stipulated in the CPS.

9.4.4 Responsibility for protecting Personal Information

Relevant provisions are stipulated in the CPS.

9.4.5 Notice and Consent regarding use of Personal Information

Relevant provisions are stipulated in the CPS.

9.4.6 Information Disclosure with Judicial or Administrative Procedures

Relevant provisions are stipulated in the CPS.

9.4.7 Other Information Disclosure Conditions

Relevant provisions are stipulated in the CPS.

9.5 Intellectual Property Rights

The following copyrighted materials are the property of SECOM Trust Systems.

This CP;

This CP may be reproduced provided that the original document is properly referenced. It is published under the Creative Commons license Attribution-NoDerivatives (CC-BY-ND) 4.0.



<https://creativecommons.org/licenses/by-nd/4.0/>

- SECOM stickers and the sticker certification pages

9.6 Representations and Warranties

9.6.1 CA Representation and Warranties

Secom Trust Systems provides authentication services including subscriber examination, certificate registration, issuance, and revocation in compliance with the contents stipulated in this CP and CPS, and ensure the reliability of authentication business, including the reliability of CA private keys.

Except for the warranties set forth in this CP and CPS, SECOM Trust Systems makes no warranties, explicitly or implied, or in any other way.

By issuing a Certificate, the CA makes the certificate warranties listed herein to the following Certificate Beneficiaries:

1. The Subscriber that is a party to the Subscriber Agreement or Terms of Use for

the Certificate;

2. All Application Software Suppliers with whom the Root CA has entered into a contract for inclusion of its Root Certificate in software distributed by such Application Software Supplier; and
3. All Relying Parties who reasonably rely on a Valid Certificate. The CA represents and warrants to the Certificate Beneficiaries that, during the period when the Certificate is valid, the CA has complied with these Requirements and its Certificate Policy and/or Certification Practice Statement in issuing and managing the Certificate.

The Certificate Warranties specifically include, but are not limited to, the following:

1. Right to Use Domain Name or IP Address: That, at the time of issuance, the CA
 - i. implemented a procedure for verifying that the Applicant either had the right to use, or had control of, the Domain Name(s) and IP address(es) listed in the Certificate's subject field and subjectAltName extension (or, only in the case of Domain Names, was delegated such right or control by someone who had such right to use or control);
 - ii. followed the procedure when issuing the Certificate; and
 - iii. accurately described the procedure in the CA's Certificate Policy and/or Certification Practice Statement;
2. Authorization for Certificate: That, at the time of issuance, the CA
 - i. implemented a procedure for verifying that the Subject authorized the issuance of the Certificate and that the Applicant Representative is authorized to request the Certificate on behalf of the Subject;
 - ii. followed the procedure when issuing the Certificate; and
 - iii. accurately described the procedure in the CA's Certificate Policy and/or Certification Practice Statement;
3. Accuracy of Information: That, at the time of issuance, the CA
 - i. implemented a procedure for verifying the accuracy of all of the information contained in the Certificate (with the exception of the subject:organizationalUnitName attribute);
 - ii. followed the procedure when issuing the Certificate; and
 - iii. accurately described the procedure in the CA's Certificate Policy and/or Certification Practice Statement;
4. No Misleading Information: That, at the time of issuance, the CA
 - i. implemented a procedure for reducing the likelihood that the information contained in the Certificate's

- subject:organizationalUnitName attribute would be misleading;
 - ii. followed the procedure when issuing the Certificate; and
 - iii. accurately described the procedure in the CA's Certificate Policy and/or Certification Practice Statement;
5. Identity of Applicant: That, if the Certificate contains Subject Identity Information, the CA
- i. implemented a procedure to verify the identity of the Applicant in accordance with Section 3.2 and Section 7.1.4.2..2;
 - ii. followed the procedure when issuing the Certificate; and
 - iii. accurately described the procedure in the CA's Certificate Policy and/or Certification Practice Statement;
6. Subscriber Agreement: That, if the CA and Subscriber are not Affiliated, the Subscriber and the CA are parties to a legally valid and enforceable Subscriber Agreement that satisfies these Requirements, or, if the CA and Subscriber are the same entity or are Affiliated, the Applicant Representative acknowledged the Terms of Use;
7. Status: That the CA maintains a 24 x 7 publicly-accessible Repository with current information regarding the status (valid or revoked) of all unexpired Certificates; and
8. Revocation: That the CA will revoke the Certificate for any of the reasons specified in these Requirements.

The Root CA shall be responsible for the performance and warranties of the Subordinate CA, for the Subordinate CA's compliance with these Requirements, and for all liabilities and indemnification obligations of the Subordinate CA under these Requirements, as if the Root CA were the Subordinate CA issuing the Certificates

9.6.2 RA Representations and Warranties

Same as this CP "9.6.1 CA Representation and Warranties".

9.6.3 Subscriber Representations and Warranties

The CA shall require, as part of the Subscriber Agreement or Terms of Use, that the Applicant make the commitments and warranties in this section for the benefit of the CA and the Certificate Beneficiaries. Prior to the issuance of a Certificate, the CA shall obtain, for the express benefit of the CA and the Certificate Beneficiaries, either:

1. The Applicant's agreement to the Subscriber Agreement with the CA, or

2. The Applicant's acknowledgement of the Terms of Use.

The CA shall implement a process to ensure that each Subscriber Agreement or Terms of Use is legally enforceable against the Applicant. In either case, the Agreement must apply to the Certificate to be issued pursuant to the certificate request. The CA may use an electronic or "click-through" Agreement provided that the CA has determined that such agreements are legally enforceable. A separate Agreement may be used for each certificate request, or a single Agreement may be used to cover multiple future certificate requests and the resulting Certificates, so long as each Certificate that the CA issues to the Applicant is clearly covered by that Subscriber Agreement or Terms of Use.

The Subscriber Agreement or Terms of Use MUST contain provisions imposing on the Applicant itself (or made by the Applicant on behalf of its principal or agent under a subcontractor or hosting service relationship) the following obligations and warranties:

1. Accuracy of Information:

An obligation and warranty to provide accurate and complete information at all times to the CA, both in the certificate request and as otherwise requested by the CA in connection with the issuance of the Certificate(s) to be supplied by the CA;

2. Protection of Private Key:

An obligation and warranty by the Applicant to take all reasonable measures to assure control of, keep confidential, and properly protect at all times the Private Key that corresponds to the Public Key to be included in the requested Certificate(s) (and any associated activation data or device, e.g. password or token);

3. Acceptance of Certificate:

An obligation and warranty that the Subscriber will review and verify the Certificate contents for accuracy;

4. Use of Certificate:

An obligation and warranty to install the Certificate only on servers that are accessible at the subjectAltName(s) listed in the Certificate, and to use the Certificate solely in compliance with all applicable laws and solely in accordance with the Subscriber Agreement or Terms of Use;

5. Reporting and Revocation:

An obligation and warranty to:

- a. promptly request revocation of the Certificate, and cease using it and its associated Private Key, if there is any actual or suspected misuse or

compromise of the Subscriber's Private Key associated with the Public Key included in the Certificate, and

- b. promptly request revocation of the Certificate, and cease using it, if any information in the Certificate is or becomes incorrect or inaccurate.
6. Termination of Use of Certificate:

An obligation and warranty to promptly cease all use of the Private Key corresponding to the Public Key included in the Certificate upon revocation of that Certificate for reasons of Key Compromise.

7. Responsiveness:

An obligation to respond to the CA's instructions concerning Key Compromise or Certificate misuse within a specified time period.

8. Acknowledgment and Acceptance:

An acknowledgment and acceptance that the CA is entitled to revoke the certificate immediately if the Applicant were to violate the terms of the Subscriber Agreement or Terms of Use or if revocation is required by the CA's CP, CPS, or these Baseline Requirements.

9.6.4 Relying Party Representations and Warranties

The Relying Parties of the services of this CA shall bear the obligations to:

- Trust the certificate issued by this CA and use the certificate only for the purposes specified by this CA in this CP and CPS;
- When trying to trust a certificate, make sure that the certificate has not been revoked by the CRL or OCSP responder in the repository;
- When trying to trust a certificate, check the validity period of the certificate and confirm that it is within the validity period;
- When attempting to trust a certificate issued by this CA, make sure that the certificate can be signed and verified by this CA's certificate;
- Agree to assume responsibility as a Relying Party specified in this CP and CPS when trusting and using the certificate of this CA.

9.6.5 Representations and Warranties of Other Participants

No stipulation.

9.7 Disclaimer of Warranties

SECOM Trust Systems is not liable for any direct, special, incidental or consequential damages arising in connection with the warranties stipulated in "9.6.1CA

Representations and Warranties" and "9.6.2 RA Representations and Warranties" hereof, or for lost earnings, loss of data, or any other indirect or consequential damages.

9.8 Limitations of Liability

SECOM Trust Systems is not liable for the provisions of "9.6.1 CA Representations and Warranties" and "9.6.2 RA Representations and Warranties" hereof in any of the following cases:

- Any damage arising from unlawful conduct, unauthorized use, negligence or any other cause not attributable to SECOM Trust Systems;
- any damage attributable to the failure of a Subscriber to perform its obligations;
- any damage attributable to a Subscriber system;
- damages attributable to a hardware or software defect or malfunction or any other behavior of the SECOM Trust Systems or the Subscriber system;
- damages caused by information published in a Certificate, a CRL or on the OCSP responder due to the reasons not attributable to SECOM Trust Systems;
- any damage incurred in an outage of the normal communication due to reasons not attributable to SECOM Trust Systems;
- any damage arising in connection with the use of a Certificate, including transaction debts;
- damages attributable to improvement, beyond expectations at this point in time, in hardware or software type of cryptographic algorithm decoding skills; and
- any damage attributable to the suspension of the CA's operations due to force majeure, including, but not limited to, natural disasters, earthquakes, volcanic eruptions, fires, tsunami, floods, lightning strikes, wars, civil commotion and terrorism.

9.9 Indemnities

SECOM Trust Systems shall compensate a Subscriber for the damages incurred thereby for reasons attributable to a Certificate in an amount not to exceed the contract fees received and equal to the fees for the remaining months of the contract period (period of less than one month is rounded off) and shall not be liable in any other way.

9.10 Term and Termination

9.10.1 Term

This CP goes into effect upon approval by the Certification Services Improvement Committee.

This CP will not be invalidated under any circumstances prior to the termination stipulated in "9.10.2 Termination" hereof.

9.10.2 Termination

This CP loses effect as of the termination hereof by SECOM Trust Systems with the exception of the provisions stipulated in "9.10.3 Effect of Termination and Survival".

9.10.3 Effect of Termination and Survival

Even in the event of termination of the use of a Certificate by a Subscriber, termination of a contract between SECOM Trust Systems and the other party thereto, or the termination of a service provided by SECOM Trust Systems, provisions that should remain in effect, due to the nature thereof, shall survive any such termination, regardless of the reasons therefor, and remain in full force and effect with respect to any Subscriber, Relying Party, entity in a contractual relationship with SECOM Trust Systems, and SECOM Trust Systems.

9.11 Individual Notices and Communications with Participants

SECOM Trust Systems provides the necessary notices to Subscribers and Relying Parties through its website, e-mail or in other written forms.

9.12 Amendments

9.12.1 Procedure for Amendment

SECOM Trust Systems authenticates this CP on a regular basis. Further, SECOM Trust Systems revises this CP as needed at its discretion, and the revised version goes into effect upon approval by the Certification Services Improvement Committee.

9.12.2 Notification Method and Timing

Whenever this CP is modified, the prompt publication of the modified CP shall be deemed as the notification thereof to the participants.

9.12.3 Circumstances under Which OID Must Be Changed

OID shall be changed if the Certification Service Improvement Committee determines

that it is necessary.

9.13 Dispute Resolution Procedures

A party seeking to file a lawsuit, request arbitration or take any other legal action against SECOM Trust Systems for the resolution of a dispute relating to a Certificate issued by the CA, said party shall notify SECOM Trust Systems to this effect in advance. As regards the location for arbitration and court proceedings, a dispute settlement institution located within Tokyo shall have exclusive jurisdiction.

9.14 Governing Law

The CA and this CP are governed by the laws of Japan. The laws of Japan will apply to any dispute concerning the interpretation or validity of this CP and the CPS, as well as the use of the Certificates.

9.15 Compliance with Applicable Law

The CA shall handle cryptographic hardware and software in compliance with relevant export regulations of Japan.

9.16 Miscellaneous Provisions

9.16.1 Entire Agreement

SECOM Trust Systems comprehensively stipulates the obligations of Subscribers and Relying Parties and other relevant matters in this CP, the Service Terms, and the CPS, for provision of the services. Any agreement otherwise, whether oral or written, shall have no effect.

9.16.2 Assignment

When assigning the services to a third party, SECOM Trust Systems may assign its responsibilities and other obligations specified in this CP, the Service Terms, and the CPS.

9.16.3 Severability

Even if any provision of this CP, the Service Terms or the CPS is deemed invalid, all other provisions stipulated therein shall remain in full force and effect.

In the event of a conflict between Baseline Requirements and a law, regulation or government order (hereinafter 'Law') of any jurisdiction in which the CA operates or

issues certificates, the CA may modify any conflicting requirement to the minimum extent necessary to make the requirement valid and legal in the jurisdiction.

This applies only to operations or certificate issuances that are subject to that Law. In such event, the CA shall immediately (and prior to issuing a certificate under the modified requirement) include in Section 9.16.3 of the CA's CPS a detailed reference to the Law requiring a modification of Baseline Requirements under this section, and the specific modification to Baseline Requirements implemented by the CA.

The CA must also (prior to issuing a certificate under the modified requirement) notify the CA/Browser Forum of the relevant information newly added to the CA's CPS by sending a message to questions@cabforum.org and receiving confirmation that it has been posted to the Public Mailing List and is indexed in the Public Mail Archives available at <https://cabforum.org/pipermail/public/> (or such other email addresses and links as the Forum may designate), so that the CA/Browser Forum may consider possible revisions to these Requirements accordingly.

Any modification to the CA practice enabled under this section must be discontinued if and when the Law no longer applies, or Baseline Requirements are modified to make it possible to comply with both them and the Law simultaneously. An appropriate change in practice, modification to the CA's CPS and a notice to the CA/Browser Forum, as outlined above, must be made within 90 days.

9.16.4 Enforcement

Disputes regarding this service shall be governed by the Tokyo District Court, and Secom Trust Systems may seek compensation and attorney's fees from the parties for any dispute arising from the contractual provisions of each prescribed document, damages, losses and costs related to the parties' actions.

9.16.5 Irresistible Force

Secom Trust Systems shall not be liable for any damages caused by natural disasters, earthquakes, eruptions, fires, tsunamis, floods, lightning strikes, disturbances, terrorism, or any other force majeure, whether or not foreseeable. If it becomes impossible to provide the CA, we may suspend the CA until the situation ceases.

9.17 Other Provisions

No stipulation